



Science.
Applied to Life.™



3M United Kingdom PLC
3M Ireland Limited

Product catalogue 2024

Automotive Aftermarket

Valid from 01.04.2024

The information in this catalogue is current at the date of publication. Products availability may be amended by 3M from time to time. 3M is not liable in case of any errors or omissions.



3M Science.
Applied to Life.™

**3M body repair solutions to help
you bring the car back to better
than new.**

**Reputable Brands.
Total Solutions.**

At 3M, the art and science of automotive collision repair is a crucial part of our longstanding connection to our customers. For decades we have crafted abrasives, adhesives and coatings to help solve the latest auto body repair demands. Every product, every solution, is backed by our expert technical team to guide you and your body shop every step of the way.

Learn from our experts today.



Our on-demand webinars are available anytime and anywhere.

Register now and improve your skills.

■ Table of Contents

Abrasives and Abrasive Accessories

Net Discs	13
Paper Discs	14
Film Discs	21
Foam Discs	24
Non-woven Discs	26
Fibre Grinding Discs	27
Flap Discs	28
Quick Change Discs	28
Bristle Brushes & Discs	29
Cut-off & Grinding Wheels	30
Sanding Sponges	30
Net Sheets & Rolls	31
Sandpaper Sheets & Rolls	33
Film Sheets & Rolls	36
Non-woven Sheets & Rolls	37
Cloth Sheets & Rolls	38
Hand Pads	39
Cloth belts	41
Non-woven Belts	41
Blocks	42
Holders & Back-up Pads	46
Dust Extraction Systems and workplace organisation	50

Power tools

Buffers & Polishers	52
Power Grinders	53
Power Sanders	54
Power Tool Parts & Accessories	55

■ Table of Contents

Adhesives, Sealants & Applicators

Structural Adhesives	60
Flexible Adhesives	61
Sealants	62
Adhesive Applicators	64
Sealing Tapes	67
Foam Tapes	68
Repair Adhesives & Patches	69
Nozzles & Accessories	72
Windshield Adhesives	73

Coatings & Fillers

Automotive Fillers & Repair	76
Foam fillers	80
Corrosion Protection Coatings	81
Insulation	81
Automotive Coatings and Waxes	82
Accessories and Organisation	86

Cleaning Supplies

Cleaners	90
Cloths & Wipes	92
Cleaning Chemicals	94
Industrial Hand Cleansers	94

Paint Application Systems

Sprayer Systems	100
Spray Cup Systems	107

■ Table of Contents

Finishing Products

Polishing Compounds	122
Fine Polishing Compounds	124
Bonnets & Buffing Pads	128
Dry Guide Coat and Inspection Sprays	134

Masking Films and accessories

Masking Films	137
Film Installation Tools	138
Surface Protection Materials	139

Tapes

Masking Tapes, Specialty Tapes and Masking Paper	144
Vinyl Tapes	150
Bonding, Mounting & Transfer Tapes	150

Respiratory Protection

Disposable Respirators	154
Full Face Respirators	154
Half Mask Respirators	155
Cartridges & Filters	156
Reusable Respirator Parts & Accessories	158
Hoods & Headgear	160
Powered Air Respirator Systems	161
Powered Air Cartridges & Filters	162
Supplied Air Respirator Systems	163
Powered & Supplied Air Parts & Accessories	163

Table of Contents

Eye Protection

Safety Glasses	166
Safety Goggles	168

Hearing Protection

Earplugs	170
Earmuffs	171
Hearing Protection Accessories	172

Head & Face Protection

Hard Hats	174
-----------	-----

Welding Safety

Welding Helmets	176
Auto Darkening & Passive Welding Lenses	177

Apparel & Workwear

Coveralls	180
-----------	-----



Abrasives and Abrasive Accessories

We feature world-class brands such as 3M™ Cubitron™ II, Trizact™ and Scotch-Brite™ in a full abrasive range to quickly match our solutions with your repair jobs. It's all part of a complete and always expanding selection of 3M abrasive discs, abrasive sheets, cut-off wheels, belts and much more for increased efficiency at every stage of body repair.



Go for performance. Leave the dust behind.

Introducing

3M™ Cubitron™ II Net Abrasives

For Automotive Repair

Get the job done sooner with 3M™ Cubitron™ II Net Abrasives, our fastest-cutting and longest lasting net abrasive discs and sheets. This family of net abrasives delivers the exceptional cut rate and extended life of a Cubitron II abrasive, whilst letting dust extractors perform their best by leaving virtually no dust on the work surface and in the environment.

Benefits



Performance:

Faster cutting and longer lasting than leading net abrasives in the market.



Efficient:

Helps shops productivity and efficiency by helping to reduce rework and cleanup time.



Dust Extraction:

Designed to help reduce dust in the air from sanding for a cleaner workspace.



Versatile:

Compatible with pneumatic and/or electric sanders with or without dust extraction capabilities.



Construction:

Open net structure is designed to provide a virtually dust-free environment for a cleaner, healthier shop.

Features



Net construction for 35% + highly efficient dust extraction performance.



Precision Shaped Grain and engineered Ceramic mineral blend technology for faster cut and longer life.



Allows use multi-hole back-up pads and blocks for easy disc hole alignment and dust extraction.



3M™ Cubitron™ II Net Abrasives are compatible with your existing dust extraction equipment.



Center hole for easy disc alignment and storage.

Get underway with the right abrasive.

3M™ Cubitron™ II Net Abrasives	3M™ Cubitron™ II Abrasive 737U	3M™ Blue Net Abrasives	3M™ Hookit™ Blue Abrasive 325U	3M™ Hookit™ Gold Abrasive 255P
				
Out Rate ●●●●●	Out Rate ●●●●●	Out Rate ●●●	Out Rate ●●●●●	Out Rate ●●
Disk Life ●●●●●	Disk Life ●●●●●	Disk Life ●●●	Disk Life ●●●●●	Disk Life ●●
Dust Extraction ●●●●●	Dust Extraction ●●●●●	Dust Extraction ●●●●●	Dust Extraction ●●●●●	Dust Extraction ●●
Grades 80+, 120+, 160+, 180+, 220+, 240+, 320+	Grades 60+, 80+, 120+, 160+, 180+, 220+, 240+, 320+, 400+	Grades 60, 120, 160, 180, 220, 240, 320	Grades 60, 120, 160, 180, 220, 240, 320, 400, 600, 800	Grades 60, 100, 120, 160, 180, 220, 240, 320, 360, 400, 600, 800
Size 75 mm, 125 mm, 150 mm, 203 mm	Size 75 mm, 80 mm, 125 mm, 150 mm	Size 75 mm, 125 mm, 150 mm	Size 150 mm	Size 75 mm, 125 mm, 150 mm, 203 mm
Technology 3M Precision-Shaped Grain	Technology 3M Precision-Shaped Grain	Technology Engineered Ceramic Mineral Blend	Technology Engineered Ceramic Mineral Blend	Technology Aluminum Oxide Mineral
Material Net	Material Paper (Multi-hole)	Material Net	Material Paper (Multi-hole)	Material Paper (Various hole configurations)
Attachment Type 3M™ Hookit™	Attachment Type 3M™ Hookit™	Attachment Type 3M™ Hookit™	Attachment Type 3M™ Hookit™	Attachment Type 3M™ Hookit™



CUBITRON™ II
Abrasive Discs

5 Reasons to switch to 3M™ Cubitron™ II Abrasives:

1

Cut 30% faster
with less effort.

2

Lasts twice
as long as
conventional
abrasives.

3

Runs cooler –
lower chance of
warping/degrading
the metal.

4

Delivers a fine,
more uniform
finish.

5

Improves
productivity to
help save time
and money.

3M technologies applied to 3M™ Cubitron™ II abrasives

Ce
Ceramics

3M has decades of experience creating minerals that match hardness and toughness of the material to be application.

Mr
Micro-structure

Micro-structure allows the abrasive structure to be repeated for all 3M Precision-Shaped Grain.

Pp
Precision-Shaped Grain

Precision processing deposits uniform mineral structure on the right location, regardless of the product substrate.



PERSONAL SAFETY

Always wear PPE



Always wear PPE



Always wear PPE



Always wear PPE



Always wear PPE



- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- To prolong the life of the sanding disc, an air-sanding unit per abrasive disc 150 mm is recommended.
- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K



- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- Before air-sanding, sanding scratches must be removed. The possibility of air-sanding from the body into the OEM paint layer. If this happens, it can lead to surface cracking around the repair.



- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- Initial shaping of the body filler
- Shape the final piece with final extraction



- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K



- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- It is advisable to work with a soft interface pad when sanding curved areas.
- The use of the 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K is recommended for maximum process safety.



- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K




- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K



- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K



- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K
- 3M™ Cubitron™ II Net Abrasive Disc 200+ - 150K



Abrasives and Abrasive Accessories

Net Discs

Focus

3M™ Cubitron™ II Net Disc Roll

3M™ Cubitron™ II Net Discs are a family of fast-routing and long-lasting net discs that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment. Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.



- Fast-routing, long-lasting net discs are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best possible performance – whether it's a self-generating vacuum sander, a central vacuum system or a portable dust extractor.
- The patented triangular-shaped mineral grains on the discs slice through substrates rather than gouging or "plowing" like conventional abrasive grains, helping the disc run cooler, cut faster, and last longer.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100291893	21879	3M™ Cubitron™ II Net Disc Roll, 75 mm, 504, 21879	0	Roll	1	0
7100291891	21880	3M™ Cubitron™ II Net Disc Roll, 75 mm, 1204, 21880	0	Roll	1	0
7100291890	21882	3M™ Cubitron™ II Net Disc Roll, 75 mm, 1804, 21882	0	Roll	1	0
7100291888	21884	3M™ Cubitron™ II Net Disc Roll, 75 mm, 2404, 21884	0	Roll	1	0
7100291886	21886	3M™ Cubitron™ II Net Disc Roll, 75 mm, 3204, 21886	0	Roll	1	0
7100291884	21888	3M™ Cubitron™ II Net Disc Roll, 100 mm, 504, 21888	0	Roll	1	0
7100291883	21891	3M™ Cubitron™ II Net Disc Roll, 100 mm, 1204, 21891	0	Roll	1	0
7100291871	21892	3M™ Cubitron™ II Net Disc Roll, 100 mm, 1804, 21892	0	Roll	1	0
7100291869	21893	3M™ Cubitron™ II Net Disc Roll, 100 mm, 2404, 21893	0	Roll	1	0
7100291868	21894	3M™ Cubitron™ II Net Disc Roll, 100 mm, 3204, 21894	0	Roll	1	0
7100291872	21895	3M™ Cubitron™ II Net Disc Roll, 150 mm, 2404, 21895	0	Roll	1	0
7100291870	21898	3M™ Cubitron™ II Net Disc Roll, 150 mm, 3204, 21898	0	Roll	1	0

Focus

3M™ Blue Net Disc Roll

3M™ Blue Net Discs are net abrasive sanding discs that offer outstanding performance. They're built with an engineered ceramic mineral blend of abrasives that deliver a fast cut rate and long disc life. They also offer excellent dust removal when used with a dust extraction system.



- Sanding discs that offer outstanding performance at a competitive price.
- Built with an engineered ceramic mineral blend they deliver an excellent cut rate and life.
- Balanced for outstanding abrasive performance for cut, life and dust extraction.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100280788		3M™ Blue Net Disc Roll, 150 mm, 1204, 28421	0	Roll	1	0
7100280786		3M™ Blue Net Disc Roll, 150 mm, 1804, 28422	0	Roll	1	0
7100280787		3M™ Blue Net Disc Roll, 150 mm, 1804, 28423	0	Roll	1	0
7100280782		3M™ Blue Net Disc Roll, 150 mm, 2404, 28426	0	Roll	1	0
7100280789		3M™ Blue Net Disc Roll, 150 mm, 3204, 28429	0	Roll	1	0
7100280786		3M™ Blue Net Disc Roll, 150 mm, 3204, 28429	0	Roll	1	0

Abrasives and Abrasive Accessories

Paper Discs

Focus

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U

Get a superior cut and durability during key stages of automotive repair with 3M™ Cubitron™ II Hookit™ Purple™ Multihole Abrasive Disc 737U. Our triangular shaped grain and multi-hole pattern abrasive disc is ideal for paint removal, rough body filler shaping, fine feather edging and final prep before blending or priming.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
T00147441	31881	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multihole, 504, 31881	200	Each	80	200
T00186472	31882	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multihole, 1204, 31882	200	Each	80	200
T00186302	31883	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multihole, 1504, 31883	200	Each	80	200
T00186353	31884	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multihole, 1804, 31884	200	Each	80	200
T00125256	31481	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multihole, 2204, 31481	200	Each	80	200
T00125258	31482	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multihole, 2404, 31482	200	Each	80	200
T00125634	31483	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multihole, 3204, 31483	200	Each	80	200
T00125635	31484	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 75 mm, Multihole, 4004, 31484	200	Each	80	200
T00275440	31810	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multihole, 504, 31810	600	Each	80	600
T00275518	31811	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multihole, 1204, 31811	600	Each	80	600
T00275514	31812	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multihole, 1404, 31812	600	Each	80	600
T00275523	31813	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multihole, 1804, 31813	600	Each	80	600
T00275627	31814	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multihole, 2204, 31814	600	Each	80	600
T00275636	31815	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multihole, 2404, 31815	600	Each	80	600
T00275648	31816	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multihole, 3204, 31816	600	Each	80	600
T00220056	31817	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 90 mm, Multihole, 4004, 31817	600	Each	80	600
T00147501	31474	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 125 mm, Multihole, 4004, 31474	200	Each	80	200
T00275602	31808	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 160 mm, Multihole, 504, 31808	200	Each	80	200
T00275603	31870	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 160 mm, Multihole, 1204, 31870	250	Each	80	250
T00275601	31821	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 160 mm, Multihole, 1504, 31821	250	Each	80	250

Abrasives and Abrasive Accessories

Focus

3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U

Get a superior cut and durability during key stages of automotive repair with 3M™ Cubitron™ II Hookit™ Purple+ Multihole Abrasive Disc 737U. Our triangular shaped grain and multi-hole pattern abrasive disc is ideal for paint removal, rough body filler shaping, fine featheredging and final prep before blending or priming.



- Get 30% faster cutting compared to other premium abrasives
- Precision shaped, self-sharpening grains last twice as long vs. conventional industrial abrasives
- Sharper cutting surface means less pressure is required for reduced friction and wear

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100273957	51422	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multihole, 150+, 51422	250	Each	50	250
7100273913	51423	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multihole, 220+, 51423	250	Each	50	250
7100265909	51424	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multihole, 240+, 51424	250	Each	50	250
7100173181	51426	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multihole, 320+, 51426	250	Each	50	250
7100225245	51428	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 150 mm, Multihole, 400+, 51428	250	Each	50	250
7100073547	31375	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 203 mm, Multihole, 40+, 31375	100	Each	25	100
7100155305	31376	3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Disc 737U, 203 mm, Multihole, 50+, 31376	100	Each	25	100

PERSONAL SAFETY

1 Sanding down the job site



- Lower down the disc to the required 100 micron orbital position
- To remove coatings correct, use the P-100 disc setting
- To reduce abrasive sanding problems, switch to P-100 or P-150 disc setting when the abrasive disc is on the surface

Note: For maximum efficiency at all work areas, always use 2 abrasive sanding discs on the wheel. Push on the disc.



2 Cleaning of the surface



- Clean the surface



3 Application of a new surface



- Spray the surface with a suitable application gun
- Spray the surface for 100 to 150 seconds, spray on average 100 to 150 seconds of surface until the surface is covered
- After the first spray, do not let the first 100 to 150 seconds of surface dry. If necessary, repeat the spray.



4 Application



- First apply a "thin" coat of material onto the surface. It is best to ensure that the material is applied evenly and is not too thick. The material should be applied in a "wet" condition, so that the first layer is a "wet" condition, so that the first layer is a "wet" condition.
- Working time of coating is approximately 10 to 15 minutes.
- Do not exceed working time for application. Material must be applied in a "wet" condition. Do not exceed 10 to 15 minutes.



5 Drying



- The drying of the P-100 Cubitron Primer can be completed using 100 to 150 degrees Celsius. When 100 to 150 degrees Celsius is reached, the surface is dry. Do not exceed 100 to 150 degrees Celsius.
- Drying time is approximately 10 to 15 minutes. Do not exceed 10 to 15 minutes.

6 Pre-Sanding of the filler area



- The sanding stage can also be done by using a sanding disc.

7 Sanding of the filler area



- To remove coatings correct, use the P-100 disc setting
- To reduce abrasive sanding problems, switch to P-100 or P-150 disc setting when the abrasive disc is on the surface



8 Cleaning of the surface



- Clean the surface



Optional - second layer application



- Apply a second layer of 3M P-100 Cubitron Primer if necessary. Do not exceed 100 to 150 degrees Celsius. Do not exceed 10 to 15 minutes.
- Do not exceed 100 to 150 degrees Celsius. Do not exceed 10 to 15 minutes.
- Do not exceed 100 to 150 degrees Celsius. Do not exceed 10 to 15 minutes.



Abrasives and Abrasive Accessories

Focus

3M™ Hookit™ Abrasive Disc 255P

3M™ Hookit™ Disc 255P Gold is a C-weight abrasive disc for general purpose lightweight sanding. The popular 255P Gold abrasive offers superior performance.



- General Purpose
- Available in a range of grades from P80 to P600. Applications include paint removal.
- 255P discs and pads achieve better cut, less loading and a reduction in airborne dust.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100260006	60443	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P80, 60443	500	Each	100	500
7100260007	60445	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P120, 60445	500	Each	100	500
7100260008	60446	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P150, 60446	500	Each	100	500
7100260009	60447	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P180, 60447	500	Each	100	500
7100260070	60448	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P220, 60448	500	Each	100	500
7100260071	60449	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P240, 60449	500	Each	100	500
7100260073	60451	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P320, 60451	500	Each	100	500
7100260075	60453	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P400, 60453	500	Each	100	500
7100260076	60454	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P500, 60454	500	Each	100	500
7100260077	60455	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 15 Hole, P600, 60455	500	Each	100	500
7100300008	61654	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P80, 61654	500	Each	100	500
7100300070	61655	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P120, 61655	500	Each	100	500
7100300009	61657	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P150, 61657	500	Each	100	500
7100300010	61658	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P180, 61658	500	Each	100	500
7100300084	61659	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P220, 61659	500	Each	100	500
7100300740	61660	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P240, 61660	500	Each	100	500
7100100401	61661	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P320, 61661	500	Each	100	500
7100100402	61662	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P400, 61662	500	Each	100	500
7100100403	61663	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P500, 61663	500	Each	100	500
7100300239	61664	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P600, 61664	500	Each	100	500
7100300010	61665	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P800, 61665	500	Each	100	500
7100100408	61666	3M™ Hookit™ Abrasive Disc 255P, 150 mm, 17 Hole, P1000, 61666	500	Each	100	500

Abrasives and Abrasive Accessories

Focus

3M™ Hookit™ Abrasive Disc 325U

3M™ Hookit™ Abrasive Disc 325U Blue is an Engineered Ceramic Mineral Blend product designed to offer excellent cut performance with superior dust extraction based on multihole technology.

- Engineered Ceramic Mineral Blend Hookit™ abrasive disc
- Hookit™ attachment system
- Grades P60 to 600



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100245530	51371	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 60, 51371	500	Each	1	500
7100245531	51373	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 120, 51373	500	Each	1	500
7100245532	51374	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 150, 51374	500	Each	1	500
7100245533	51375	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 180, 51375	500	Each	1	500
7100245534	51376	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 220, 51376	500	Each	1	500
7100245535	51377	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 240, 51377	500	Each	1	500
7100245538	51379	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 320, 51379	500	Each	1	500
7100245544	51381	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 400, 51381	500	Each	1	500
7100249345	51382	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 500, 51382	500	Each	1	500
7100249346	51383	3M™ Hookit™ Abrasive Disc 325U, Blue, 150 mm, Multihole, 600, 51383	500	Each	1	500

Focus

3M™ Hookit™ Abrasive Disc 337U

Get a consistent matt finish on E-Coat primers with 3M™ Hookit™ Abrasive Disc 337U. This disc has been specially designed to sand very tough automotive e-coat primers.

- Finish equivalent to P320
- Use to sand extremely tough automotive e-coat primers
- Get a consistent matt finish



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100151554	50535	3M™ Hookit™ Abrasive Disc 337U, 150 mm, Multihole, P320, 50535	100	Each	50	100

Abrasives and Abrasive Accessories

Focus

3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U

Save on labour costs and improve quality with 3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U – our disc that's designed for a fast cut and consistent finish. Use for fine primer sanding before applying base coat.

- High performance abrasive disc with Hookit™ attachment
- Final sanding step before base coat application.
- Less loading for fine sanding applications of sensitive primers.



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000488	30272	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 75 mm, Multihole, P800, 30272	200	Each	50	200
7000045475	30261	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 75 mm, Multihole, P800, 30261	200	Each	50	200
7100040483	50534	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 150 mm, Multihole, P800, 50534	500	Each	100	500
7000084825	50913	3M™ Hookit™ Purple Clean Sanding Abrasive Disc 334U, 150 mm, Multihole, P800, 50913	500	Each	100	500

Abrasives and Abrasive Accessories

Film Discs

Purple

3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L

3M™ Purple Finishing Film Hookit™ Disc is used for scuffing the blend area before painting and removing dust, nits and excess orange peel from topcoats.



- Level orange peel, dust nits or pen marks in all types of automotive paints
- Get a fast cut and long disc life with aluminum oxide abrasive
- Use for scuffing the blend area prior to painting

Product ID	Part Number	Product Name	MOQ	Order Unit	MSL	SU
7100120246	51263	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 2 Hole, P1200, 51263	200	Each	90	200
7100120241	51263	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 2 Hole, P1200, 51264	200	Each	90	200
7100120240	51263	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 2 Hole, P1200, 51265	200	Each	90	200
7100120231	51265	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 2 Hole, P1200, 51266	200	Each	90	200
7100120244	51267	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 2 Hole, P1200, 51267	200	Each	90	200
7100122790	50271	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1200, 50271	200	Each	90	200
7100122788	50270	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1200, 50270	200	Each	90	200
7100122800	50268	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1200, 50268	200	Each	90	200
7100120235	50265	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, 14 Hole, P1200, 50265	200	Each	90	200
7100120245	50267	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 75 mm, No Hole, P1200, 50267	200	Each	90	200
7100123085	51146	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 14 Hole, P1200, 51146	200	Each	90	200
7100123753	51155	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 18 Hole, P1200, 51155	200	Each	90	200
7100123091	51157	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 18 Hole, P1200, 51157	200	Each	90	200
7100123089	51158	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 18 Hole, P1200, 51158	200	Each	90	200
7100123090	51154	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1200, 51154	200	Each	90	200
7100122781	34750	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1200, 34750	200	Each	90	200
7100122797	34751	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1200, 34751	200	Each	90	200
7100122500	34752	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1200, 34752	200	Each	90	200
7100123757	34753	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1200, 34753	200	Each	90	200
7100123756	34754	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1200, 34754	200	Each	90	200
7100123087	34755	3M™ Hookit™ Purple Finishing Film Abrasive Disc 260L, 150 mm, 17 Hole, P1200, 34755	200	Each	90	200

Abrasives and Abrasive Accessories

3M™ Hookit™ Finishing Film Abrasive Disc 260L

3M™ Hookit™ Film Disc 260L is ideal for auto body applications including blending, scuffing, paint prep and removing paint defects. Choose aluminum oxide mineral cutting surfaces from P600 to P2000, all on durable film backing.



- Film-backed abrasive discs for high-finish auto body sanding applications
- Aluminum oxide abrasive offers a fast out and long disc life
- Change and reuse discs easily with 3M's Hookit™ attachment system

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045653	51053	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 125 mm, 5 Hole, P1000, 51053	400	Each	100	400
710013428	51057	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P600, 51057	250	Each	50	250
710013151	51099	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P800, 51099	250	Each	50	250
710013385	51055	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1000, 51055	250	Each	50	250
710013150	51054	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1200, 51054	250	Each	50	250
710013147	51053	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P1500, 51053	250	Each	50	250
710013049	51304	3M™ Hookit™ Finishing Film Abrasive Disc 260L, 150 mm, 15 Hole, P2000, 51304	200	Each	50	200

Abrasives and Abrasive Accessories

3M™ Hookit™ Flexible Abrasive Disc 270J

3M™ Hookit™ Flexible Abrasive Discs are precision coated with high quality minerals and resins to deliver longer-lasting performance for primer sanding, blend preparation and paint finishing. Our versatile discs provide excellent cut and finish performance with high flexibility, anti-loading technology, and conformability.



- Get high flexibility and conformability
- Premium quality delivers uniform, consistent finishes every time
- Reduce burn through when sanding thin coated surfaces

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100016328	34417	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, F400, 34417	125	Each	25	125
7100016792	34419	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, F600, 34419	125	Each	25	125
7100016798	34420	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, F800, 34420	125	Each	25	125
7100016799	34421	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, F1000, 34421	125	Each	25	125
7100018810	34422	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, F1200, 34422	125	Each	25	125
7100018327	34423	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 15 Hole, F1500, 34423	125	Each	25	125
7100104547	34500	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, F400, 34500	125	Each	25	125
7100104518	34501	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, F600, 34501	125	Each	25	125
7100104515	34502	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, F800, 34502	125	Each	25	125
7100104300	34503	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, F1000, 34503	125	Each	25	125
7100104321	34504	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, F1200, 34504	125	Each	25	125
7100104302	34505	3M™ Hookit™ Flexible Abrasive Disc 270J, 150 mm, 17 Hole, F1500, 34505	125	Each	25	125

3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA

3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Discs are ideal for removing defects in the paint, such as dirt, nibs and matching orange peel. They're used prior to paint finishing abrasives or traditional polishing compounds and pads.



- Use to level dirt nibs and refine sanding scratches.
- Always use damp.
- Film backing offers tear-resistant durability and flexibility for sanding uneven automotive surfaces.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100041422	09801	3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA, 75 mm, 1800, 09801	100	Each	25	100
7100041061	09802	3M™ Trizact™ Hookit™ Clear Coat Sanding Abrasive Disc 471LA, 150 mm, 1800, 09802	100	Each	25	100

Abrasives and Abrasive Accessories

3M™ Trizact™ Hookit™ Film Disc Roll 466LA

3M™ Trizact™ Hookit™ Film Disc Roll 466LA is the clear coat repair disc that is used by most Automotive manufacturers worldwide. Each disc will last for many repairs because fresh abrasive mineral is exposed as the disc wears. The consistent surface roughness (low R_a) reduces the time polishing time required, and helps prevent quality audit failures. The end result is a cost effective, robust process.



- Silicane Oxide Mineral
- Ideal for the 3M two-step paint defect repair process for automotive finishes
- Available in a convenient disc roll form

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000034530	18076	3M™ Trizact™ Abrasive Disc 466LA, 3x7 mm, P3000	1000	Each	100	1000

Foam Discs

Focus

3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA

Prepare blend areas for painting with consistent results using 3M™ Trizact™ Hookit™ Blending Discs. These foam-backed abrasive discs are designed for scuffing and sanding blend panels, texture matching orange peel, and removing sand scratches prior to paint blending on adjacent panels. Used damp, they eliminate the need for scuffing compounds or wet sanding abrasives.



- Designed for scuffing blend panels, texture matching orange peel, and removing fine grade sand scratches prior to paint blending.
- Always used damp, they eliminate the need for scuffing compounds and wet sanding abrasives.
- Foam backing provides plenty of control and consistent contact with the surface.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000034588	60456	3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA, 75 mm, 1000, SDH2	60	Each	18	60
7000034585	60341	3M™ Trizact™ Hookit™ Blending Abrasive Disc 443SA, 150 mm, 1000, SDH2	90	Each	18	90

Focus

3M™ Trizact™ Hookit™ Foam Abrasive 6000 Disc 443SA

Spend less time compounding and enjoy less risk of defects by using 6000-grade 3M™ Trizact™ Hookit™ Foam Abrasives. Use these discs as the next step to refine 3000-grade scratches, to reduce compounding. 3M™ Trizact™ Abrasives are engineered for consistent cut and long life.



- Designed to refine 3000 grade sand scratches and thus reducing overall finishing time.
- Always used damp, they deliver long life and less loading than dry sanding.
- Allow technicians to refine paint scratches using a lighter dust-action sander instead of a heavier polisher.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000034552	17181	3M™ Trizact™ Hookit™ Foam Abrasive 6000 Disc 443SA, 75 mm, 6000, 17181	60	Each	15	60
7000034408	17180	3M™ Trizact™ Hookit™ Foam Abrasive 6000 Disc 443SA, 150 mm, 6000, 17180	90	Each	15	90

Abrasives and Abrasive Accessories

Focus

3M™ Trizact™ Hookit™ Foam Abrasive 8000 Disc 443SA

Shorten or eliminate the compounding stage from your paint finishing process by using 8000-grade 3M™ Trizact™ Hookit™ Foam Abrasive Discs before you polish. Used to refine 3000-grade or finer sand scratches, they leave a surface so smooth you can forget compounding and start polishing. They're the industry's first 8000-grade abrasives — built with a unique patented 3M technology.

- Eliminate or significantly reduce the compounding process by using 8000-grade 3M™ Trizact™ Hookit™ Foam Abrasive Discs before you polish.
- Always used damp, they deliver long life and less loading than dry sanding.
- Use 3M™ Trizact™ 8000-grade Foam Discs for refining 3000-grade and finer sand scratches on painted surfaces.



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100100755	30204	3M™ Trizact™ Hookit™ Foam Abrasive 8000 Disc 443SA, 76 mm, 8000, 000002	50	Each	15	50
7100100700	30200	3M™ Trizact™ Hookit™ Foam Abrasive 8000 Disc 443SA, 168 mm, 8000, 000008	50	Each	15	50

Focus

3M™ Hookit™ Flexible Abrasive Foam Disc

3M™ Hookit™ Flexible Abrasive Foam Discs combine flexible aluminum oxide abrasives with a soft foam backing to create a high performing, versatile blending abrasive for wet or dry use by hand or machine.

- Extremely versatile blending abrasive
- Can be used wet or dry
- Suitable for use by hand or machine



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100100426	30661	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P600, 30661	50	Each	20	50
7100100426	30661	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1000, 30661	50	Each	20	50
7100100401	30552	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1200, 30552	50	Each	20	50
7100100402	30553	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P1500, 30553	50	Each	20	50
7100100401	30552	3M™ Hookit™ Flexible Abrasive Foam Disc, 77 mm, P2000, 30552	50	Each	20	50
7100100407	30648	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P600, 30648	50	Each	20	50
7100100407	30648	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1000, 30648	50	Each	20	50
7100100404	30647	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1200, 30647	50	Each	20	50
7100100402	30645	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P1500, 30645	50	Each	20	50
7100100400	30646	3M™ Hookit™ Flexible Abrasive Foam Disc, 125 mm, P2000, 30646	50	Each	20	50
7100100400	30646	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P400, 30646	50	Each	20	50
7100100401	30659	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P600, 30659	50	Each	20	50
7100100036	30640	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P800, 30640	50	Each	20	50
7100100407	30641	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1000, 30641	50	Each	20	50
7100100401	30642	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1200, 30642	50	Each	20	50
7100100402	30643	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P1500, 30643	50	Each	20	50
7100100400	30644	3M™ Hookit™ Flexible Abrasive Foam Disc, 150 mm, P2000, 30644	50	Each	20	50

Abrasives and Abrasive Accessories

Non-woven Discs

Scotch-Brite™ Clean and Strip XT Pro Disc

Scotch-Brite™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100192333	81880	Scotch-Brite™ Clean and Strip XT Pro Disc XO-DE, 115 mm x 22 mm, 5 XCRS, Purple	10	Each	1	10
7100192330	81889	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 115 mm x 22 mm, 5 XCRS, Purple	10	Each	1	10
7100192331	81890	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x 22 mm, 5 XCRS, Purple	10	Each	1	10
7100192335	81891	Scotch-Brite™ Clean and Strip XT Pro Disc XO-RD, 125 mm x 114, 5 XCRS, Purple	10	Each	1	10

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc features silicon carbide abrasive mineral incorporated into an open nylon web. Our discs effectively remove rust, paint, mill scale, coatings and adhesives from surfaces without significantly altering the base material.



- Removes rust, paint, mill scale and coatings from metal fast
- High-strength fibre resists chunking and performs well on edges
- High conformability provides a larger contact patch for faster removal rates

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100175521	81887	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 50 mm, 5 XCRS, Purple	60	Each	10	60
7100175798	81888	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-DR, 75 mm, 5 XCRS, Purple	40	Each	10	40
7100192704	81893	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-ZR, 100 mm x 13 mm x 6 mm, 5 XCRS, Purple	10	Each	1	10
7100192705	81894	Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc XO-ZR, 125 mm x 13 mm x 6 mm, 5 XCRS, Purple	5	Each	1	5

Abrasives and Abrasive Accessories

Fibre Grinding Discs

3M™ Cubitron™ II Abrasive Fibre Disc 786C

Remove welds and paint with 3M™ Cubitron™ II Abrasive Fibre Discs. Our Cubitron™ II fibre discs last up to twice as long as conventional abrasives, cutting faster and leaving a finer more uniform finish.

- Cut 30% faster than premium abrasives
- Long lasting with consistent cut quality
- Deliver a finer, more uniform finish



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100036471	33407	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 36+, 33407	25	Each	5	25
7100036472	33408	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 60+, 33408	25	Each	5	25
7100036473	33410	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 115 mm x 22 mm, Slotted, 80+, 33410	25	Each	5	25
7100036477	33431	3M™ Cubitron™ II Abrasive Fibre Disc 786C, 130 mm x 22 mm, Slotted, 36+, 33431	25	Each	5	25

Focus

3M™ Cubitron™ II Roloc™ Fibre Disc 786C

3M™ Cubitron™ II Roloc™ Fibre Disc is a premium abrasive fibre disc for weld mark removal and other grinding / sanding applications.

- High cut rate
- Improve productivity and efficiency in the workshop
- Get long-lasting performance



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100033187	33377	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 50 mm, 36+, 33377	90	Each	15	90
7100033188	33379	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 60 mm, 60+, 33379	90	Each	15	90
7100033189	33380	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 50 mm, 30+, 33380	90	Each	15	90
7100033190	33388	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 36+, 33388	90	Each	15	90
7100033191	33391	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 60+, 33391	90	Each	15	90
7100033192	33392	3M™ Cubitron™ II Roloc™ Fibre Disc 786C, 75 mm, 30+, 33392	90	Each	15	90

Abrasives and Abrasive Accessories

Flap Discs

3M™ Cubitron™ II Flap Disc

The 3M™ Cubitron™ II Flap Disc is engineered for a faster cut, longer disc life and a more uniform finish vs. conventional ceramic abrasives, which allows easy and smooth removal of paint and rust. Flexible flaps feature our Precision Shaped Grain (PSG) technology – super-sharp triangular grains, electrostatically oriented on a flexible backing for an extremely fast, even cut. Overlapping flaps provide cushion for grinding and blending with one disc.



- Cuts 30% faster and lasts 2x longer than other conventional ceramic abrasives for increased productivity and a consistent repair finish
- Runs cooler and requires less pressure than other conventional ceramic abrasives
- Precision Shaped Grain (PSG) technology results in a more uniform finish, less rework, less refining of deep scratches

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100101000	33471	3M™ Cubitron™ II Flap Disc, T28, 115 mm x 22 mm, 60+, 33471	30	Each	\$	30
7100101007	33472	3M™ Cubitron™ II Flap Disc, T28, 115 mm x 22 mm, 80+, 33472	30	Each	\$	30
7100101070	33470	3M™ Cubitron™ II Flap Disc, T28, 115 mm x 22 mm, 40+, 33470	30	Each	\$	30

Quick Change Discs

Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR

The Scotch-Brite™ Roloc™ Surface Conditioning Disc combines our durable, non-woven disc with the efficient 3M™ Roloc™ quick-change attachment system for an effective disc that cleans, finishes, blends, and deburrs. Our non-woven fiber construction conforms well to help preserve irregular or contoured surfaces and the Roloc™ backing supports the disc for aggressive cutting.



- Tough non-woven disc aggressively deburrs and finishes
- Conformable, non-woven disc combined with Roloc backing allows for aggressive cutting
- Open-web construction resists loading and runs cool, allowing for consistent finishes

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000007	07400	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	100	Each	25	100
7000000070	06600	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A CRS, Brown	100	Each	50	500
7000000070	05520	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 50 mm, A MSD, Red	200	Each	50	200
700004874	07400	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 75 mm, A CRS, Brown	100	Each	25	100
7000000070	05502	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 75 mm, A CRS, Brown	100	Each	25	100
7000000070	05501	Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, 75 mm, A MSD, Red	100	Each	25	100

Abrasives and Abrasive Accessories

Bristle Brushes & Discs

Scotch-Brite™ Roloc™ Bristle Disc RD-ZB

Scotch-Brite™ Roloc™ Bristle Disc, using proprietary ceramic abrasive grain blended with aluminum oxide and molded, flexible bristles, provide more surface contact than wire brushes and retain abrasive properties throughout the life of the disc.



- Molded, abrasive-filled bristles strip, deburr, blend, finish, polish, clean, and remove coatings more effectively than wire brushes
- Proprietary 3M™ Ceramic Abrasive Grain blend provides high degree of finish quality throughout the life of the disc
- Bristle spacing is ideal for coating removal and other high-loading substances

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100135319	18708	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, 25 mm x 15.5 mm, F60, Yellow	50	Each	30	50
7100135298	07524	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, TR, Green, 60 mm x 15.9 mm, Tapered	40	Each	10	40
7100135288	07525	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, White, 60 mm x 15.5 mm, P120, 07525	40	Each	10	40
7100135284	07525	Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Yellow, 60 mm x 15.5 mm, F60, 07525	40	Each	15	40

Scotch-Brite™ Roloc™ Body Man's Bristle Disc

Our Scotch-Brite™ Roloc™ Body Man's Bristle Disc is made with stiff polymer bristles that are spaced out and form a radial pattern for optimum load resistance. The disc will not get clogged by debris, making it a good match for cleaning on high-loading substrates and great for removing rubberized undercoating, seam sealer, rust and paint.



- Molded, abrasive-filled bristles strip, deburr, blend, finish, polish, clean, and remove coatings more effectively, with less pressure than wire brushes
- Proprietary 3M™ Ceramic Abrasive Grain provides aggressive cutting and consistent finish quality throughout the life of the disc
- Flexible bristles require less pressure than wire brushes and conform to contours, even on complex parts

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
70000000775	07535	Scotch-Brite™ Roloc™ Bristle Disc, RD-ZB, Purple, 60 mm, 55	24	Each	4	24

Abrasives and Abrasive Accessories

Cut-off & Grinding Wheels

3M™ Cubitron™ II Cut-Off Wheel

3M™ Cubitron™ II Cut-Off Wheel is a cutting wheel for cutting straight lines in: autobody sheet metal, frame rails, exhausts pipes, clamps and rusted bolts.

- High cut rate
- Improve productivity and efficiency in the workshop
- Get long-lasting performance



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100032408	33488	3M™ Cubitron™ II Cut-Off Wheel, 76 mm x 1 mm x 8.53 mm, 33488	30	Each	8	30
7100032533	33489	3M™ Cubitron™ II Cut-Off Wheel, 76 mm x 1.6 mm x 9.53 mm, 33489	30	Each	8	30
7100101771	33490	3M™ Cubitron™ II Cut-Off Wheel, 100 mm x 1 mm x 9.53 mm, 33490	30	Each	8	30
7100032607	33487	3M™ Cubitron™ II Cut-Off Wheel, 115 mm x 1 mm x 22.23 mm, 33487	30	Each	8	30

Sanding Sponges

3M™ Softback Sanding Sponge

3M™ Softback Sanding Sponge is a flexible foam pad that reaches tricky areas including headlight openings, around door handles and door jambs. Our sponge can be used wet or dry and helps to eliminate finger marks.

- Flexible foam pad to sand on key edges, rims and hard-to-reach areas by hand
- Soft Sanding Sponge construction reduces the risk of burn-through on edge / rim areas
- Helps to eliminate finger marks



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000043355	02809	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Fine, 02809	200	Each	20	200
7000043357	02808	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Medium, 02808	200	Each	20	200
7000043359	02800	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Microfine, 02800	120	Each	20	120
7000043359	02810	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Super Fine, 02810	200	Each	20	200
7000033201	02801	3M™ Softback Sanding Sponge, 115 mm x 140 mm, Ultrafine, 02801	120	Each	20	120

Abrasives and Abrasive Accessories

Net Sheets & Rolls

Focus

3M™ Cubitron™ II Net Sheet Roll

3M™ Cubitron™ II Net Sheet Rolls are a fast-cutting and long-lasting family of net sheet rolls that deliver the exceptional cut rate and extended life of a Cubitron II abrasive. They're designed to help dust extractors perform their best, leaving virtually no dust on the work surface or in the environment. Pair with a 3M recommended sanding and dust extraction system to create your shop's ideal dust capture system.



- Fast-cutting, long-lasting net sheets are built with patented 3M™ Cubitron™ II precision-shaped grains.
- They help dust extractors achieve their best-possible performance – whether it's a self-generating-vacuum sander, a central vacuum system or a portable dust extractor.
- The patented triangular-shaped mineral grains on the sheets slice through substrates rather than gouging or "plowing" like conventional abrasive grains, helping the sheet run cooler, cut faster, and last longer.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100283780	34551	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 80+, 34551	5	Roll	1	5
7100283782	34552	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 120+, 34552	5	Roll	1	5
7100283770	34553	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 150+, 34553	5	Roll	1	5
7100283772	34554	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 180+, 34554	5	Roll	1	5
7100283779	34555	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 220+, 34555	5	Roll	1	5
7100283787	34556	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 240+, 34556	5	Roll	1	5
7100283783	34550	3M™ Cubitron™ II Net Sheet Roll, 70 mm x 10 m, 320+, 34550	5	Roll	1	5
7100283782	34572	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 80+, 34572	5	Roll	1	5
7100283725	34573	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 120+, 34573	5	Roll	1	5
7100283726	34574	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 160+, 34574	5	Roll	1	5
7100283727	34575	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 180+, 34575	5	Roll	1	5
7100283728	34576	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 220+, 34576	5	Roll	1	5
7100283728	34577	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 240+, 34577	5	Roll	1	5
7100283724	34578	3M™ Cubitron™ II Net Sheet Roll, 115 mm x 10 m, 320+, 34578	5	Roll	1	5

Abrasives and Abrasive Accessories

Focus

3M™ Blue Net Sheet Roll

3M™ Blue Net Sheet Rolls are built with an engineered ceramic-mineral blend of abrasives that deliver a fast cut rate and long sheet life. They also offer excellent dust removal when used with a dust extraction system.



- Sanding discs that offer outstanding performance at a competitive price.
- Built with an engineered ceramic-mineral blend that delivers an excellent cut rate and life.
- Balanced for outstanding abrasive performance for cut, life and dust extraction.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100320299	36462	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 80, 36462	10	Roll	1	10
7100321875	36463	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 120, 36463	10	Roll	1	10
7100320197	36464	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 150, 36464	10	Roll	1	10
7100321806	36465	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 180, 36465	10	Roll	1	10
7100321716	36466	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 220, 36466	10	Roll	1	10
7100320899	36467	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 240, 36467	10	Roll	1	10
7100320396	36468	3M™ Blue Net Sheet Roll, 70 mm x 10 m, 320, 36468	10	Roll	1	10
7100320811	36470	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 80, 36470	10	Roll	1	10
7100321391	36471	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 120, 36471	10	Roll	1	10
7100320635	36472	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 150, 36472	10	Roll	1	10
7100321715	36473	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 180, 36473	10	Roll	1	10
7100321735	36474	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 220, 36474	10	Roll	1	10
7100321743	36475	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 240, 36475	10	Roll	1	10
7100320809	36476	3M™ Blue Net Sheet Roll, 115 mm x 10 m, 320, 36476	10	Roll	1	10

Abrasives and Abrasive Accessories

Sandpaper Sheets & Rolls

Focus

3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U

The 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U combines long-lasting triangular shaped grains and a multi-hole pattern for superior dust extraction. Ideal for paint removal, rough body filler shaping, fine feather-edging or final prep before blending or priming.



- Features 3M™ Precision-Shaped Grain, triangular-shaped grains that cut at least 30% faster and last at least 30% longer than other conventional ceramic abrasives
- Clean Sanding multi-hole pattern delivers excellent dust extraction
- 3M™ Hookit™ hook-and-loop style abrasive attaches firmly, removes quickly for fast changeout

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100185045	35501	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 80 mm x 12 m, 80#, 35501	5	Roll	1	5
7100185042	35502	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 80 mm x 18 m, 120#, 35502	5	Roll	1	5
7100185038	35503	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 80 mm x 12 m, 150#, 35503	5	Roll	1	5
7100185034	35504	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 85 mm x 12 m, 150#, 35504	5	Roll	1	5
7100185058	35505	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 80 mm x 12 m, 220#, 35505	5	Roll	1	5
7100185061	31455	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 80 mm x 18 m, 240#, 31455	5	Roll	1	5
7100141404	31459	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 80 mm x 12 m, 320#, 31459	5	Roll	1	5
7100181525	31490	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 80 mm x 18 m, 400#, 31490	5	Roll	1	5
7100189416	34450	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 115 mm x 8 m, 40#, 34450	5	Roll	1	5
7100183337	34454	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 115 mm x 18 m, 120#, 34454	5	Roll	1	5
7100185019	34456	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 115 mm x 12 m, 150#, 34456	5	Roll	1	5
7100185010	34458	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 115 mm x 18 m, 150#, 34458	5	Roll	1	5
7100183316	34457	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 115 mm x 12 m, 220#, 34457	5	Roll	1	5
7100185862	34448	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 115 mm x 18 m, 240#, 34448	5	Roll	1	5
7100181582	34456	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 115 mm x 18 m, 320#, 34456	5	Roll	1	5
7100141826	34470	3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll 737U, 115 mm x 12 m, 400#, 34470	5	Roll	1	5

Abrasives and Abrasive Accessories

3M™ Soft Hand Abrasive Roll 216U

Get good flexibility and anti-loading properties with 3M™ Soft Hand Abrasive Roll 216U. Our foam backed abrasive rolls can be cut or torn in sheets and have been designed for use on paint, primers and fillers by hand.

- Foam backed abrasive for flexibility
- Apply pressure more uniformly and with more conformability during the sanding process
- Get even sanding



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000084118	60330	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P150, 60330	4	Roll	1	4
7000084119	60331	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P160, 60331	4	Roll	1	4
7000084121	60332	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P240, 60332	4	Roll	1	4
7000084123	60333	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P320, 60333	4	Roll	1	4
7000084126	60337	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P400, 60337	4	Roll	1	4
7000084128	60338	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P500, 60338	4	Roll	1	4
7000084127	60339	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P600, 60339	4	Roll	1	4
7000084128	60340	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P800, 60340	4	Roll	1	4
7000084998	60934	3M™ Soft Hand Abrasive Roll 216U, Finesit, 114 mm x 25 m, P1000, 60934	4	Roll	1	4

3M™ Wetordry™ Abrasive Paper Sheet 734

Sand all types of surface with 3M™ Wetordry™ Abrasive Paper Sheet 734. Our abrasive sheet features silicon carbide mineral for a sharp and consistent cut. Waterproof and long lasting. It gives a consistent finish. Available in grades from P320 to P1200. Each sheet measures 230 mm x 290 mm.

- Silicon carbide abrasive Wet or Dry paper sheet
- Use as wet or dry paper sanding sheet
- Grades P320 to P1200



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100248927	01977	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 290 mm, P320, 01977	250	Sheet	25	250
7100248986	01976	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 290 mm, P400, 01976	250	Sheet	25	250
7100248929	01978	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 290 mm, P600, 01978	250	Sheet	25	250
7100248985	01972	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 290 mm, P800, 01972	250	Sheet	25	250
7100248935	01971	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 290 mm, P1000, 01971	250	Sheet	25	250
7100248994	01970	3M™ Wetordry™ Abrasive Paper Sheet 734, 230 mm x 290 mm, P1200, 01970	250	Sheet	25	250

Abrasives and Abrasive Accessories

3M™ Wetordry™ Abrasive Sheet 401Q

Use 3M™ Wetordry™ Abrasive Sheet 401Q for sanding applications needing a fine grit and light touch, such as auto body wet sanding and paint finishing. We've combined our durable waterproof A-weight paper backing and fast-cutting silicon carbide mineral for consistent scratch patterns and easier buffing.

- Convenient sheet can be used wet or dry on paint, primer, gel coat and metal
- Waterproof backing supports wet applications for decreased loading and a faster cut
- Sand every type of area



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000028329	02023	3M™ Wetordry™ Abrasive Sheet 401Q, 140 mm x 230 mm, P1500, 02023	250	Sheet	50	250
7000028328	02044	3M™ Wetordry™ Abrasive Sheet 401Q, 140 mm x 230 mm, P2000, 02044	250	Sheet	50	250

Abrasives and Abrasive Accessories

Film Sheets & Rolls

Focus

3M™ Hookit™ Flexible Abrasive Hand Sheet 270J

Achieve more refined finishes with 3M™ Hookit™ Flexible Abrasive Hand Sheet 270J. Designed for wet or dry sanding, our sheets feature a very thin, extremely flexible film backing that conforms effortlessly to tools and contoured surfaces.



- Get a thin film backed sheet that is extremely flexible for fine sanding, wet or dry.
- Provides better "feel" for surfaces to minimise burn through.
- Conformable – perfect for sanding hard-to-reach areas such as door pockets.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100010585	34337	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, #1000, 34337	5	Carton	1	5
7100010586	34338	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, #1000, 34338	5	Carton	1	5
7100010587	34340	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, #2000, 34340	5	Carton	1	5
7100010588	34341	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, #3000, 34341	5	Carton	1	5
7100010589	34342	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, #1000, 34342	5	Carton	1	5
7100010590	34343	3M™ Hookit™ Flexible Abrasive Hand Sheet 270J, 140 mm x 171 mm, #1800, 34343	5	Carton	1	5

3M™ Soft Hand Abrasive Sheet 216U

3M™ Soft Hand Abrasive Sheet 216U gives good flexibility and uni-loading properties. Our sheets have been designed for use on paint, primer and filler by hand.



- Gives good flexibility.
- Abrasive laminated to foam backing.
- Comfortable manual sanding on primer, paint and fillers.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100010428	80536	3M™ Soft Hand Abrasive Sheet 216U, 714 mm x 109 mm, #1500, 80536	800	Sheet	30	800
7100010429	80540	3M™ Soft Hand Abrasive Sheet 216U, 714 mm x 109 mm, #1800, 80540	800	Sheet	30	800
7100010430	80541	3M™ Soft Hand Abrasive Sheet 216U, 714 mm x 109 mm, #2400, 80541	800	Sheet	30	800
7100010434	80544	3M™ Soft Hand Abrasive Sheet 216U, 714 mm x 109 mm, #3200, 80544	800	Sheet	30	800
7100010435	80545	3M™ Soft Hand Abrasive Sheet 216U, 714 mm x 109 mm, #4000, 80545	800	Sheet	30	800
7100010437	80547	3M™ Soft Hand Abrasive Sheet 216U, 714 mm x 109 mm, #5000, 80547	800	Sheet	30	800
7100010438	80548	3M™ Soft Hand Abrasive Sheet 216U, 714 mm x 109 mm, #6000, 80548	800	Sheet	30	800
7100010439	80549	3M™ Soft Hand Abrasive Sheet 216U, 714 mm x 109 mm, #8000, 80549	800	Sheet	30	800

Abrasives and Abrasive Accessories

Non-woven Sheets & Rolls

Scotch-Brite™ Durable Flex Roll

Scotch-Brite™ Durable Flex Roll is an aggressive and long lasting non-woven roll. Our flex rolls are used for deburring, finishing, blending, and cleaning.

- Aggressive and long lasting non-woven roll
- Reinforced low-stretch backing offers good flexibility and great edge durability
- Use for deburring, finishing, blending, and cleaning



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100182464	5484808	Scotch-Brite™ Durable Flex Roll, 100 mm x 10 m, B/C b/PN	4	Roll	1	4
7100182463	5484809	Scotch-Brite™ Durable Flex Roll, DF-RL, 100 mm x 10 m, A/D VFN	4	Roll	1	4

Scotch-Brite™ 7447 PRO Roll

Scotch-Brite™ 7447 PRO Roll combines flexible fibres with finely graded aluminium oxide particles for a sharp consistent cut. Use our 7447 PRO instead of steel wool, wire brushes, sandpaper and other non-woven products for cleaning or finishing.

- With fast cutting denser mineral coating on fibres compared to 7447, for a uniform scratch
- Very fine grade aluminium oxide abrasive cleans and finishes efficiently
- Long lasting nylon nonwoven material resists tearing, loading and rust



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100282558	xxx	Scotch-Brite™ Roll 7447 Pro, A/VFN, 100 mm x 10 m, 4 Roll/Case	4	Roll	1	4
7100282557	xxx	Scotch-Brite™ Roll 7447 Pro, A/VFN, 125 mm x 10 m, 3 Roll/Case	3	Roll	1	3

Scotch-Brite™ 7448 PRO Roll

Scotch-Brite™ 7448 PRO Roll comprises of durable, precision coated fibres that cut fast and provide consistent finishes. Our unique design of ultra-fine mineral and coated, flexible fibres is perfect for prepping surfaces for paint and primer, general scuffing and hand blending.

- Use for light scuffing and surface prep for better subsequent coating adhesion
- Ideal for cleaning, scuffing, finishing, and light paint removal on a variety of metals and plastics
- Denser mineral placement than 7448 which allows for uniform scratch and a faster cut rate



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100282458	xxx	Scotch-Brite™ Roll 7448 Pro, B/UPN, 100 mm x 10 m, 4 Roll/Case	4	Roll	1	4
7100282457	xxx	Scotch-Brite™ Roll 7448 Pro, B/UPN, 125 mm x 10 m, 3 Roll/Case	3	Roll	1	3

Abrasives and Abrasive Accessories

Cloth Sheets & Rolls

Focus

3M™ Grippy Sanding Cloth

The 3M™ Grippy Sanding Cloths are designed for hand sanding application in paint preparation and paint finishing processes.



- Excellent abrasive performance in both wet and dry sanding
- Gripping material provides ease-of-use and eliminates the need for an accessory.
- New and unique feel to the product.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100142831	35109	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P320, 35109	4	Roll	1	4
7100142832	35110	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P400, 35110	4	Roll	1	4
7100142833	35111	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P600, 35111	4	Roll	1	4
7100142850	35112	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P800, 35112	4	Roll	1	4
7100142935	35113	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1000, 35113	4	Roll	1	4
7100142938	35114	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1200, 35114	4	Roll	1	4
7100142957	35115	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P1500, 35115	4	Roll	1	4
7100142888	35116	3M™ Grippy Sanding Cloth, 139 mm x 114 mm, P2000, 35116	4	Roll	1	4

Abrasives and Abrasive Accessories

Hand Pads

Scotch-Brite™ Hand Pad 7447

Scotch-Brite™ General Purpose Hand Pad 7447 combines flexibility with effective cutting action and precise hand control to accomplish tough cleaning jobs or produce fine finishing results, use after use. Very fine grade aluminum oxide abrasives cut fast and fine, leaving a smooth, finished surface. Suitable for use on a wide variety of materials and for many different tasks.



- Superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Very fine grade aluminum oxide abrasive cleans, finishes, grays, denibs, and defuzzes
- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100182554	5300	Scotch-Brite™ Hand Pad 7447, 152 mm x 228 mm, A VFN	60	Each	20	60

Scotch-Brite™ Hand Pad 7447 PRO

Scotch-Brite™ 7447 PRO Hand Pad combines flexibility with effective cutting action and precise hand control to help you accomplish tough cleaning jobs or produce fine finishing results, use after use. The tightly graded abrasive particles in this new pad provide a consistent, uniform scratch throughout life of the hand pad.



- Superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks
- Very fine grade aluminum oxide abrasive cleans, finishes, grays, denibs, and defuzzes
- Pad resists tearing, splintering, shredding, loading and will never rust, providing a long, useful life

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100023339	66926	Scotch-Brite™ Hand Pad 7447 PRO, 152 mm x 228 mm, VFN	60	Each	20	60

Scotch-Brite™ Hand Pad 7448+

Scotch-Brite™ Ultra Fine Hand Pad 7448+ combines durability for long life, flexibility for reaching tight areas, and can be used in place of steel wool for conditioning metal surfaces and paint prep. Unlike fine steel wool, Scotch-Brite pads will not shred during use, rust after use, or leave fine metal splinters.



- Ultra fine finishing action outperforms steel wool for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Performs like steel wool grade 00 without shredding, rusting, or splintering
- Pad conforms to irregular surfaces and gets into corners without losing performance

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100182555	5304	Scotch-Brite™ Hand Pad 7448+, 152 mm x 228 mm, 5 UFN, Grey	60	Each	20	60

Abrasives and Abrasive Accessories

Scotch-Brite™ Hand Pad 7448 PRO

We developed Scotch-Brite™ 7448 PRO Hand Pad to combine durability for long life, flexibility for reaching tight areas, and to be used in place of steel wool for conditioning metal surfaces and paint prep in less time than conventional non-woven abrasive products. The tightly graded abrasive particles in our new pad provide a consistent, uniform scratch throughout life of the hand pad.



- Ultra fine finishing action outperforms steel wool for cleaning, blending, prepping and finishing on metal, wood, plastics and composites
- Scotch-Brite™ PRO cuts faster and produces a more consistent finish than conventional non-woven abrasive products
- Performs like steel wool grade 00 without shredding, rusting, or splintering

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100023340	84935	Scotch-Brite™ Hand Pad 7448 PRO, 152 mm x 228 mm, ULF, Grey	60	Each	20	60

Abrasives and Abrasive Accessories


Cloth belts

Focus

3M™ Cubitron™ II File Belt 786F

3M™ Cubitron™ II File Belt is a premium abrasive file belt for spot weld removal and other grinding / sanding applications. This file belt can be used with various types of file belt sanding machines available in the market.

- Get long-lasting performance
- Improve productivity and efficiency in the workshop
- Get a high cut rate



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100033193	33437	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 60#, 33437	50	Each	10	50
7100033194	33439	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 80#, 33439	50	Each	10	50
7100033195	33440	3M™ Cubitron™ II File Belt 786F, 10 mm x 330 mm, 80#, 33440	50	Each	10	50
7100033194	33443	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 60#, 33443	50	Each	10	50
7100033195	33445	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 80#, 33445	50	Each	10	50
7100033195	33446	3M™ Cubitron™ II File Belt 786F, 12.7 mm x 457.2 mm, 80#, 33446	50	Each	10	50
7100035487	33449	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 80#, 33449	50	Each	10	50
7100035488	33451	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 80#, 33451	50	Each	10	50
7100035489	33452	3M™ Cubitron™ II File Belt 786F, 20 mm x 520 mm, 80#, 33452	50	Each	10	50

Non-woven Belts

Scotch-Brite™ Durable Flex Belt DF-BL

Scotch-Brite™ Durable Flex Belt is engineered to perform tough detail work such as deburring, blending, and finishing, on a variety of metals. The reinforced, low-stretch backing and superior edge durability aid in supplying an aggressive cutting ability.

- Tough, non-woven belt is effective for deburring, blending and cleaning
- Higher flexibility resists "chucking" and performs well on belt sanders with small contact wheels
- Low-stretch backing provides aggressive conditioning capability



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100219010	13933	Scotch-Brite™ Durable Flex Belt DF-BL, 10 mm x 330 mm, A, CFS, Brown	25	Each	1	25
7100219047	13935	Scotch-Brite™ Durable Flex Belt DF-BL, 13 mm x 457 mm, A, CFS, Brown	25	Each	1	25

Abrasives and Abrasive Accessories

Blocks

3M™ Hookit™ Purple+ Handblock Multihole

Sand filler easily and effectively with 3M™ Hookit™ Purple+ Handblock Multihole. Our range of hand blocks are optimized for manual sanding applications and dust extraction, to create a cleaner workplace environment.



- Optimised dust extraction
- Cleaner workplace environment
- Sand filler and primers easily and effectively

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032188	05170	3M™ Hookit™ Purple+ Handblock Multihole, 70 mm x 127 mm, 05170	1	Each	1	1
7000032189	05171	3M™ Hookit™ Purple+ Handblock Multihole, 70 mm x 180 mm, 05171	1	Each	1	1
7000032190	05172	3M™ Hookit™ Purple+ Handblock Multihole, 70 mm x 396 mm, 05172	1	Each	1	1
7000032191	05173	3M™ Hookit™ Purple+ Handblock Multihole, 115 mm x 225 mm, 05173	1	Each	1	1

3M™ Hookit™ Purple+ Baseplate Multihole

Get optimised dust extraction with 3M™ Hookit™ Purple+ Baseplate Multihole. Our comprehensive range of Hookit™ Purple+ Baseplate Multihole products suitable for a wide selection of machines in the automotive aftermarket.



- Optimised dust extraction
- Cleaner workplace environment
- Use to allow 3M™ Abrasives to be applied on a wide range of tools

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000080242	60774	3M™ Hookit™ Purple+ Baseplate Multihole, 70 mm x 125 mm, 60774	2	Each	1	2
7000080249	60781	3M™ Hookit™ Purple+ Baseplate Multihole, 115 mm x 225 mm, 60781	1	Each	1	1

3M™ Hookit™ Interface Pad

Use 3M™ Hookit™ Interface Pad with 260L, 260L+ and other Hookit abrasives to add flexibility during the sanding process. Our pads give conformability with an outstanding finish.



- Gives conformability and an outstanding finish
- Adds flexibility when sanding
- Laminated foam construction

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032193	05175	3M™ Hookit™ Interface Pad, Purple+, 70 mm x 125 mm, Multihole, Soft, 05175	5	Each	1	5

Abrasives and Abrasive Accessories

3M™ Hookit™ Purple+ Curved Adapter Set Multihole

Shape curved panels easily and effectively with 3M™ Hookit™ Purple+ Curved Adapter Set Multihole. Our curved adapter set fits to a standard Rat hand blocks to allow easier shaping of curved panels.



- Adapter range with optimized dust extraction
- Shape curved panels easily and effectively.
- Get a cleaner work environment

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032208	50728	3M™ Hookit™ Purple+ Curved Adapter Set Multihole, 70 x 127 mm, 50728	1	Each	1	1
7000032210	50729	3M™ Hookit™ Purple+ Curved Adapter Set Multihole, 70 x 188 mm, 50729	1	Each	1	1

Focus

3M™ Hookit™ Dust Extraction Flexible Sanding Block

These 3M™ Hookit™ sanding blocks combine the lightweight flexibility of traditional foam blocks with the dust extraction power and control of dust-free sanding blocks. The blocks flex to help easily restore contours and bodylines, while providing a firm backing for abrasives. Features 3M™ Hookit™ attachment system. They include a vacuum regulator that lets the operator adjust suction for easier block control when sanding.



- A lightweight sanding block with a firm-but-flexible backing which helps easily restore contours and bodylines.
- When used with a vacuum system and compatible abrasives, this 3M™ Hookit™ Dust Extraction Flexible Sanding Block helps capture dust which can increase abrasive life while helping reduce dust in the shop environment.
- The 3M™ Hookit™ hook and loop attachment system allows for easy abrasive changeouts.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100258505	35525	3M™ Hookit™ Dust Extraction Flexible Sanding Block, 133 mm x 87 mm, 35525	24	Each	1	24
7100258500	35526	3M™ Hookit™ Dust Extraction Flexible Sanding Block, 178 mm x 87 mm, 35526	24	Each	1	24
7100258504	35528	3M™ Hookit™ Dust Extraction Flexible Sanding Block, 406 mm x 87 mm, 35528	8	Each	1	8

Abrasives and Abrasive Accessories

3M™ Hookit™ Sanding Block

Use 3M™ Hookit™ Sanding Block to achieve more consistent, uniform sanding results. This sanding block used in combination with Hookit™ abrasives is ideal for sanding filler, primer and other substrates.

- Sanding blocks deliver more consistent sanding results
- Makes sanding challenging locations easier
- Boosts the efficiency of sanding by hand



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045510	05504	3M™ Hookit™ Sanding Block, 4Qt, 05504	0	Each	1	0

3M™ Hookit™ Hand Block

Get better results when sanding by hand with 3M™ Hookit™ Hand Block – our ergonomic sanding block that fits comfortably in the hand to reduce instances of hand fatigue. The block allows for a more even and consistent application of pressure, which delivers more uniform results.



- Get more consistent sanding results
- Achieve a true flat surface easily
- Boost the efficiency of sanding by hand

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045700	05742	3M™ Hookit™ Hand Block, 70 mm x 125 mm, Soft, 05742	5	Each	1	5
7000045710	05743	3M™ Hookit™ Hand Block, 70 mm x 127 mm, Hard, 05743	10	Each	1	10
7000045710	05741	3M™ Hookit™ Hand Block, 70 mm x 127 mm, Firm, 05741	10	Each	1	10
7000045717	05744	3M™ Hookit™ Hand Block, 70 mm x 106 mm, Firm, 05744	1	Each	1	1

Focus

3M™ Grippy Sanding Block

3M™ Grippy Sanding Block is designed specifically to work with our 3M™ Grippy Sanding Cloth. This sanding block is excellent for adding conformable support when hand sanding. Its 2 cm thickness facilitates smooth sanding in narrow and hard-to-reach spaces. The block and the cloth can be used for wet or dry sanding.

- 8.8 cm x 11 cm block is designed for hand sanding with 3M™ Grippy Sanding Cloth when added support is needed
- 2 cm thickness is excellent for stability in hard-to-reach areas such as grooves and channels
- Can be used for wet or dry sanding



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100166721	35723	3M™ Grippy Sanding Block, 88 mm x 111 mm x 20 mm, 35723	10	Each	1	10

Abrasives and Abrasive Accessories

3M™ Hookit™ Marine Fairing Board



Make your marine fairing, finishing and sanding easier and more efficient with 3M™ Hookit™ Marine Fairing Board. Our lightweight board has a two level design that lets you grasp and handle it securely and effortlessly. It works with our Hookit™ abrasive sheets, saving you time and money when sanding marine surfaces.

- Lightweight two-level construction makes the fairing board easy to handle
- Raised handle provides extra control and comfort
- 4-1/2" x 30" size and balanced design is ideal for fairing, sanding and finishing

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045884	83497	3M™ Hookit™ Marine Fairing Board, 114 mm x 762 mm, Rigid, 83497	1	Each	1	1

3M™ Hookit™ Marine Fairing Board Flexible



Get 3M™ Hookit™ Marine Fairing Board Flexible for a lightweight yet robust tool used in fine marine fairing and sanding. Our marine board has a flexible facing which works smoothly across concaves, convexes and curves.

- Lightweight design with double handle gives easy and secure handling
- Flexible facing moves effortlessly across irregular surfaces
- 4-1/2" x 30" size is ideal for fairing, sanding and finishing

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045886	83978	3M™ Hookit™ Marine Fairing Board Flexible, 114 mm x 762 mm, 83978	1	Each	1	1

Abrasives and Abrasive Accessories

Holders & Back-up Pads

3M™ Clean Sanding Abrasive Disc Pad Kit

Our Hookit™ Clean Sanding Disc Pad Kit contains a durable foam Hookit™ disc back-up pad with 5/16-24 internal threads, and includes five adapters to attach to different tools. The disc pad also features our multi-hole Clean Sanding pattern for superior dust extraction, ready for use with Clean Sanding discs.



- Hookit™ disc pad enables easy sanding disc change-out, maximizing disc life
- Five adapters range from 1/4-20 INT x 5/16-24 EXT to 5/16-24 EXT x 8mm-1.0 EXT
- Firm foam design provides yield for consistent grit application

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045006	30427	3M™ Clean Sanding Abrasive Disc Pad Kit, 76.2 mm x 12.7 mm x 5/16, 30427	5	Kit	1	5

3M™ Hookit™ Back-up Pad

Get optimum dust extraction with 3M™ Hookit™ Back-up Pad. Our highly dense foam, flat rigid centre and soft edge Back-up Pads offer greater edge flexibility with the centre hole configuration and the best dust extraction with direct flow channelling.



- Equalise air flow with different hole sizes to provide best extraction
- Get excellent extraction from spiral hole pattern
- Choose from soft or standard firmness

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000083577	60793	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm (5/16 in), 7 Hole, Hard, 60793	5	Each	1	5
7000002141	60381	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm (5/16 in), 15 Hole, Soft, 60381	5	Each	1	5
7000032143	60392	3M™ Hookit™ Back-up Pad, 150 mm, 8 mm (5/16 in), 15 Hole, Standard, 60392	5	Each	1	5
7000032140	60393	3M™ Hookit™ Back-up Pad, 150 mm, M8, 15 Hole, Soft, 60393	5	Each	1	5
7000032145	60394	3M™ Hookit™ Back-up Pad, 150 mm, M8, 15 Hole, Standard, 60394	5	Each	1	5
7000042720	05717	3M™ Hookit™ Back-up Pad, 178 mm x 20 mm, 5/8-11, 05717	1	Each	1	1
7000045738	05717M	3M™ Hookit™ Back-up Pad, 178 mm, M14-2.01, 05717M	1	Each	1	1

Abrasives and Abrasive Accessories

3M™ Hookit™ Back-up Pad Multihole

3M™ Hookit™ Back-up Pad Multihole are abrasive back-up pads for 3M™ abrasive multihole discs.

- Optimised dust extraction
- Cleaner workplace environment
- Rigid surface and soft edges



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000080210	50539	3M™ Hookit™ Back-up Pad Multihole, 100 mm, 5 mm (5/16 in), 50539	5	Each	1	5
7000082172	50541	3M™ Hookit™ Back-up Pad Multihole, 100 mm, 5 mm (5/16 in), Soft, 50541	5	Each	1	5
7100010603	51124	3M™ Hookit™ Back-up Pad Multihole, 100 mm, 5 mm (5/16 in), Soft, 51124	5	Each	1	5
7000082179	50540	3M™ Hookit™ Back-up Pad Multihole, 100 mm, 5 mm (5/16 in), Standard, 50540	5	Each	1	5
7100010600	51122	3M™ Hookit™ Back-up Pad Multihole, 100 mm, 5 mm (5/16 in), Standard, 51122	5	Each	1	5
7000082171	50543	3M™ Hookit™ Back-up Pad Multihole, 100 mm, M5, Soft, 50543	5	Each	1	5
7100037005	51126	3M™ Hookit™ Back-up Pad Multihole, 100 mm, M5, Soft, 51126	5	Each	1	5
7000082174	50542	3M™ Hookit™ Back-up Pad Multihole, 100 mm, M5, Standard, 50542	5	Each	1	5
7100037007	51123	3M™ Hookit™ Back-up Pad Multihole, 100 mm, M5, Standard, 51123	5	Each	1	5

3M™ Trizact™ Hookit™ Abrasive Hand Pad

Use 3M™ Trizact™ Hookit™ Abrasive Hand Pad comfortably thanks to a wide strap for holding the pad to the operator's hand. Our abrasive hand pad is made with soft foam rubber for conformability and spreading out finger pressure.

- Designed for 3M™ Hookit™ Discs
- Strap holds pad on hand
- Soft foam rubber spreads out bending pressure



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000084317	05791	3M™ Trizact™ Hookit™ Abrasive Hand Pad, 160 mm, 05791	20	Each	1	20
7000084318	05792	3M™ Trizact™ Hookit™ Abrasive Hand Pad, 160 mm, Half round, 05792	20	Each	1	20

3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad

3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad is specially designed for use with 6 inch Hookit discs. Our backup pad has a low profile design for better levelling and faster removal rates when flat sanding.

- Low profile design provides better levelling and faster removal rates when flat sanding
- Made with a medium density foam
- Features a blunt edge for improved durability



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100066039	26729	3M™ Hookit™ Low Profile Abrasive Disc Back-up Pad, Red, 160 mm x 9.5 mm x 15.5 mm, 2/16-22 in, 26729	10	Each	1	10

Abrasives and Abrasive Accessories

3M™ Hookit™ Soft Abrasive Disc Pad

3M™ Hookit™ Soft Abrasive Disc Pad is ideal for use with fine grade abrasives for sanding primer on conformable surfaces, best used with a slow speed polisher/grinder.

- Designed for 203 mm (8 in.) 3M™ Hookit™ II Discs
- Comfortable
- Produces finer finishes



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000048570	08758	3M™ Hookit™ Soft Abrasive Disc Pad, 203 mm (8 in.), 08758	1	Each	1	1

3M™ Hookit™ Soft Interface Pad

Maximize cushion and conformability during the automotive sanding process with 3M™ Hookit™ Soft Interface Pad. Use our pads between Hookit™ discs and Hookit™ back up pads for quick change outs.

- Soft foam construction conforms to contours for a finer finish
- Adds support to disc pad for improved abrasive cut and slower edge sanding
- Applies effortlessly between Hookit™ discs and Hookit™ back-up pads for quick changeouts



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000260	00771	3M™ Hookit™ Soft Interface Pad, 75 mm, 8 Hole, 00771	10	Bag	1	10
7000000708	01389	3M™ Hookit™ Soft Interface Pad, 150 mm x 8 mm, 36 Hole, 01389	10	Each	1	10
7000000780	01048	3M™ Hookit™ Soft Interface Pad, 150 mm x 8 mm, 40 Holes, 01048	10	Each	1	10
7000000030	01030	3M™ Hookit™ Soft Interface Pad, 150 mm x 8 mm, Multihole, Soft, 01030	10	Each	1	10
7000000570	00774	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, 7 Hole, 00774	10	Each	1	10
7000000100	01388	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, 16 Hole, 01388	10	Each	1	10
7000000780	01044	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, 01044	10	Each	1	10
7000000010	01047	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, 01047	10	Each	1	10
7000000030	01027	3M™ Hookit™ Soft Interface Pad, 150 mm x 10 mm, Multihole, Soft, 01027	10	Each	1	10
7000000000	00742	3M™ Hookit™ Soft Interface Pad, Purple, 70 mm x 127 mm, Multihole, 00742	1	Each	1	1

3M™ Roloc™ Bristle Disc Holder

3M™ Roloc™ Bristle disc holder is the backup attachment for the unique 3M™ Roloc™ Bristle Discs. Available in sizes of 60 mm and 76 mm with a 6.4 mm shaft.

- Allows safe easy mounting of bristle disc product
- Maximizes bristle disc performance
- Durable plastic holder



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000000	00000	3M™ Roloc™ Bristle Disc Holder, Disc Pad Assembly, 60.3 mm, Hard, 00000	10	Each	1	10
7000000700	00000	3M™ Roloc™ Bristle Disc Holder, Disc Pad Assembly, 76.2 mm, Hard, 00000	10	Each	1	10

Abrasives and Abrasive Accessories

3M™ Flexible Abrasive Hookit™ Foam Pad

3M™ Flexible Abrasive Hookit™ Foam Pad work well for sanding primer, blending and paint finishing.

- Use with range of 3M™ Hookit™ Abrasive Sheets
- Offers high flexibility to adapt to contours being sanded
- Provides support in hard-to-reach locations



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045670	34349	3M™ Flexible Abrasive Hookit™ Foam Pad, 34349	10	Each	1	10

3M™ Flat Fibre Disc Back-up Pad

Use 3M™ Ribbed Back Up Pad with 3M™ Cubitron™ II and 3M™ Cubitron™ III discs for improved disc cut and lifespan. Our pad features a unique rib pattern and is resistant to temperatures over 212° F (100°C). It helps to improve efficiency and reduce costs.

- Specially Designed, Hard, Ribbed Backup Pad
- Hard rubber construction works with fibre disc backing for consistent support
- Reduces vibration for greater operator comfort



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100242134	84829	3M™ Flat Fibre Disc Back-up Pad, 160 mm, P1684829	15	Each	1	15

3M™ High Performance Ribbed Back-Up Pad

Use 3M™ Ribbed Back Up Pad with 3M™ Cubitron™ II and 3M™ Cubitron™ III discs for improved disc cut and lifespan. Our pad features a unique rib pattern and is resistant to temperatures over 212° F (100°C). It helps to improve efficiency and reduce costs.

- Unique rib pattern
- Resistant to temperatures over 212° F (100°C)
- Use to extend the cut rate and lifespan of 3M™ Cubitron™ II discs



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032409	84860	3M™ High Performance Ribbed Back-Up Pad, 115 mm, Red	10	Each	1	10
7000032410	84861	3M™ High Performance Ribbed Back-Up Pad, 125 mm, Red	10	Each	1	10
7000032411	84862	3M™ High Performance Ribbed Back-Up Pad, 160 mm, Red	15	Each	1	15

Abrasives and Abrasive Accessories

Dust Extraction Systems and workplace organisation

3M™ Multi Hole Block Hose

Extract dust and debris with 3M™ Multihole Block Hose. Our flexible and durable block hose takes dust and debris from sanding and blocking applications to Dust Extract systems.



- Extract dust and debris from sanding and blocking applications
- Get a flexible and durability with 6 metre hose
- Use to attach to the 3M™ Hookit™ Purple+ Multihole Handblock Multihole and other systems

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032192	05174	3M™ Multi Hole Block Hose, 6 m, 05174	1	Each	1	1

3M™ Abrasive Organisation Rack

The 3M™ Abrasive Organisation Rack is a sturdy, lightweight abrasive rack designed to dispense, load and organise disc rolls of various sizes as well as sheet rolls. This steel rack can be attached to a workbench, a workstation or similar compatible dust extraction carts. Unmounted, the handle allows technicians to carry their abrasives directly to the repair.



- The 3M™ Abrasive Organization Rack is a sturdy, lightweight abrasive rack designed to easily dispense, load and organize 160 mm, 125 mm and 75 mm disc rolls as well as sheet rolls, allowing easy use of multiple grades of abrasives.
- It attaches to work centres or similar compatible dust extraction carts.
- The rack can also be used as a carrier to bring a range of abrasive sizes abrasives directly to the repair.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100269217	31706	3M™ Abrasive Organisation Rack, 58 cm x 37 cm x 43 cm, 31706	2	Each	1	2



Power tools

Choosing the right abrasives or compounds for your paint finishing and automotive repair project is critical — and so is using the right tool. 3M offers a range of systems of high-quality metal grinding and sanding tools, disc backup pads and accessories to optimise abrasive performance and maximize productivity. Whether your job calls for file belt sander, a sanding tool or a polishing machine, 3M has you covered with the power tools, accessories and service you need.

Power tools

Buffers & Polishers

Focus

3M™ Perfect-It™ Random Orbital Polisher

Experience no more swirls, holograms, or burn through with the 3M™ Random Orbital Polisher and finishing system; and achieve a consistent high-gloss finish on a variety of paints and clear coats. Its circular and oscillating motion, paired with our matched compound, polish and pads, eliminates the dreaded swirl marks common with traditional rotary tools.



- **REFINISHING, REDEFINED:** The circular and oscillating motion of the 3M™ Perfect-It™ Random Orbital Polisher, paired with our matched compound, polish and pads, eliminates the dreaded swirl marks common with traditional rotary tools.
- **ULTIMATE CONTROL:** The tool's variable speed control and a progressive speed trigger let you customize the power you bring to any job.
- **A SYSTEM DESIGNED TO WORK TOGETHER:** Part of the easy-to-use 3M™ Perfect-It™ Random Orbital Paint Finishing System, which includes pads, liquids, and tools engineered to deliver high-quality finishes.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100263991	34104E	3M™ Perfect-It™ Random Orbital Polisher, 15 mm, 230 V, 50Hz, Plug G, 34104E	1	Each	1	1
7100264033	34105E	3M™ Perfect-It™ Random Orbital Polisher, 21 mm, 230 V, 50Hz, Plug G, 34105E	1	Each	1	1

Power tools

Power Grinders

3M™ Cut-Off Wheel Tool for Body Repair

The 3M™ Cut-Off Wheel Tool for Body Repair is designed for cutting quickly and smoothly through aluminum, high strength steel and other tough substrates in collision repair. It features a 0.7 Horse Power (HP) motor in a tough composite housing that makes the tool very lightweight (less than 1 kg) and maneuverable. It is designed to optimize the performance of 3M™ Cubitron™ II Cut-Off Wheels.



- Lightweight, powerful tool is designed for use in body shop applications
- 0.7 HP motor delivers power for cutting through metals including high strength steel
- Lightweight tool, weighs less than 1 kg

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100110997	33579	3M™ Cut-Off Wheel Tool for Body Repair, 75 mm, 33579	1	Each	1	1

3M™ Electric Angle Grinder

3M™ Electric Angle Grinder is designed for use with 3M abrasives and accessories to create a comprehensive system to achieve a more professional finish in less processing time. Our electric angle grinder has a powerful 1900 watt motor and an ergonomic handle to reduce vibration and enhance operator comfort.



- **HIGH-POWERED GRINDING:** High torque and high rotational speed in a lightweight, powerful and versatile tool
- **DESIGNED FOR OPERATOR COMFORT:** Ergonomic design features a low-vibration handle and speed control for different jobs
- **MAXIMISE PRODUCTIVITY TO MINIMISE PROCESSING TIME:** Designed for use with 3M abrasives and accessories

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100251321	xxxx	3M™ Electric Angle Grinder 14144, 115 mm, Plug Type G, 1 ea/box	1	Each	1	1
7100249887	xxxx	3M™ Electric Angle Grinder, Variable Speed, 1900W, 115 mm, Plug Type E, 14221	1	Each	1	1
7100249888	xxxx	3M™ Electric Angle Grinder, Variable Speed, 1900W, 125 mm, Plug Type E, 14291	1	Each	1	1

Power tools

Power Sanders

3M™ File Belt Sander

The 3M™ File Belt Sander for Body Repair features the technology and versatility of metalworking belt sanders in a size that's ideal for automotive collision repair. This narrow-profile tool is excellent for cutting in tight areas, including cutting, dressing and refining spot welds as well as blending and finishing. This file belt sander is designed for use with 3M™ Cubitron™ II abrasives.



- Lightweight file belt sander is ideal for cutting and finishing work in body repair
- Powerful 495W motor is excellent for collision repair applications
- Light weight makes for greater manoeuvrability and less operator fatigue

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100110962	33575	3M™ File Belt Sander, 457 mm, 33575	1	Each	1	1
7100110995	33573	3M™ File Belt Sander, Mini File Belt Sander, 330 mm, 33573	1	Each	1	1

3M™ Body Repair Pistol Grip Disc Sander

3M™ Pistol Grip Disc Sander for Body Repair is designed specifically for grinding and surface preparation processes in collision repair, ideal for paint stripping and weld cleanup.

- Lightweight well balanced tool
- Powerful 335W motor (0.45 HP), up to 18,000 RPM
- Variable speed control trigger



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100H0951	33577	3M™ Body Repair Pistol Grip Disc Sander, 50 mm and 75 mm, 33577	1	Each	1	1

3M™ Finesse-it™ Pneumatic Orbital Sander

The 3M™ Finesse-it™ Pneumatic Orbital Sander is a small, powerful tool for the sanding step when removing defects on painted surfaces. This lightweight sander is ideal for sanding small areas, keeping repair size to a minimum.



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100307282	xxxx	3M™ Finesse-it™ Pneumatic Orbital Sander, 86690, 82 mm(3 mm Orbit), 1pc/Case	1	Each	1	1

Power Tool Parts & Accessories

3M™ File Belt Sander Contact Arm Assembly

The 3M™ File Belt Sander Contact Arm Assembly is an efficient way to maintain your sanding and grinding capabilities, without spending on additional sanders. Each contact arm assembly arrives ready to install onto your 3M™ File Belt Sander (PN 33573 and 33575).



- Assembled - ready to use
- Includes rubber contact wheels
- Replacement part for the 3M™ File Belt Sander

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100132650	33555	3M™ File Belt Sander Contact Arm Assembly, 330 mm x 10 mm, 33555	10	Each	1	10
7100132820	33556	3M™ File Belt Sander Contact Arm Assembly, 330 mm x 13 mm, 33556	10	Each	1	10
7100132661	33555	3M™ File Belt Sander Contact Arm Assembly, 457 mm x 13 mm, 33555	10	Each	1	10

3M™ File Belt Sander Contact Wheel Replacement

3M™ File Belt Sander Contact Wheel Replacements contains everything you need to easily replace the contact wheel on your 3M™ File Belt Sander and help keep it operating at peak performance.



- Designed specifically for 3M™ File Belt Sanders (PN 33573 and 33575) and 3M™ Cubitron™ II Abrasive Belts
- Replace just the contact wheel, not the entire contact arm assembly
- Rubber contact wheel is flexible to help prolong abrasive belt life

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100132675	33553	3M™ File Belt Sander Contact Wheel Replacement, 10 mm, 33553	10	Kit	1	10
7100160975	33552	3M™ File Belt Sander Contact Wheel Replacement, Heavy Duty, 13 mm, 33552	10	Kit	1	10

PERSONAL SAFETY



1 Replace steel Panel (Cutting)



- Identify car manufacturer recommended sectioning location, section or mark with tape on the vehicle and replacement panel
- Use repair area using preferred cut-off wheel



2 Replace steel Panel (Preparation)



- Clean and prep covering entire flange on replacement panel with a Scotch-Brite[®] Belt or Flap when necessary
- Clean and apply weld-thru primer to all areas requiring welding methods for corrosion protection



3 Install Grinding Wheel (Removal)



- Use Scotch-Brite[®] Belt to remove coatings and sealant residues in front of torch access and along pinch weld flanges to improve spot weld locations



4 Install Weld Wheel (Removal)



- Grind spot weld to remove weld from top panel. Note: top panel thickness
- Use caution when grinding to only grind top panel and not coating steel base/member panel
- Separate exterior panel from the base panel after sufficient joint cut



5 Finish Fit



- Identify final cut line at the overlapping area of the pre-cutted front and replacement panel
- Use repair area using preferred cut-off



6 Weld Carbon Panel (Welding)



- Clean and prep covering entire flange on replacement panel with a Scotch-Brite[®] Belt or Flap when necessary
- Use section to test process of grinding close to adjacent areas in terms of substrate thickness
- Clean carbon and apply weld-thru primer to all areas requiring welding methods for corrosion protection



7 Prime (Priming)




- Apply adhesive to mating design area on both panel and replacement panel as recommended from car manufacturer by covering all base metal areas
- Apply an additional bead of adhesive at mating flange areas to ensure proper bond line thickness
- Note: A new cartridge needs to be calibrated as recommended before the first application. To show initial qualification. Any further materials from there is good to use.



8 Welding



- Using cut replacement recommended welding methods at the different areas of the car body lines



9 Weld (Welding)



- Use BVR gun to organize WPS welding spots and MIG welding joints
- First welding of weld area is preparation for subsequent operations
- Use section to test process of grinding close to adjacent areas in terms of substrate thickness





Adhesives, Sealants & Applicators

3M adhesives, coatings and sealers help ensure that your OEM-quality collision repairs will stay that way long after the vehicles leave your shop. They perform in areas that make all the difference: plastic and glass repair, panel and structural bonding, seam sealing, corrosion protection and more. 3M also supplies the equipment and resources you need to use them quickly and cost-effectively.

PERSONAL SAFETY



- Remove remaining material and debris from heat panel. Do not use a cutting blade on heat panel with a double skin™ finish.



- Depress heat panel mating flange area.



- Remove 2mm from replacement panel mating flange area using Scotch-Brite™ Pad.



- Depress replacement panel mating flange area.



- Apply sealant first primer to all areas of heat panel and replacement panel requiring bonding operation, apply 30 seconds for bonding.
- Two layers are recommended to obtain the right bonding thickness for optimum adhesion performance.
- Drying time 60 - 90 minutes.



- Insert the cartridge into a suitable application gun.
- Before attaching the mixer to the cartridge, inspect it to a small amount of solvent and work components are properly activated.
- Attach the mixing nozzle and dispense the first 2-4 cm of material into the joint, ensuring any heat-shrinkable material is covered.
- Note: This process step is only necessary when using a new cartridge.




- Apply adhesive to mating flange area on heat panel and replacement panel, ensuring all heat panel area.
- Apply an additional bead of adhesive at mating flange area to ensure proper bond line thickness and all work area filled.

- Insert replacement panel to bond cavity, changing its place.
- Apply a second bead on one vertical corner, opposite plate, or where all corner, sometimes called by the double skin™ for one time the installation.
- Note: Colours recommend what adhesive using time - after 60 s at 22°C ambient temperature.

- And ensure adhesive exposure not from equal area path to curing toward the repair.
- Note: Curing in extreme areas adhesive can expose bare fibres, causing corrosion.



The hidden heroes of collision repair.



Quick Reference: Areas where 3M™ Impact Resistant Structural Adhesive may be used.

- | | | |
|--------------------------|--------------------|------------------------------|
| 1 Roof Skin | 3 Body Side | 5 Sill panel |
| 2 Front Upper/Lower Rail | 4 B Pillar/Uniside | 6 Rear Unibody/Wheel Opening |

Please reference OEM Repair Procedures.



Quick Reference: Areas where 3M™ Panel Bonding Adhesive may be used.

- | | | | |
|-------------|-------------|--------------|------------------------------------|
| 1 Roof Skin | 2 Door Skin | 3 Sill panel | 4 Quarter Panel/Truck Box/Van Side |
|-------------|-------------|--------------|------------------------------------|

Please reference OEM Repair Procedures.

Adhesives, Sealants & Applicators

Structural Adhesives

Focus

3M™ Impact Resistant Structural Adhesive

3M™ Impact Resistant Structural Adhesive (IRSA) is formulated for true automotive OEM-specified structural bonding applications, excellent for collision absorption in steel structures and advanced lightweight aluminum alloys. This two-part epoxy adhesive delivers extended worktimes – up to 1 hour – and can be rapidly heat-cured. The adhesive changes from silver to purple as the adhesive cures.

- Formulated specifically for collision absorption in OEM-specified structural bonding applications
- Two-part epoxy bonds steel and automotive aluminum, great for lightweight structures
- Can be weld-bonded or rivet-bonded immediately after application



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100275723	07533	3M™ Impact Resistant Structural Adhesive, 200 ml, 07533	0	Each	1	0

Focus

3M™ Panel Bonding Adhesive

The 3M™ Panel Bonding Adhesive is a two-part epoxy used to bond steel, aluminum, SMC, and FRP (traditional fiberglass). The primary use is to replace quarter panels, roofs, box sides, van sides, utility vehicle sides and door skins.

- A high performance two component epoxy adhesive
- Bonds a variety of steel, aluminum, SMC, and FRP (traditional fiberglass) non-structural components. Also use to reinforce welded or riveted structural components
- It can be spot welded through or used in conjunction with rivet bonds



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100157215	05115	3M™ Panel Bonding Adhesive, 200 ml, 05115	0	Each	1	0

3M™ Structural Adhesive

Bond metal, glass and plastic with 3M™ Structural Adhesive. Our structural adhesive can be used for trim, fiberglass and flexible body parts repair. It's a two-part general purpose grey adhesive that spreads smoothly and is fast-drying.

- Bond metal, glass and plastic with our fast-drying structural adhesive
- Use for trim, fiberglass and flexible body parts repair
- Efficient mixing nozzle gives controlled flow with no air bubbles



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100271764	05122	3M™ Structural Adhesive, 2:1, 80 ml, 05122	12	Each	1	12

Adhesives, Sealants & Applicators

3M™ Structural Plastic Adhesive

Bond plastic, fibreglass, ceramic, metal and most substrates with 3M™ Structural Plastic Adhesive. This adhesive is a black, two-part urethane product delivered in a dual-component cartridge.

- For back and front side repair of plastic parts
- Easy cartridge application
- For additional strength, use with plastic reinforcement tape



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100222832	55047	3M™ Structural Plastic Adhesive, 200 ml, 55047	8	Each	1	8

Flexible Adhesives

3M™ Aerosol Adhesive

Aerosol adhesives are used for bonding lightweight internal trim, eg headlinings and plastics.

- Non-clog aerosol head will adjust to give wide or narrow lace spray pattern
- Fast drying
- Cover large areas quickly, compared to hand application



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100139548	08050	3M™ Aerosol Adhesive, 500 mL, 08050	12	Canister	1	12

Adhesives, Sealants & Applicators

Sealants

3M™ MS Caulkable Sealer

3M™ MS Caulkable Sealer is a one part MS polymer-based moisture curing general purpose seam sealer in a cartridge.

- Can be painted over immediately with water based paints
- Should be painted over within 2 hours or lightly sanded using a grey ScotchBrite pad.
- Isocyanate free



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000076655	68655	3M™ MS Caulkable Sealer, 290 ml, 68655	12	Each	1	12

3M™ Multi-Purpose Seam Sealer

Improve your repair process with 3M™ Multi-Purpose Seam Sealer. Our sealer allows wet on wet painting for faster sealing processing times. It can be sprayed, extruded or brushed.

- Get a variety of finishes
- Can be sprayed, brushed or extruded
- Flexible as anti-chip coating



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000077337	60740	3M™ Multi-Purpose Seam Sealer, Beige, 210 ml, 60740	9	Each	1	9

3M™ Polyurethane Seam Sealer

3M™ Polyurethane Seam Sealers are 1K moisture curing polyurethane products designed for seam sealing applications in car body repair.

- Excellent adhesion
- Paintable with commonly used paint systems
- Non-shrinking, non-flow



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100081636	6566	3M™ Polyurethane Seam Sealer, Beige, 310 ml, Cartridge, 6566	12	Each	1	12
7000077238	68604	3M™ Polyurethane Seam Sealer, Black, 310 ml, Cartridge, 68604	12	Each	1	12
7000077310	65759	3M™ Polyurethane Seam Sealer, Black, 310 ml, Satchet, 65759	1	Case	1	1
7000077348	68793	3M™ Polyurethane Seam Sealer, Black, 800 ml, Satchet, 68793	1	Case	1	1
7000077237	65654	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Cartridge, 65654	12	Each	1	12
7100143272	65762	3M™ Polyurethane Seam Sealer, Grey, 310 ml, Satchet, 65762	12	Each	1	12
7000077244	65753	3M™ Polyurethane Seam Sealer, Grey, 800 ml, Satchet, 65753	1	Case	1	1
7000077240	68668	3M™ Polyurethane Seam Sealer, White, 310 ml, Cartridge, 68668	1	Each	1	12
7000077245	68767	3M™ Polyurethane Seam Sealer, White, 310 ml, Satchet, 68767	1	Case	1	1
7000077246	68769	3M™ Polyurethane Seam Sealer, White, 800 ml, Satchet, 68769	1	Case	1	1

Adhesives, Sealants & Applicators

3M™ Brushable Seam Sealer

A multi-purpose, fast-drying seam sealer that is easily applied with a brush. The product will not flow or run after application.

- Designed to seal sheet metal overlap joints that have been spotwelded, riveted, or bolted together
- Can be painted when dry. Remains flexible and resists oil, fuel and other automotive fluids
- Dries Quickly



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000079947	08837	3M™ Brushable Seam Sealer, Brushable Sealer, Grey, 1 kg, 08837	8	Canister	1	8

3M™ MS Sprayable Seam Sealer

3M™ MS Sprayable Seam Sealer is a one part MS moisture curing, high solid sprayable sealer in a cartridge.

- May be painted over immediately
- Cures to provide hard, but flexible surface
- Can also be extruded and brushed



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100235091	08851	3M™ MS Sprayable Seam Sealer, excluding nozzles, Grey, 290 ml, 08851	12	Each	1	12
7000033759	08851	3M™ MS Sprayable Seam Sealer, inc nozzles, Grey, 290 ml, 08851	12	Each	1	12

Adhesives, Sealants & Applicators

Adhesive Applicators

3M™ Brushes for Adhesives

Get an excellent application with 3M™ Brushes for Adhesives, when used with brushable adhesives or sealants.

- Brush is petrol, oil and water resistant.
- Ideal for application of brushable seam sealers.
- Use to replicate OEM finishes.



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000078888	08840	3M™ Brushes for Adhesives, Super Seam Application Brush, 08840	50	Each	1	50

3M™ Lightweight Gun

Use our convenient pneumatic gun, 3M™ Lightweight Gun, to apply 1k spray and multipurpose sealers efficiently. Our ready-to-use gun allows various spray and coating finishes, from a sprayed bead, very fine to textured finishes, with a simple adjustment to the air and product regulator.

- Lightweight
- Adjust easily for convenience and more efficient spraying
- Achieve various spray and coating finishes



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000041391	08902	3M™ Lightweight Gun, 08902	1	Each	1	1

3M™ Manual Gun for 2 part cartridges

Use our convenient 3M™ Manual Guns for 2 Part Cartridges to accurately mix two pack adhesives to the right consistency and apply the material directly to the workplace.

- A high performance two-part applicator gun
- Dispenses 1-1 and 2-1 200 ml duo-pack cartridges
- Use for balanced product dispensing



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000100501	05190	3M™ Manual Gun for 2 part cartridges, 2:1 for 05122, 05190	1	Each	1	10
7000042705	05571	3M™ Manual Gun for 2 part cartridges, 200 ml Cartridge Applicator Gun, 05571	12	Each	1	12
700245599	05117	3M™ Manual Gun for 2 part cartridges, 05117	1	Each	1	1

Adhesives, Sealants & Applicators

3M™ Manual Gun for Cartridge and Sachet

Easily apply sealer with 3M™ Manual Gun for Cartridge and Sachet. Our lightweight and easy to use manual gun can be used with cartridge or sachet where an air line is not available.



- Lightweight
- Easy to use
- Manual application tool

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000001062	00013	3M™ Manual Gun for Cartridge and Sachet, Sealant Applicator, 00013	1	Each	1	0

3M™ Primer Applicator

3M™ Primer Applicator is an applicator tool to exactly apply primer on well defined areas.



- Fit easily with primer bottles
- Handle easily
- Get fast application of primer

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000003370	00805	3M™ Primer Applicator, 00805	100	Each	10	100

3M™ MS Universal Sealer Gun

3M™ MS Universal Sealer Gun is a pneumatic applicator, which allows the extrusion of all kinds of single-component sealants.



- Pneumatic applicator
- Works with sachets and cartridges
- Easy to adjust and handle

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000040360	00888	3M™ MS Universal Sealer Gun, Pneumatic, 00888	1	Each	1	10

3M™ Pneumatic Gun for 2 part cartridges

Our 3M™ Pneumatic Gun for 2-Part Cartridges is designed for dispensing 3M 2-part adhesives and sealers from 200 ml cartridges. This pneumatic applicator gun is ideal for large volume jobs. It allows you to apply a range of two-component repair products quickly and smoothly, saving time and reducing rework. Snap-In cartridge system eliminates priming and maximizes material use.



- Use with 3M 2-component cartridges (200 ml)
- Get smooth, consistent application of sealants matching OEM appearance
- Save time and work efficiently on large volume work thanks to pneumatic system

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100349137	00930	3M™ Pneumatic Gun for 2 part cartridges, 200 ml, 00930	1	Each	1	1

Adhesives, Sealants & Applicators

3M™ Pneumatic Gun for No Cleanup

Use 3M™ Pneumatic Gun for No Cleanup solution, for a fast, easy and clean way to work. Use with our disposable 2k sprayable sealer bags. Our robust aluminium tool dispenses product quickly and easily. Simply dispose of the sachet and nozzle, and the gun's ready to use again.

- Work more efficiently, thanks to no clean-up when the gun is used correctly
- Use with 3M 2k sprayable sealer bags
- Dispense product quickly and easily



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000041552	05501	3M™ Pneumatic Gun for No Cleanup, 05501	1	Each	1	0

3M™ Pneumatic Guns for Cartridges

The 3M™ Pneumatic Gun for Cartridge is a lightweight pneumatic gun for sealer cartridges.

- Lightweight aluminium body
- For easy handling of sealer cartridges
- 1/4" outer thread for air connector



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000041551	05012	3M™ Pneumatic Guns for Cartridges, 4-position for 210 ml Cartridges, 05012	5	Each	1	0

3M™ Pneumatic Guns for Sachets

3M™ Pneumatic Guns for Sachets are lightweight, well-balanced pneumatic guns designed to extrude various sizes of collapsible aluminium foil sachets.

- Lightweight aluminium body
- For easy handling of various sizes of sealer sachets
- Get fast, accurate product application



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
700010541	05007	3M™ Pneumatic Guns for Sachets, 800 ml size, 05007	1	Each	1	1
700010545	05008	3M™ Pneumatic Guns for Sachets, 05008	1	Each	1	0

3M™ Flex Pack Applicator Gun

Applicator gun for use with 3M™ Windshield Polyurethanes, Polyurethane Seam Sealers and MSP Seam Sealers in 330 ml or smaller flexible foil packages.

- Fully enclosed all metal, rod driven, friction feed single component applicator
- Dispenses single component products packaged in 330 ml and smaller flex packs
- Easy to use



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000041575	05991	3M™ Flex Pack Applicator Gun, 05991	1	Each	1	1

Adhesives, Sealants & Applicators

Sealing Tapes

3M™ Auto Glass Direct Glaze Adhesive Strip

3M™ Auto Glass Direct Glaze Adhesive Strip is a high tack, non-curing strip of sealer for installing direct glaze (gasketless) windscreens.

- Get an instant bond for gasketless windscreens
- Excellent adhesion
- Weatherproof



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000079880	08810	3M™ Auto Glass Direct Glaze Adhesive Strip, Sealing Tape, 6 mm x 4.5 m, 08810	12	Km	1	12
7000079881	08811	3M™ Auto Glass Direct Glaze Adhesive Strip, Sealing Tape, 6 mm x 4.5 m, 08811	12	Km	1	12
7000030752	08812	3M™ Auto Glass Direct Glaze Adhesive Strip, Sealing Tape, 10 mm x 4.5 m, 08812	12	Km	1	12

3M™ Body Caulking

3M™ Body Caulking is a pre-formed sealing compound / „tape“ on a roll.

- Good adhesion
- Non-standing
- Water resistant



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000148235	05555	3M™ Body Caulking, Sealing Tape, Gray, 6 mm x 3 m, 05555	720	Each	60	720

3M™ Seam Sealer Tape

Get the factory grade appearance and function of typical sealers with 3M™ Seam Sealer Tape. Our sealer tape is a fast and easy alternative to liquid sealers without the need for spreading, shaping or drying. Designed for use with solvent based paints.

- Fast, effective means of duplicating the look and function of factory sealers
- Paint immediately, saving time and money on liquid sealers
- Rubber backed tape holds up under tough conditions, reducing rework



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000028999	08475	3M™ Seam Sealer Tape, 9.5 mm x 9.15 m, 08475	12	Roll	1	12
7000028970	08476	3M™ Seam Sealer Tape, 22.2 mm x 9.15 m, 08476	12	Roll	1	12

Adhesives, Sealants & Applicators

3M™ Crack Seal Tape

3M™ Crack Seal Tape is a glassfiber tape to reinforce any repair using 2K liquid repair materials such as Plastic Repair Material.

- Easily apply tape
- Self adhesive
- Reinforce repair areas



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
700010548	03020	3M™ Crack Seal Tape, 50 mm x 25 m, 03020	6	Roll	1	6

Foam Tapes

3M™ Acrylic Plus Tape PT1100T

3M™ Acrylic Plus Tape PT1100 features two adhesives, one on each side of an acrylic foam core, designed for robust performance even on complex contours and difficult automotive paint surfaces. The viscoelastic foam core provides stress relaxation when high application loads are encountered, while maintaining tight bond-line aesthetics under normal conditions.

- Proven adhesion performance to automotive paint surfaces, including the newest scratch- and mar-resistant formulations
- Highly conformable core, which improves adhesive wet out, combines with high performance adhesive systems to provide excellent part adhesion to the most challenging surfaces
- Non-liner-side adhesive delivers excellent adhesion to metal and primed plastic parts



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100057970	80318	3M™ Acrylic Plus Tape PT1100, black, 1.14 mm, 8 mm x 20 m	24	Roll	2	24

Adhesives, Sealants & Applicators

Repair Adhesives & Patches

3M™ Polyolefin Adhesion Promoter

Use 3M™ Polyolefin Adhesion Promoter for strong adhesion of 3M flexible parts, plastic repair materials, and superfast plastic adhesive. Apply after grinding, let dry, then apply adhesive.

- Use a high performance adhesion promoter designed for 3M adhesives
- Prepare the surface of flexible and semi-rigid plastics before applying 3M plastic repair products
- Let dry before applying any adhesive



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100265707	069177F	3M™ Polyolefin Adhesion Promoter, 200 mL, 069177F	12	Canister	1	12

3M™ Plastic Contour Sheet

Use 3M™ Plastic Contour Sheet to aid reconstruction of tabs and broken plastic lugs. Our sheet is easily removed – adhesives don't stick to it and has an easy release surface for moulding or shaping two part adhesives.

- A high performance roll of specialty film
- Get an easy release surface to moulding or shaping two part adhesives
- Remove with ease, adhesives don't stick to the sheet



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000033764	04900	3M™ Plastic Contour Sheet, 127 mm x 3.8 m, 04900	8	Roll	1	8

Focus

3M™ Flexible Plastic Patch

Repair automotive bumpers with 3M™ Flexible Plastic Patch. Our flexible plastic patch reinforces the inside of a two sided plastic repair where the damage has gone through the plastic. It needs no sanding for application and adhesion, and has no curing time delay to start a repair.

- Reinforce the backside of bumpers needing repair
- Get no cure time delay for fixing front side repair
- Use on plastics where a reinforcement is needed



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000050124	06395	3M™ Flexible Plastic Patch, Adhesion Promoter Wipe, 06395	100	Each	1	100
7000080200	06998	3M™ Flexible Plastic Patch, Kit, 06998	18	Each	3	18

Adhesives, Sealants & Applicators

3M™ Plastic Repair Reinforcement Sheet

3M™ Plastic Repair Reinforcement Sheet is a mesh plastic material with is used with Plastic Repair adhesives to give additional strength to any repair area.



- Strong white mesh material
- For additional strengthening the backside of plastic repair
- Use with structural plastic repair adhesive

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000080068	4804	3M™ Plastic Repair Reinforcement Sheet, 127 mm x 3.8 m, 04804	8	Roll	1	8

Focus

3M™ Super Fast Repair Adhesive

Repair damaged automotive plastic parts with 3M™ Super Fast Repair Adhesive. Rebuild, reshape and bond all kinds of plastic. Our adhesive sets super fast, meaning there's no need for a separate accelerator.



- Rebuild, reshape and bond all kinds of plastic without running or sagging
- Repair damaged automotive plastic parts
- Has excellent wide gap filling capabilities

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100222848	04748	3M™ Super Fast Repair Adhesive, Black, 48.5 ml, 04748	12	Each	1	12
7100222868	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045	12	Each	1	12
7100222758	55045	3M™ Super Fast Repair Adhesive, Clear, 48.5 ml, 55045	12	Each	1	12

3M™ EZ Sand Flexible Parts Repair

The 3M™ EZ Sand Flexible Parts Repair is a two-part epoxy used to repair most flexible plastic parts, including bumper covers and other plastic body panels.



- Can be used to repair most of the plastic parts found on today's vehicles
- Repairs most flexible plastic parts, including bumper covers and other plastic body panels
- Can be used as a seam sealer over 2K primer

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000050126	08887	3M™ EZ Sand Flexible Parts Repair, 200 ml, 08887	8	Each	1	8

Adhesives, Sealants & Applicators

Focus

3M™ Flexible Parts Repair Material

Repair most vehicle plastic parts with 3M™ Flexible Parts Repair Material. Our repair material is fast curing, flexible and easy to sand. It's easy to use, sag resistant and excellent for feather edging.

- Apply on front and back side plastic repairs
- Excellent feather edging
- Excellent sag resistance



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000079938	05900	3M™ Flexible Parts Repair Material, 2 x 150 ml, 05900	6	Kit	1	6
7100224388	05901	3M™ Flexible Parts Repair Material, 48.5 ml, 05901	12	Each	1	12

Adhesives, Sealants & Applicators

Nozzles & Accessories

3M™ Static Mixing Nozzle

3M™ Static Mixing Nozzle is a cascade mix/meter nozzle for an easy squeeze of adhesive right on target. Our static mixing nozzle is engineered for use with 3M cartridges and manual or pneumatic applicators.

- A high performance static mixing nozzle for use with manual and pneumatic applicators
- Nozzle efficiently mixes a variety of 3M two component adhesives, sealers and foams to the right ratio.
- Disposable nozzles and tubes for easy cleanup, no mixing and stirring tools to clean



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
71000033779	06193	3M™ Static Mixing Nozzle, for 100 ml cartridges, 06193	35	Each	8	68

3M™ Nozzles for Flexible Parts Repair Material

3M™ Nozzles for Flexible Parts Repair Material are fine-tipped nozzles that fit 48.5 ml or 60 ml duo 1:1 cartridges for flexible parts repair materials. Our nozzles are used as spares which are quick and easy to replace.

- Transparent, fine-tipped mixing nozzle
- For 48.5 ml or 60 ml duo-cartridges
- Designed for 48.5 ml cartridges of 3M™ Flexible Parts Repair Material and 60 ml 3M™ Structural Adhesive



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100224408	06198	3M™ Nozzles for Flexible Parts Repair Material, suitable for 05901 & 06122 products, 06198	60	Each	12	60

3M™ Nozzles for 48.5 ml cartridges

Use 3M™ Nozzles for 48.5 ml Cartridges for a well-mixed, ready to use product after equalisation. Our clear mixing nozzles are designed optimise the mixing two component materials.

- Ensure a well-mixed, ready to use product after equalisation
- Clear design allows easy monitoring of progress
- Designed for 48.5 ml cartridges of 3M™ Superfast and 3M™ Fast Adhesive



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100224407	04906	3M™ Nozzles for 48.5 ml cartridges, suitable for 04743, 55045 & 54260 products, 04906	50	Each	1	50

Adhesives, Sealants & Applicators

Windshield Adhesives

3M™ Auto Glass Urethane Windshield Adhesive

Bond windshields, side and rear windows with 3M™ Auto Glass Urethane Windshield Adhesive. Our urethane windshield adhesive is a range of one component polyurethane adhesives designed to cure quickly and allow a fast drive away time.



- A medium viscosity single component moisture curing urethane adhesive
- Designed for windshield bonding and stationary glass attachment
- Get fast drive away time

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000077198	08803	3M™ Auto Glass Urethane Windshield Adhesive, 310 ml, Cartridge, 08803	12	Each	1	12
7000077208	08818	3M™ Auto Glass Urethane Windshield Adhesive, 415 ml, Sashet, 08818	1	Case	1	1
7000077198	08813	3M™ Auto Glass Urethane Windshield Adhesive, Fast Cure, 310 ml, Cartridge, 08813	12	Each	1	12

3M™ Windscreen Sealer

This 3M™ Windscreen Sealer is used for sealing between glass, windscreen rubber gaskets and car bodies when installing a rubber gasket windscreen.

- Excellent water and weather resistance
- Remains flexible permanently
- Easy cleanup



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000079842	08509	3M™ Windscreen Sealer, Black, 310 ml, 08509	12	Each	1	12

3M™ Low VOC Single Step Primer for windscreen adhesives

3M™ Low VOC Primer is a single step primer used to provide optimum adhesion between windshields and PU windscreen sealants.

- Black
- Easily applied with 3M primer applicator
- Quick to cure



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100154554	55012	3M™ Low VOC Single Step Primer for windscreen adhesives, 30 ml, 55012	6	Bottle	1	6



Coatings & Fillers

3M offers a wide range of protective coatings and fillers - starting with interior corrosion protection materials such as Inner Cavity Waxes, allowing to reach and protect metal from the inside and thus preventing inner corrosion as well as anti-chip coatings, used to protect vulnerable, painted parts of the vehicle such as sills, wings, wheel arches and valances. Applied with the 3M™ Performance Spray Gun and the 3M™ PPS™ Series 2.0 H/O Pressure Cup, a wide range of textures from very smooth to very coarse can be easily achieved simply by adjusting the gun and choosing one of the available atomising heads. This application process allows to match virtually any OEM texture. Our selection of 3M body fillers, glazes and putties can take you a long way toward smooth, permanent, absolutely consistent body repairs on a full range of substrates.

Coatings & Fillers

Automotive Fillers & Repair

3M™ Dynamic Mixing System General Purpose Body Filler

A smooth, midweight, easy to sand, general purpose body filler in 3M™'s unique DMS dispensing system for a wide range of applications and temperatures.

- Excellent adhesion to steel, galvanized or aluminium
- Mid weight filler, easy to sand
- Good filling properties



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100060730	51002	3M™ Dynamic Mixing System General Purpose Body Filler; 270 ml; 51002	0	Each	1	0

3M™ Dynamic Mixing System Heavy General Purpose Filler

A heavy-body general purpose body filler in 3M's unique DMS dispensing system for a wide range of applications and temperatures, best suited for deep dent filling, works well at warmer temperatures too.

- Excellent adhesion to steel, galvanized or aluminium
- Heavy weight, yet easy to spread and sand filler
- Good filling properties



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100060730	51003	3M™ Dynamic Mixing System Heavy General Purpose Filler; 270 ml; 51003	0	Each	1	0

3M™ Dynamic Mixing System Light General Purpose Filler

3M™ Dynamic Mixing System Light General Purpose Filler is a very smooth lightweight body filler in a cartridge with hardener ready for use with 3M™ Dynamic Mixing System.

- Very smooth and creamy to spread
- Fast to cure, works well also at lower temperatures
- Lightweight - particularly easy to sand



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100060250	51004	3M™ Dynamic Mixing System Light General Purpose Filler; 270 ml; 51004	0	Each	1	0

Coatings & Fillers

3M™ General Purpose Body Filler

3M™ General Purpose Body Filler is a smooth, midweight, general purpose body filler for a wide range of applications and temperatures. It's easy to apply and spread, cures fast and is easy to sand.

- Works well with all mainstream paint systems
- Easy to spread
- Very easy to sand midweight filler



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000062766	61076	3M™ General Purpose Body Filler, 1 L, 61076	6	Canister	1	6
7000062771	61079	3M™ General Purpose Body Filler, 1.83 L, 61079	6	Canister	1	6
7000062762	61073	3M™ General Purpose Body Filler, 3 L, 61073	6	Canister	1	6

3M™ Heavy General Purpose Filler

Fill deep dents with 3M™ Heavy General Purpose Filler. Our Heavy General Purpose Filler is a smooth, heavyweight general purpose body filler that works with all mainstream paint systems and can be used for a range of applications and temperatures.

- Get a very easy to sand filler
- Use with all mainstream paint systems
- Easy to spread



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000062764	61075	3M™ Heavy General Purpose Filler, 1 L, 61075	6	Canister	1	6

3M™ Hardener for Body Filler

3M™ Hardener for Body Filler is a peroxide hardener and can be used with for most types of 3M Bodyfillers.

- Peroxide Hardener
- Usual mixing ratio with filler 2:3% by weight
- Available in tubes or cartridges to fit the filler system



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000062768	61077	3M™ Hardener for Body Filler, 40 g, 61077	24	Each	1	24
7000062772	61080	3M™ Hardener for Body Filler, 55 g, 61080	12	Each	1	12
7000062765	61074	3M™ Hardener for Body Filler, 100 g, 61074	12	Each	1	12

Coatings & Fillers

3M™ Plastic Filler

Use our 3M™ Plastic Filler as a more flexible alternative to standard polyester fillers, for bumpers and plastic materials. Our 2K polyester filler is supplied as a kit, including hardener. It's easily applied and cures to create a surface for easier and improved sanding.

- Easy to mix and to apply
- More flexible filler than standard polyester fillers
- Easy to sand



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000095200	51009	3M™ Plastic Filler, 0.5 kg can, 51009	0	Canister	1	0

Focus

3M™ FC Epoxy Metal Filler

3M™ FC Epoxy Metal Filler is a fast curing filler for all metall substrates (steel, alu...) to fill deeper dents, shape and modell structures of the surface and provide corrosion protection for welded seams.

- Lead-free alternative to tin soldering
- Ideal for modelling / forming difficult to access areas
- Excellent corrosion protection



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100278834	37455	3M™ FC Epoxy Metal Filler, 180 ml, 37455	0	Each	1	0

PERSONAL SAFETY

1 Preparing the damaged area		- Remove loose sanding using a handblock. It is not to sand through the dent or the repair area. - Mask the damaged area in the damaged area in order to avoid sanding outside. - Use sand to remove the paint evenly from the damaged area. It is not to sand through the dent or the repair area. Use the Multiblock to sand the dent in the substrate.	
2 Feeding the sand		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
3 Feeding the sand		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
4 Sanding the dent		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
5 Sanding the dent		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
6 Sanding the dent		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
7 Sanding the dent		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
8 Sanding the dent		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
9 Sanding the dent		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
10 Sanding the dent		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	
11 Sanding the dent		Remove sand feeding to the top surface of the repair area. It is not to sand through the dent or the repair area.	

Coatings & Fillers

3M™ Premium Glaze

3M™ Premium Glaze can fill small surface imperfections or sanding scratches, and reduce primer use. Our finishing glaze adheres well to most substrates and is ideal for the automotive aftermarket.

- Easy to spread
- Fast to cure
- Fill pinholes and sanding scratches



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100023665	51212	3M™ Premium Glaze, Kit, 910 ml, 51212	5	Bottle	1	5

3M™ Acryl Putty

3M™ Acryl Putty are auto body repair putties designed with very easy sanding and fast drying characteristics for use in filling small pinholes and scratches.

- Fast drying
- Easy sanding
- Use for filling pinholes and scratches



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000028278	05098	3M™ Acryl Putty, Green Spot Putty, 410 g, 05098	12	Each	1	12
7000045481	05099	3M™ Acryl Putty, Red Glazing Putty, 410 g, 05099	12	Each	1	12

Foam fillers

3M™ Flexible Foam

Two part urethane which foams in place; designed to replace flexible foams found in OEM applications such as trunks, door cavities, door skins, roof beams, etc.

- A high performance two component flexible urethane closed-cell foam
- Designed to replace flexible foams found in OEM anti-flutter applications such as intrusion beams, roof bows, hood webbing, etc
- 40 second work time



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100046768	08483	3M™ Flexible Foam, 200 ml, Cartridge, 08483	8	Each	1	8

Coatings & Fillers

Corrosion Protection Coatings

3M™ Two Part Sprayable Sealer

Paint in 30 minutes after sealing with 3M™ Two Part Sprayable Sealer. Our clean, fast and simple sealer can be heated to speed up the curing process and has no shrinkage.

- Paint in 30 minutes after application of sealer
- Get a ripple effect by changing the angle of spray
- Use with PNO8801 Applicator gun



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000100	00600	3M™ Two Part Sprayable Sealer, 250 ml, GL coating, 00600	0	Each	1	0

3M™ Weld Thru II Coating

Avoid costly come-backs and increase efficiency in the workshop, with 3M™ Weld Thru II. Apply our convenient aerosol coating to prevent corrosion between welded metal surfaces. Our coating keeps metal parts from degrading while resisting weld spatter. It dries in just five minutes, increasing productivity.

- Protect bare metal panels and parts from corrosion after welding
- Get a fast drying product before MIG welding for efficient work
- Convenient aerosol spray application



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100163669	50410	3M™ Weld Thru II Coating, 377 ml, 381 g, 50410	0	Canister	1	0

Insulation

3M™ Sound Deadening Pad

Replicate sound deadening qualities of the OEM using 3M™ Sound Deadening Pad. Our pad suppresses road noise, sound system vibrations, rattles and other distracting sounds. The self-adhesive pad is easily cut to size and applied.

- Conformable pad quiets noise around trunks, door panels, hoods, floor pans and more
- Self-adhesive material is easy to install without any special tools
- Multi-purpose sound deadening mat reduces road noise, sound system vibrations, and rattles



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000040148	00640	3M™ Sound Deadening Pad, 900 mm x 900 mm, 00640	10	Each	1	10

Coatings & Fillers

Automotive Coatings and Waxes

3M™ Cavity Wax Plus Applicator Wand Kit

3M™ Cavity Wax Plus Applicator Wand Kit allows automotive technicians to apply 3M™ Cavity Wax Plus (sold separately) in hard-to-reach places. The wand kit includes three tubes of varying lengths, which help auto body workers apply the protective coating in critical areas. The use of cavity wax is recommended when vehicles are repaired.



- Wand kit allows automotive technicians to apply cavity wax in hard-to-reach places
- Kit comes with three tube lengths for flexible delivery options
- Kit comes with three tube lengths for flexible delivery options (20 cm, 51 cm, 86 cm)

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100000094	0001WK	3M™ Cavity Wax Plus Applicator Wand Kit, 0001WK	12	Kit	1	12

3M™ Cavity Wax Plus

3M™ Cavity Wax Plus is a non-hardening corrosion protective coating for bare or primed aluminum and steel automotive inner body panels and welded structural components. The material is designed to cover and seal interior joints, hem flanges and compromised e-coats where corrosion can form. Properly applied with the 3M™ Cavity Wax Plus Wand Kit, it remains pliable and will not chip, peel or crack.



- Corrosion protection for inner body panels, frame rails and structural enclosures
- Formulated for bare or primed automotive metals such as steel and aluminum
- Spray-on material provides consistent and uniform protection

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100000109	00002	3M™ Cavity Wax Plus, 600 ml, 00002	6	Canister	1	6

3M™ Inner Cavity Wax


Get long lasting rust proofing with 3M™ Inner Cavity Wax. 3M™ Inner Cavity Wax – Amber will seep into gaps and along welded joints for excellent rust proofing. Use as an aerosol or with an applicator gun. 3M™ Inner Cavity Wax – Transparent has a heavy consistency and is usually used for engine compartment areas or where you like to protect accessible bare metal parts, i.e. use it for areas where capillary action is not required.



- Easy to use
- Quick to apply
- Convenient inner rust protection

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100000740	00901	3M™ Inner Cavity Wax, Amber, 1 L, 00901	12	Bottle	1	12
7100000700	00901	3M™ Inner Cavity Wax, Amber, 500 ml, 00901	12	Canister	1	12
7100000703	00909	3M™ Inner Cavity Wax, Clear, 500 ml, 00909	12	Canister	1	12

3M™ Cavity Wax Plus usage example in a typical saloon



Without corrosion
protection treatment



3M™ Cavity Wax Plus 08852
(3 coats)

**Tested for long-term
corrosion protection.**

Actual test panel results after
1,500 hour salt fog exposure
(ASTM B117-97*).

*ASTM.org/cgi-bin/webres.cgi/20117-97

Coatings & Fillers

3M™ Body Gard Flat Coating

3M™ Body Gard Flat Coating is a stone chip coating in an aerosol format with a flat finish.

- Excellent stone-chip resistance
- Quick drying
- Coating becomes tack free in 10-15 minutes



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100155521	05152	3M™ Body Gard Flat Coating, Black, 500 ml, 05152	8	Canister	1	8
7100155723	05159	3M™ Body Gard Flat Coating, Grey, 500 ml, 05159	8	Canister	1	8

3M™ Body Gard Textured Coating

Reproduce automotive manufacturers' stone chip finishes with 3M™ Body Gard Textured Coating. Our rubber based coating has excellent stone chip resistance and is available in black, white and grey. To get medium to heavy textures, just change the application method.

- Excellent stone-chip resistance
- Overpaint in 30 minutes
- Coating becomes tack free in 10-15 minutes



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100239806	05573	3M™ Body Gard Textured Coating, Protective Coating, Black, 1 kg, 05573	9	Canister	1	9
7100241061	05574	3M™ Body Gard Textured Coating, Protective Coating, Grey, 1 kg, 05574	9	Canister	1	9
7100261058	05575	3M™ Body Gard Textured Coating, Protective Coating, White, 1 kg, 05575	9	Canister	1	9

3M™ Body Schutz Coating

Protect the underbody of vehicles from rust and road noise with 3M™ Body Schutz Coating. Our thick coating is an excellent one coat, asphalt based application with rust proofing and sound deadening properties.

- Flexible when dry
- Excellent one-coat coverage
- Touch dry in one hour



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100241035	05572	3M™ Body Schutz Coating, Underbody Coating, 2 kg, 05572	4	Canister	1	4
7100235847	05581	3M™ Body Schutz Coating, Underbody Coating, Textured, Black, 1 L, 05581	12	Canister	1	12

Coatings & Fillers

3M™ Spray Schutz Aerosol

Repair wheel arches and underbodies quickly with 3M™ Spray Schutz Aerosol. Our spray is a fast drying, rubberised protective coating for extra toughness and flexibility.

- Repair wheel arches and underbodies quickly
- Get a fast-drying, rubberised protective coating
- Use for extra toughness and flexibility



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100142596	08877	3M™ Spray Schutz Aerosol, 500 ml, 08877	12	Canister	1	12

3M™ Waterbased Coating

3M™ Waterbased Coating is a waterbased paintable anti-chip coating designed to protect surfaces from corrosion and provide sound deadening.

- Fast dry within 30 minutes
- For solvent based and waterbased paint systems
- Middle - heavy structure



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032194	08881	3M™ Waterbased Coating, Black, 1 L, 08881	12	Canister	1	12
7100097283	08881	3M™ Waterbased Coating, Black, 22 L, 08881	1	Drum	1	1
7000032195	08882	3M™ Waterbased Coating, Grey, 1 L, 08882	12	Canister	1	12

■ Coatings & Fillers

Accessories and Organisation

3M™ Wall dispenser for Body Filler

Accurately dispense body filler and hardener with 3M™ Wall Dispenser for Body Filler. Our robust wall mounted dispenser holds large (1.65 litre) cartridges and dispenses the exact required amount of filler and hardener, for mixing in the right ratio. Ratio can be adjusted as needed to fit body shop conditions.



- Adjust the hardener to filler ratio
- Dispense the amount needed with just one press
- Easy to mount cartridges

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000082777	51051	3M™ Wall dispenser for Body Filler, for 1.65 L cartridges, 51051	1	Each	1	1

3M™ Dynamic Mixing System Applicator Rack

Store the Dynamic Mixing System (DMS) applicator safely with 3M™ Dynamic Mixing System Applicator Rack. Our robust, metal rack can be mounted on a wall or a trolley.



- Robust metal construction
- Store Dynamic Mixing System (DMS) applicator safely
- Use to hold DMS applicator when not in use

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000034443	50603	3M™ Dynamic Mixing System Applicator Rack, 50603	1	Each	1	1

3M™ Dynamic Mixing System Nozzle Rack

Store your 3M™ Dynamic Mixing Nozzles in the 3M™ Dynamic Mixing System Nozzle Rack. Our wire frame nozzle rack increases productivity by keeping the mixing nozzles within reach of body shop technicians.



- Keep replacement nozzles within easy reach
- Change location of rack when required with magnetic mounts
- Use dispenser box on rack to hold 3M™ Dynamic Mixing Nozzles

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000034442	50602	3M™ Dynamic Mixing System Nozzle Rack, 50602	1	Each	1	1

Coatings & Fillers

3M™ Dynamic Mixing System Applicator

The 3M™ Dynamic Mixing System Applicator allows you to dispense fast and accurate fillers from the highly efficient 3M DMS cartridge system. Our durable, built to last and heavy duty performance applicator is powered by your workshop's pneumatic air system to allow a high working speed.

- Use the applicator with the 3M™ Dynamic Mixing System
- Dispense the 3M™ Dynamic Mixing System on demand, exactly mixed and in the needed quantity
- Get precise and convenient applications with trigger control



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100074798	80800	3M™ Dynamic Mixing System Applicator, 80800	1	Each	1	1

3M™ Dynamic Mixing System Introductory Kit

A kit containing items necessary to get started with 3M's Dynamic Mixing System: Applicator, Nozzles, and Accessories.

- Dynamic Mixing System Pneumatic Applicator
- DMS Nozzles (Red) for Body Filler
- DMS Nozzles Dispenser / Box rack



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100050124	80804	3M™ Dynamic Mixing System Introductory Kit, 80804	1	Kit	1	1

3M™ Dynamic Mixing System Nozzle

Mixing nozzle for 3M Dynamic Mixing System. Active mixing action completely blends materials, and its short length guarantees low waste. 3M's DMS nozzles deliver body repair products to the part faster than any manual applicator and static mixing nozzle combination.

- Blend materials without introducing air with the nozzle's active mixing action
- Get low waste with nozzle's short length
- Easily clip on and off cartridges



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000084428	80801	3M™ Dynamic Mixing System Nozzle, for Filler Applications, Red, 80801	8	Pack	1	8



Cleaning Supplies

The cleaner the work, the easier you will achieve great results. We offer various materials to help you keep your work clean and neat. Starting with various high performance cloth materials, cleaning agents up our 3M SkinCare range to clean and protect your hands.

Cleaning Supplies

Cleaners

3M™ Glass Cleaner

3M™ Glass Cleaner restores clarity and puts the sparkle back into automotive glass. Our special formula resists streaking on all glass surfaces, including windows, windshields, mirrors and side glass. It is also gentle and safe to use on plastic, chrome and metal.

- Get a streak free finish on all glass surfaces
- Cut through stubborn residue on windscreens and windows
- Use on all glass surfaces, including windshields, windows and mirrors



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100193880	08831	3M™ Glass Cleaner, 500-ml, 08831	12	Canister	1	12

3M™ General Purpose Adhesive Cleaner

Remove adhesive, wax, grease, oil and tars with 3M™ General Purpose Adhesive Cleaner. Our adhesive cleaner is made from various solvents and is designed to quickly get rid of adhesives, silicone polish, wax, tar and oil from a surface.

- Quickly removes waxes, greases, oil and tars
- Use on cured automotive paint, vinyls and fabrics
- Remove light paint overspray



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000033782	05984	3M™ General Purpose Adhesive Cleaner, 1 L, 05984	12	Canister	1	12
7000079859	05986	3M™ General Purpose Adhesive Cleaner, 1 L, 05986	12	Canister	1	12

3M™ Perfect-It™ Cleaner Clay

3M™ Perfect-It™ Cleaner Clay will safely remove overspray and paint contaminants. This product can be used effectively on paint, glass and chrome when used with a water-based lubricant.

- Safely removes overspray and paint contaminants
- Use with water-based lubricants
- Effective on paint, glass and chrome



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000034232	35070	3M™ Perfect-It™ Cleaner Clay, 200 g, 35070	6	Each	1	6

Cleaning Supplies

3M™ VHB™ Surface Cleaner

3M™ VHB™ Surface Cleaner is a multi-surface cleaner, for use with 3M VHB Tape range to ensure a clean, grease free clean surface for the best bond.

- Degreasing of surfaces
- Preparation of surfaces for bonding
- Evaporates quickly leaving no residue



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000071718	SC1	3M™ VHB™ Surface Cleaner, 1 L	6	Bottle	1	6

Cleaning Supplies

Cloths & Wipes

3M™ Paintshop Handwipes

Use 3M™ Paintshop Handwipes to quickly clean hands of wet and dry paints, grease, sealants, adhesive and oil. Our wipes are infused with a moisturiser to help protect skin.

- Removes most wet and dry paints, oils, sealants and adhesives
- Contains skin conditioner
- Double layered, textured material creates gentle scrubbing effect and excellent absorbency



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
700002888	80847	3M™ Paintshop Handwipes, 100, 80847	400	Each	100	400

3M™ Perfect-It™ Polishing Wipe

Use 3M™ Perfect-It™ Polishing Wipe with 3M™ Perfect-It™ polishes, for wiping residual polish and compound from panels. Our polishing wipe is soft, supple and highly absorbent. It's low linting for static-free cleaning.

- Get static free wiping thanks to low linting wipe
- Wipe residual polish and compound from panels
- Tear resistant even when wet



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
710019222	36585	3M™ Perfect-It™ Polishing Wipe, 320 mm x 400 mm, 36585	1	Carton	1	1

3M™ Perfect-It™ Ultra Soft Cloth

Use our high performance 3M™ Perfect-It™ Ultra Soft Cloth to wipe away residue, dust, dirt and fingerprints, without leaving scratches. Use on a wide range of surfaces including glass, metal, chrome, vinyl and leather.

- Wipe away residues, dirt, dust and fingerprints quickly and easily
- Use a non-scratching low linting cloth
- Resistant to chemicals



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032157	80488	3M™ Perfect-It™ Ultra Soft Cloth, Blue, High Performance, 80488	20	Each	1	20
7000032158	80400	3M™ Perfect-It™ Ultra Soft Cloth, Yellow, High Performance, 80400	20	Each	1	20

Cleaning Supplies

3M™ Polish Rosa Ultra Soft Polishing Cloth

Use 3M™ Polish Rosa Ultra Soft Polishing Cloth with 3M Polish Rosa, to achieve a blemish and haze-free finish and an exceptional high gloss result.

- Use with 3M Polish Rosa
- Get a blemish and haze free result
- Microfibre cloth



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032158	50489	3M™ Polish Rosa Ultra Soft Polishing Cloth, Pink, 60489	20	Each	1	20

3M™ Professional Panel Wipes

3M™ Professional Panel Wipes are heavy duty, highly absorbent wipes for all tasks in the body and paint shop.

- Use strong wipes with excellent absorbency
- Apply to any heavy duty task thanks to super strength when wet or dry
- Get low-linting anti-static wipes



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100255705	34557	3M™ Professional Panel Wipes, 330 mm x 400 mm, 34557	1	Roll	1	1

3M™ Tack Cloth

Remove dirt, lint, dust and sanding particles with 3M™ Tack Cloth. Our cloth is excellent for clean-up in the pre-painting process, working on a variety of materials including metal, plastic, fiberglass and wood. Even with repeated use, it stays soft and dry.

- Remove dirt, lint, dust and sanding particles
- Clean a wide variety of materials in the pre-painting process
- Get less adhesive transfer to the hands



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100200367	50401	3M™ Tack Cloth, Aqua, 320 mm x 400 mm, 50401	10	Bag	10	100

3M™ Tack Pad

Surface preparation for spraying primers, base coat or clear coat paints is a smooth transition as dust is drawn into the tack pad leaving a drag-free surface. Hands are less sticky due to the reduction of adhesive transfer.

- Helps reduce adhesive transfer to the hands
- Hands are less sticky due to the reduction of adhesive transfer
- Leaves no drag marks behind while dust is drawn into the tack pad



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100193501	07910	3M™ Tack Pad, 178 mm x 235 mm, 07910	50	Each	10	50

Cleaning Supplies

Cleaning Chemicals

3M™ Perfect-It™ Boat Wash

3M™ Perfect-It™ Boat Wash is an important first step in achieving a truly professional gelcoat finish. This high-suds formula works without stripping wax, removing grime, algae, dirt and other common marine contaminants to create a clean, clear surface for refinishing. In fact, it works on every boat surface from bow to stern.

- Use alone for general cleaning, or as the first step in 3M™ Perfect It™ gelcoat finishing system
- High-suds formula removes common marine debris without stripping wax from the surface
- Can be used on virtually all areas of boats from bow to stern, including hull and non-skid areas



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100084558	08035E	3M™ Perfect-It™ Boat Wash, 948 ml, 08035E	8	Bottle	1	8

Industrial Hand Cleansers

3M™ Skin Care System

The 3M™ Skin Care System consists range of products suitable for all types of dirt removal and skin care in the work and paintshop.

- Skin care and hand cleaning product range for body and paint shop tasks
- Available in tubes or as refill packs for wall mountable dispenser
- Special hand cleaners such as for oil and grease removal or for paint and adhesive removal available



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000084877	80800	3M™ Skin Care System, Liquid Soap, 1.4 L, 80800	8	Each	1	8
7000084878	80801	3M™ Skin Care System, Oil & Grease Hand Cleaner, 1.4 L, 80801	8	Each	1	8
7000084879	80802	3M™ Skin Care System, Paint, Sealer & Adhesive Cleaner, 1.4 L, 80802	8	Each	1	8
7000084441	80871	3M™ Skin Care System, Paint, Sealer & Adhesive Cleaner, 250 ml, 80871	24	Each	1	24
7000084880	80803	3M™ Skin Care System, Protection & Care Cream, 1.4 L, 80803	8	Each	1	8
7000084887	80887	3M™ Skin Care System, Protection & Care Cream, 250 ml, 80887	24	Each	1	24
7000084881	80804	3M™ Skin Care System, Single Hand Cleaner Dispenser, 1.4 L, 80804	1	Each	1	1



Paint Application Systems

Your paint booth is not just where you earn your living. It's where you prove yourself, and the value of your entire shop, every single day. As an industry leader in paint application equipment, 3M continues to innovate and change the way you apply paint and other coatings.

3M™ Performance Spray Gun

Game-changing interchangeable nozzle technology delivering liquid material efficiency, increased productivity with a premium finish.

As every painter knows, once paint has been mixed, it's sold. You either use it or lose it, which can put into your bottom line. What if we told you mixing less paint yet getting the same or better coverage was possible?

With the 3M™ Performance Spray Gun that possibility can become reality. It's superior transfer efficiency, with up to 26% less material waste* than leading metal spray guns**, all in the palm of your hand. Don't cut down on your efficiency – start spraying the smart way.

*Using HVLP coating booth

**Maximum transfer efficiency versus leading gun type and nozzle.



Why work harder when you can just work *smarter*?

Excellent Transfer Efficiency

To prove the superior transfer efficiency of the 3M™ Performance Spray Gun, we sent it to Fraunhofer Institute for Manufacturing and Automation IPA, Stuttgart, DE. They conducted transfer efficiency testing according to the DIN EN ISO 15 066-1 test method. Transfer efficiency equates to the amount of material (paint) effectively used on the job. A higher transfer efficiency rating means less material is wasted, which in turn could save you money. And it can mean a cleaner paint booth due to less overspray, which can also pose potential cross-contamination.


Fraunhofer tested the 3M™ Performance Spray Gun against a range of industry-leading premium spray guns. The results showed a high **78% transfer efficiency** while spraying automotive base coat, exceeding the other leading metal spray guns tested.

The EN 13066-1 standard defines a reproducible laboratory procedure for transfer efficiency measurements. It is used by manufacturers to enable a reliable comparison of spraying equipment.

+ The 3M™ Performance Spray Gun falls within HVLP requirements up to an inlet pressure of 1.38 bar (Gravity Fed).

Spray Gun Transfer Efficiency*

Tests conducted using PPG ENVIROBASE® High Performance Waterborne Basecoat with 1.3mm nozzle with four of the leading metal spray guns.



*Inlet pressure settings in this chart HVLP requirements from each manufacturer.

**Transfer efficiency measured according to a standardized testing by Fraunhofer Institute, Germany.

Replaceable atomising heads – now available as HVLP and Fine Finish nozzles

The secret lies inside our advanced interchangeable nozzle technology. With a range of fine finish and HVLP sizes, each atomising head is optimised for consistent atomisation and superior transfer efficiency across a full range of high performance coatings.

Spray solid colours, metallics, pearls, clear coats, sealers, primers and more with the same premium performance you expect from your best spray gun.

And every time you swap out the replaceable nozzle for a fresh one, you can expect like-new spray performance.



HVLP Nozzle ●
Fine Finish Nozzle ▲

3M™ Performance Gravity
HVLP and Fine Finish Atomising Head Sizes

Automotive Coatings

High Viscosity Coatings
Sprayable Fillers
High Build Primer
Primer Surfacer
Wet on Wet Primer
Primer Sealer
Direct Gloss
Single Stage Top Coat
Solvent Base Colour
Clearcoat
Waterborne Base Coat
UV Primers
Midcoat / Effect Coats
Smart / Spot Repair

	2.0	1.8	1.6	1.4	1.3	1.2	0.9
High Viscosity Coatings	●	●					
Sprayable Fillers	●	●					
High Build Primer			●	●▲			
Primer Surfacer		●	●	●▲			
Wet on Wet Primer			●▲	●▲	●▲		
Primer Sealer			●▲	●▲	●▲		
Direct Gloss			●▲	●▲			
Single Stage Top Coat			●▲	●▲			
Solvent Base Colour			●▲	●▲	●▲		
Clearcoat			●▲	●▲	●▲	●▲	
Waterborne Base Coat					●▲	●▲	
UV Primers					●▲	●▲	●
Midcoat / Effect Coats					●▲	●▲	●
Smart / Spot Repair							●



TIPS:

- ✓ Store 3M™ Performance Spray Gun with a clean nozzle
- ✓ Change nozzles regularly to maintain like-new performance
- ✓ Move up or down one size if material flow is too low or high
- ✓ Dispose in accordance with your local regulations

PERSONAL SAFETY

1. Reading the Labels



2. Wearing the PPE



3. Work Area Setup



Requirements for Best Results and Quality



- Apply 3M Fast Preparation® Primer to the substrate in a clean environment in 4-6 days before.
- Use 3M Primer 2000 to seal the substrate before painting.
- Use 3M Primer 2000 to seal the substrate before painting.



Deficiencies of Color




- Use 3M Fast Preparation Primer to seal the substrate in a clean environment in 4-6 days before.
- Use the 3M Fast Preparation Primer to seal the substrate in a clean environment in 4-6 days before.



1 Mixing of Base Coat



- Use 3M High Series 2000 to mix the base coat in a clean environment in 4-6 days before.
- Use the 3M High Series 2000 to mix the base coat in a clean environment in 4-6 days before.



2 Setup 3M Performance Ready Gun



- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.



3 Base Coat Application




- Use the 3M High Series 2000 to mix the base coat in a clean environment in 4-6 days before.
- Use the 3M High Series 2000 to mix the base coat in a clean environment in 4-6 days before.



4 Mixing of Clear Coat



- Use 3M High Series 2000 to mix the clear coat in a clean environment in 4-6 days before.
- Use the 3M High Series 2000 to mix the clear coat in a clean environment in 4-6 days before.



5 Clear Coat Application





- Use the 3M High Series 2000 to mix the clear coat in a clean environment in 4-6 days before.
- Use the 3M High Series 2000 to mix the clear coat in a clean environment in 4-6 days before.



6 Gunting 3M Performance Ready Gun





- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.



7 Forced Drying



- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.
- Put the trigger gun.



PERSONAL SAFETY

Wear eye protection



Wear gloves



Wear a respirator



Wear a hard hat



Preparing the Vehicle



- 1. Wash the interior of the vehicle.
- 2. Remove the plastic floor mats for cleaning.



3M Primer Series 2.0



3M Primer Series 2.0

Cleaning the Surface



- 3. Degrease the surface using automotive degreaser to remove oil and grease. Allow the degreaser to dry.
- 4. Clean the surface with a clean cloth or paper towel.



3M Primer Series 2.0



3M Primer Series 2.0

1 Mixing Primer



- 5. Pour 3M Primer Series 2.0 into a clean container.
- 6. Using 3M Primer Series 2.0, mix additional primer as needed. Mixing of the primer into the primer gun is not required.
- 7. Add the primer to the primer gun. The 3M Primer Series 2.0 is a two-part primer. The primer is mixed in the primer gun.



3M Primer Series 2.0



3M Primer Series 2.0



3M Primer Series 2.0

2 Spray Primer



- 8. Pull the trigger back.
- 9. Start the primer gun. The primer gun is a two-part primer gun.
- 10. Hold the primer gun at a 90-degree angle to the surface.
- 11. Spray the primer onto the surface. The primer gun is a two-part primer gun.
- 12. The primer gun is a two-part primer gun.



3M Primer Series 2.0



3M Primer Series 2.0



3M Primer Series 2.0

3 Primer Application Layer 1



- 13. 3M Primer Series 2.0 allows the primer gun to be used in a variety of ways. The primer gun is a two-part primer gun.
- 14. The primer gun is a two-part primer gun.
- 15. The primer gun is a two-part primer gun.
- 16. The primer gun is a two-part primer gun.
- 17. The primer gun is a two-part primer gun.



3M Primer Series 2.0



3M Primer Series 2.0



3M Primer Series 2.0

4 Primer Application Layer 2



- 18. 3M Primer Series 2.0 allows the primer gun to be used in a variety of ways. The primer gun is a two-part primer gun.
- 19. The primer gun is a two-part primer gun.
- 20. The primer gun is a two-part primer gun.
- 21. The primer gun is a two-part primer gun.
- 22. The primer gun is a two-part primer gun.



3M Primer Series 2.0



3M Primer Series 2.0



3M Primer Series 2.0

5 Cleaning 3M Primer Application Spray Gun




- 23. Pull the trigger back.
- 24. Spray the primer gun. The primer gun is a two-part primer gun.
- 25. The primer gun is a two-part primer gun.
- 26. The primer gun is a two-part primer gun.
- 27. The primer gun is a two-part primer gun.



3M Primer Series 2.0



3M Primer Series 2.0




3M Primer Series 2.0


Force Drying




- 28. The primer gun is a two-part primer gun.
- 29. The primer gun is a two-part primer gun.
- 30. The primer gun is a two-part primer gun.
- 31. The primer gun is a two-part primer gun.
- 32. The primer gun is a two-part primer gun.



3M Primer Series 2.0



3M Primer Series 2.0



3M Primer Series 2.0

Paint Application Systems

Sprayer Systems

Focus

3M™ Performance Spray Gun

Lightweight and easy to use, the 3M™ Performance Spray Gun was built for the modern painter. Capable of spraying a wide range of coatings from either a pressure-fed source or attached gravity cup, its impact-resistant composite body makes it one of the lightest spray guns available, yet it is durable enough for demanding industrial and automotive conditions.



- 3M™ Performance Spray Gun works with HVLP pressure- and gravity-fed nozzles as well as 3M™ Performance Fine Finish Spray Heads.
- Lightweight, impact-resistant body made from advanced composite material.
- Quickly converts between pressure-fed systems and gravity-fed 3M™ PPS™ Series 2.0 Spray Cup System.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100225492	28552	3M™ Performance Spray Gun, 28552	4	Kit	1	4

Focus

3M™ Performance Gravity HVLP Atomising Head Refill Kit

3M™ Performance Gravity HVLP Atomising Heads are designed to deliver premium spray performance for coatings including paints, clear coats and topcoats. Replaceable nozzles are built exclusively for gravity feed applications with the 3M™ Performance Spray Gun System and 3M™ PPS™ Series 2.0 Spray Cup System, offering like new spray performance with the change of each nozzle.



- Quick-change nozzles range from 0.8 to 2.0 for spraying a wide range of industrial and automotive coatings.
- Like-new spray performance with each new atomising head.
- Use exclusively with the 3M™ Performance Spray Gun and 3M™ PPS™ Series 2.0 Spray Cup System.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100209004	28712	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Blue, 1.2, 28712	5	Pack	1	5
7100209005	28715	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Clear, 1.8, 28715	5	Pack	1	5
7100209006	28713	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Green, 1.8, 28713	5	Pack	1	5
7100209001	28714	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Orange, 1.4, 28714	5	Pack	1	5
7100209004	28716	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Purple, 1.8, 28716	5	Pack	1	5
7100209002	28720	3M™ Performance Gravity HVLP Atomising Head Refill Kit, Red, 2.0, 28720	5	Pack	1	5
7100271255	28709	3M™ Performance Gravity HVLP Atomising Head Refill Kit, White, 0.8, 28709	5	Pack	1	5

Paint Application Systems

Focus

3M™ Performance Gravity Fine Finish Atomising Head Refill Kit

Spray today's most-challenging paints and clearcoats with 3M™ Performance Gravity Fine Finish Atomising Heads. Built to work with the 3M™ Performance Spray Gun, they deliver finer atomisation and a faster flow rate than typical HVLP spray equipment – helping you work faster, perfect your colour match and lay down coatings like glass. Available in three sizes: 1.2, 1.3 and 1.4.



- **PREMIUM FINISH:** High flow rate, fine atomisation, and pattern consistency meet to help bring you a smooth, controllable finish.
- **CONSISTENT ATOMISATION:** Optimised to help you effectively colour match the most challenging colours and textures.
- **FASTER APPLICATION:** Experience effortless application and lay down paint faster than HVLP spray equipment.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100272108	29913	3M™ Performance Gravity Fine Finish Atomising Head Refill Kit, Blue, 1.2, 26912	5	Pack	1	5
7100272109	29912	3M™ Performance Gravity Fine Finish Atomising Head Refill Kit, Green, 1.3, 26913	5	Pack	1	5
7100272107	29914	3M™ Performance Gravity Fine Finish Atomising Head Refill Kit, Orange, 1.4, 26914	5	Pack	1	5

Focus

3M™ Performance Pressure HVLP Atomising Head Refill Kit

3M™ Performance Pressure HVLP Atomising Heads are designed to deliver excellent spray performance for coatings including stains, primers, base coats, topcoats, clear coats and adhesives. Replaceable nozzles are built exclusively for pressure-feed applications using the 3M™ Performance Spray Gun, offering like-new spray performance with the change of each nozzle.



- Quick-change nozzles in sizes 0.8, 1.1, 1.4, 1.8 and 2.0 for spraying a wide range of industrial and automotive coatings
- Nozzles attach to the spray gun and whip hose easily without the need for additional tools
- Like-new spray performance with each new atomising head

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100200005	26515	3M™ Performance Pressure HVLP Atomising Head Refill Kit, Clear, 1.8, 26516	5	Pack	1	5
7100200006	26514	3M™ Performance Pressure HVLP Atomising Head Refill Kit, Orange, 1.4, 26514	5	Pack	1	5
7100212506	26520	3M™ Performance Pressure HVLP Atomising Head Refill Kit, Red, 2.0, 26520	5	Pack	1	5
7100210509	26509	3M™ Performance Pressure HVLP Atomising Head Refill Kit, White, 0.8, 26509	5	Pack	1	5
7100209007	26511	3M™ Performance Pressure HVLP Atomising Head Refill Kit, Yellow, 1.1, 26511	5	Pack	1	5

Paint Application Systems

Focus

3M™ Performance Spray Gun Ball Valve

3M™ Performance Spray Gun Ball Valve is an accessory for the 3M™ Performance Spray Gun System configured as a pressure feed sprayer. The valve gives the spray gun operator the ability to stop the flow of paint from the pressure source (pot or pump) at the spray gun end of the supply hose. Recommended for use when the painter does not have easy access to the pressure source. Light and easy to use.



- Ball valve lets the painter stop fluid flow to spray gun
- Attaches between whip hose and supply hose in a pressure feed configuration
- Seals are compatible with both solvent-based and waterborne coatings

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100228103	28538	3M™ Performance Spray Gun Ball Valve, 28538	4	Each	1	4

Focus

3M™ Performance Spray Gun Pressure Whip

The 3M™ Performance Spray Gun Pressure Whip Hose connects to the 3M™ Performance Spray Gun for use in pressure feed applications. Provides a fast connection between the atomizing head and the pressurized paint supply hose. Securely fastens to the spray gun base for better balance and hose control. Can be used with optional ball valve to control paint from the pressure line.



- Helps quickly convert Performance Spray Gun between gravity and pressure fed systems
- Securely fastens to spray gun base for better balance and hose control
- Quick connection to 3M™ Performance Pressure HVLP Atomizing Heads for easy assembly or replacement

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100228106	28633	3M™ Performance Spray Gun Pressure Whip, 28633	4	Each	1	4

Focus

3M™ Performance Spray Gun Rebuild Kit

The 3M™ Performance Spray Gun Rebuild Kit provides the replacement parts needed for rebuilding the 3M™ Performance Spray Gun. Includes exterior replacement parts as well as all required interior seals, springs, screws and parts. Instruction manual provides specific details on how to rebuild.



- Includes everything needed to rebuild, including all fasteners
- Refresh trigger pull, needle, fan and fluid control with new springs and seals
- Use only with 3M™ Performance Spray Gun

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100228120	28640	3M™ Performance Spray Gun Rebuild Kit, 28640	4	Kit	1	4

Paint Application Systems

Focus

3M™ Performance Spray Gun Whip Pin

3M™ Performance Spray Gun Whip Pin is a replacement attachment pin for the 3M™ Performance Spray Gun Pressure Whip Hose. The clevis pins are used to secure the whip hose to the body of the 3M™ Performance Spray Gun. The connection helps give the painter additional control and helps prevent the atomizing head from twisting and unwanted stress.



- Pin securely attaches whip hose to 3M™ Performance Spray Gun
- Package contains 4 steel ball detent clevis pins
- Smooth steel construction inserts into and out of whip hose attachment bracket

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100228107	28824	3M™ Performance Spray Gun Whip Pin, 28824	5	Pack	1	5

Focus

3M™ Performance Spray Gun H/O Conversion Pack

Get more application control of heavy or texture coatings with our 3M™ Performance Spray Gun H/O Conversion Pack for the 3M™ Performance Spray Gun. When used with a 3M™ PPS™ Series 2.0 Type H/O Pressure Cup, this upgrade lets technicians spray thick, high-viscosity coatings with better control of texture, pattern size, and delivery rate than aerosol cans and Body Schutz guns.



- Upgrades 3M™ Performance Spray Gun to spray heavy, thick coatings using 3M™ PPS™ Series 2.0 H/O pressure cups
- Provides excellent application control of heavy or texture coatings
- Easy-to-install kit adds a port for connecting the pressure cup's air supply tube to the gun body

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100244430	28827	3M™ Performance Spray Gun H/O Conversion Pack, 28827	4	Each	1	4

Focus

3M™ Performance Spray Gun Locking Collar

The unique 3M™ Performance Spray Gun Locking Collar helps ensure a solid connection between the 3M™ Performance Spray Gun and 3M™ Performance Atomizing Heads. The locking collar is easy to use, allowing for quick nozzle changes while switching between paints and coatings or for cleanup at the end of a job. The easy-grip tabs make it easier to turn the locking collar.



- Securely attaches 3M™ Performance Atomizing heads to 3M™ Performance Spray Gun
- Easy grip tabs for coupling and uncoupling of atomizing heads
- Built from a durable polymer material

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100222101	26535	3M™ Performance Spray Gun Locking Collar, 26535	5	Pack	1	5

Paint Application Systems

Focus

3M™ Performance Spray Gun Needle

The 3M™ Performance Spray Gun Needle is designed specifically for 3M™ Performance Spray Gun. Use this replacement needle when the existing spray gun needle is damaged, bent, the gun leaks through its nozzle, or as routine preventative maintenance.

- Specifically designed replacement part for 3M™ Performance Spray Gun
- Durable stainless steel construction resists wear, bending and damage
- Engineered to provide a leakproof seal when used with 3M™ Performance Spray Gun atomizing heads



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100220927	28838	3M™ Performance Spray Gun Needle, 28838	1	Each	1	1

Focus

3M™ Performance Spray Gun O-Ring Kit

The 3M™ Performance Spray Gun O-Ring Kit contains a selection of replacement o-rings for the 3M™ Performance Spray Gun.



- Includes replacement o-rings
- Selection of ring sizes
- Used for routine maintenance of 3M™ Performance Spray Gun

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
710029169	28841	3M™ Performance Spray Gun O-Ring Kit, 28841	4	Kit	1	4

3M™ Accuspray™ HGP Spray Gun Kit

An HVLP gravity pressurized spray gun, to be used with a pressurized H/O cup system to provide superior application of high viscosity coatings. Kit contains 1 each HGP spray gun and 4 atomizing heads - 2 each 1.8mm nozzles and 2 each 2.0mm nozzles.

- Provides the equivalent of a brand new Pressurized spray gun on demand for a fraction of the cost
- Kit contains 1 spray gun, 3 atomizing heads
- Use with 3M™ PPS™ Type H/O Mini Pressure Cup, PN 16121



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100137547	16557	3M™ Accuspray™ HGP Spray Gun Kit, 16557	1	Kit	1	1

Paint Application Systems

3M™ Accuspray™ HG14 Spray Gun

3M™ Accuspray™ Spray Gun System for applications requiring the use of a 1.4 mm atomising head. The 3M™ Accuspray™ Spray Guns perform like a premium spray gun, without the premium price. It can also be used with 1.0 mm or 2.0 mm heads depending on the task at hand.



- Provides the equivalent of a brand new spray gun on demand for a fraction of the cost
- Increase productivity and lower cost usage
- Maximise the benefits of the 3M™ PPS™ System

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100021010	10577	3M™ Accuspray™ HG14 Spray Gun, 10577	1	KL	1	1

3M™ Accuspray™ Atomising Head for PPS™ Series 2.0

The 3M™ Accuspray™ Atomising Head for PPS™ Series 2.0 is an approved 3M replacement part to use with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun. This product is only to be used with the 3M™ PPS™ Series 2.0 items.



- To be used with 3M™ PPS™ Series 2.0 items only
- Use on any application, such as wet on wet primer, primer/surfacer, basecoat, topcoat, inorganic, adhesive and some coatings
- Apply with any 3M™ Accuspray™ Replaceable Nozzle Series Spray Gun

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
71001414B	20010	3M™ Accuspray™ Atomising Head for PPS™ Series 2.0, Clear, 1.0 mm, 20010	0	Pack	1	0
71001414D	20016	3M™ Accuspray™ Atomising Head for PPS™ Series 2.0, Orange, 1.4 mm, 20016	0	Pack	1	0
71001414A	20020	3M™ Accuspray™ Atomising Head for PPS™ Series 2.0, Red, 2.0 mm, 20020	0	Pack	1	0

3M™ Accuspray™ Atomising Head

3M™ Accuspray™ Atomising Heads are designed specifically for use with 3M™ Accuspray™ Spray Guns. This selection of replaceable heads makes for the incredibly fast, efficient application of low-, medium- and high-viscosity materials from one gun. Technicians simply remove and replace the head for the performance of a new spray gun on demand. See-through heads are easily cleaned and reused. Not compatible with 3M™ PPS™ Series 2.0 items.



- Selection of replaceable atomising heads for application of very low- to high-viscosity coatings
- Fast, simple head replacement – the performance of a brand new spray gun on demand
- See-through design makes it easy to see when the heads are clean

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100017720	10010	3M™ Accuspray™ Atomising Head, Orange, 1.0 mm, 10010	0	KL	1	0
7100048540	10020	3M™ Accuspray™ Atomising Head, Red, 2.0 mm, 10020	0	KL	1	0
7100000600	10011	3M™ Accuspray™ Atomising Head, Transparent, 1.0 mm, 10011	0	KL	4	24

Paint Application Systems

3M™ Mixing Cup

3M™ Mixing Cups are available for mixing and storing paint, primer and clear coats.

- Great for mixing and storing primer, paint or clear coats
- Printed ratio guide on cups
- Clear transparent material



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032867	50402	3M™ Mixing Cup, 666-ml, 50402	80	Each	1	80
7000033051	50404	3M™ Mixing Cup, 1330-ml, 50404	80	Each	1	80

3M™ Air Regulator

3M™ Air Regulator is a multi-purpose regulator recommended to be used with pneumatic guns.

- Robust construction
- Ideal for controlling air for seam sealer applications
- Recommended for Universal Seam Sealer Gun 08995



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000061355	08904	3M™ Air Regulator, 08904	5	Each	1	5

3M™ Air-Line Fed Gun

3M™ Air-Line Fed Gun is an applicator gun for applying Undercoating and Stonechip coatings.

- Use for underbody and stonechip coatings
- Smooth application of coatings
- Use with 1 litre or 1 kilogram coating cans



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000041350	08999	3M™ Air-Line Fed Gun, Undercoating Spray Gun, 08999	1	Each	1	1

3M™ Air-powered Applicator Gun

Access hard to reach areas with a 3M™ Air-powered Applicator Gun. Our special robust metal applicator gun is designed for deep penetration of protective wax into cavities.

- Spray protective wax coatings into hard to reach areas
- Ideal tool for deep penetration of protective wax into cavities
- Robust metal construction



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000070003	08997	3M™ Air-powered Applicator Gun, Cavity Gun, 08997	1	Each	1	1

Paint Application Systems

Spray Cup Systems

Focus

3M™ PPS™ Series 2.0 Kits

3M™ PPS™ Series 2.0 Kits is our next generation, highest performing disposable spray cup system for mixing/measuring, filtering, spraying in any direction (360° spray rotation) and protecting coatings not in use. Each lid and liner kit contains 50 disposable lids with integrated collars and full diameter filters, 50 disposable liners, 1 reusable hard cup and S2 sealing plugs.



- 3M's Cleanest Disposable Cup System: 3M™ PPS™ Series 2.0 is a complete disposable spray cup solution for mixing/measuring, filtering, and spraying
- A Cup Size for Every Repair: available in 4 sizes: Mini (200 ml), Midi (400 ml), Standard (650 ml) and Large (850 ml)
- Integrated locking collars on lids to help reduce paint build-up and possible contamination

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
T100295488	26740	3M™ PPS™ Series 2.0 Kits, Large, 850 ml, 125 µm, 26740	1	Kit	1	1
T100295489	26008	3M™ PPS™ Series 2.0 Kits, Large, 850 ml, 200 µm, 26008	1	Kit	1	1
T100295490	26012	3M™ PPS™ Series 2.0 Kits, Midi, 400 ml, 125 µm, 26012	1	Kit	1	1
T100295492	26018	3M™ PPS™ Series 2.0 Kits, Midi, 400 ml, 200 µm, 26018	1	Kit	1	1
T100300758	26762	3M™ PPS™ Series 2.0 Kits, Mini, 200 ml, 125 µm, 26762	1	Kit	1	1
T100295758	26016	3M™ PPS™ Series 2.0 Kits, Mini, 200 ml, 200 µm, 26016	1	Kit	1	1
T100295479	26006	3M™ PPS™ Series 2.0 Kits, Standard, 650 ml, 125 µm, 26006	1	Kit	1	1
T100295862	26000	3M™ PPS™ Series 2.0 Kits, Standard, 650 ml, 200 µm, 26000	1	Kit	1	1

Focus

3M™ PPS™ Series 2.0 Cups

3M™ PPS™ Series 2.0 hard cup that supports and holds the 3M™ PPS™ Series 2.0 Flexible liner.



- A Cup Size for Every Repair: 3M™ PPS™ Series 2.0 Spray Cup System is available in 4 sizes: Mini (200 ml), Midi (400 ml), Standard (650 ml) and Large (850 ml)
- Reusable hard cups feature clear windows to make refilling easier by grasping liner while removing lid
- The window also helps identify how much material is left while spraying. It provides a vertical view to help ensure uniform mixing of materials, great for metallics & pearls

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
T100134368	26008	3M™ PPS™ Series 2.0 Cups, Large, 850 ml, 26008	4	Carton	1	4
T100134369	26009	3M™ PPS™ Series 2.0 Cups, Midi, 400 ml, 26009	4	Carton	1	4
T100134364	26010	3M™ PPS™ Series 2.0 Cups, Mini, 200 ml, 26010	4	Carton	1	4
T100134300	26001	3M™ PPS™ Series 2.0 Cups, Standard, 650 ml, 26001	4	Carton	1	4



Engineered for peak performance.

3M™ PPS™ Series 2.0 is our most advanced Spray Cup System. It's packed with features to help you perfect your paint jobs.

Domed Lid with Full-Diameter Filter.

More paint below the filter improves flow and consistency, while reducing spitting from start to finish.

New Cup in Every Lid and Liner Kit

Start with a clean cup more often, reducing paint build-up, reducing cup and fill markings eliminate traditional mixing cups.

Sealing Plug Included

Allows you to seal and protect coatings upside down with greater stability when not in use. Use fewer lids by keeping filters wet.

3

4

6



1

Wide Spout Adapter with Four-Point Connection

Maximizes stability while spraying. Makes cleaning easier.

2

Quarter-Turn Lid Locking System

Closes with every lid. Stays cleaner. Looks faster. Fewer parts to keep track of.

5

Access Window

Allows painter to hold the liner for cleaner, easier lid removal when refilling. Also easier to check paint levels.



3M™ PPS™ Series 2.0 Spray Cup System

Choose the cup that fits the job.

Four sizes. Two filter options. H/O pressure cups for high viscosity materials. And opaque kits for UV coatings. You can have an unrivalled selection at your fingertips. And with 3M™ PPS™ Series 2.0 Adapters, they're compatible with nearly every spray gun on the market.



Spot repair or 1-Panel Repairs

Mini Cups –
Ideal for areas requiring 200ml or less of material.



2-Panel Repairs

Midi Cups –
Ideal for areas requiring 400ml or less of material, such as bumpers.



3-Panel Repairs

Standard Cups –
Ideal for areas requiring 650ml or less of material.



4-Panel Repairs

Large Cups –
Ideal for areas requiring 850ml or less of material, including large, clear coat batches.



Paint Application Systems

Focus

3M™ PPS™ Series 2.0 Lids

These replacement lids fit 3M™ PPS™ Series 2.0 liners and cups. Case contains 50 lids with 200 or 125 micron filters.



- Integrated locking collars on lids help reduce paint build-up and possible contamination
- Improved Fluid Flow & Quality: New domed Standard/Large lid design allows for up to 90 ml of material to be held below the filter and lets you spray filtered material on demand, reducing inconsistent spray due to air-entrapment and sputter
- A wider fluid spout and a full-diameter filter for the highest quality filtration

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100184812	28208	3M™ PPS™ Series 2.0 Lids, Mid and Mini, 125 µm, 28208	1	Kit	1	1
7100184286	28204	3M™ PPS™ Series 2.0 Lids, Mid and Mini, 200 µm, 28204	1	Kit	1	1
7100184288	28199	3M™ PPS™ Series 2.0 Lids, Standard and Large, 125 µm, 28199	1	Kit	1	1
7100184284	28200	3M™ PPS™ Series 2.0 Lids, Standard and Large, 200 µm, 28200	1	Kit	1	1

Focus

3M™ PPS™ Series 2.0 Adapter

3M™ PPS™ Series 2.0 Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™) Series 2.0.



- The newly designed 3M™ PPS™ Series 2.0 Adapter provides a four-point connection and a wider 360° platform to ensure a stable, reliable lid-to-spray-gun connection
- Enhanced Quarter Spray Gun Stability
- Stainless steel adapter offers exceptional durability

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
710018972	28032	3M™ PPS™ Series 2.0 Adapter, Type 3-2, 28032	10	Each	1	10
710018970	28033	3M™ PPS™ Series 2.0 Adapter, Type 3-3, 28033	10	Each	1	10
710018930	28006	3M™ PPS™ Series 2.0 Adapter, Type 3-4, 28006	1	Each	1	1
710018000	28035	3M™ PPS™ Series 2.0 Adapter, Type 3-5, 28035	10	Each	1	10
710017066	28036	3M™ PPS™ Series 2.0 Adapter, Type 3-6, 28036	10	Each	1	10
710015073	28038	3M™ PPS™ Series 2.0 Adapter, Type 3-8, 28038	10	Each	1	10
710017057	28039	3M™ PPS™ Series 2.0 Adapter, Type 3-9, 28039	10	Each	1	10
7100155927	28017	3M™ PPS™ Series 2.0 Adapter, Type 3-10, 28017	1	Each	1	1
7100155943	28022	3M™ PPS™ Series 2.0 Adapter, Type 3-12, 28022	4	Each	1	4
710017058	28044	3M™ PPS™ Series 2.0 Adapter, Type 3-14, 28044	10	Each	1	10
7100155934	28102	3M™ PPS™ Series 2.0 Adapter, Type 3-15, 28102	1	Each	1	1
7100155929	28105	3M™ PPS™ Series 2.0 Adapter, Type 3-21, 28105	4	Each	1	4
7100155928	28119	3M™ PPS™ Series 2.0 Adapter, Type 3-27, 28119	4	Each	1	4
710017087	28480	3M™ PPS™ Series 2.0 Adapter, Type 3-31, 28480	10	Each	1	10
710017041	28673A	3M™ PPS™ Series 2.0 Adapter, Type 3-40A, 28673A	10	Each	1	10
710017088	28687	3M™ PPS™ Series 2.0 Adapter, Type 3-41, 28687	10	Each	1	10
710018971	28677	3M™ PPS™ Series 2.0 Adapter, Type 3-43, 28677	10	Each	1	10

Paint Application Systems

Focus

3M™ PPS™ Series 2.0 UV Kit

3M™ PPS™ Series 2.0 UV Kit is a black, non-transparent version of 3M™ PPS™ Series 2.0 Standard Kit, designed for UV light curing materials.

- Block UV light from sensitive materials
- Measure, mix, filter and spray with ease
- Get black lids, liners and sealing plugs



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100295475	26750	3M™ PPS™ Series 2.0 UV Kit, Standard, 550 ml, 125 µm, 26750	1	Kit	1	1
7100295477	26750	3M™ PPS™ Series 2.0 UV Kit, Standard, 550 ml, 200 µm, 26750	1	Kit	1	1

3M™ PPS™ Series 2.0 Type H/O Pressure Cup

3M™ PPS™ Series 2.0 Type H/O (High Output) Pressure Cup is a pressurized hard cup that supports and holds the disposable 3M™ PPS™ Series 2.0 Lids & Liners, offering the advantages and benefits of this innovative product.

- Use to support 3M™ PPS™ Series 2.0 Lids & Liners for the 3M™ PPS™ Type H/O Pressure Cup System
- Get also for protective coatings the benefits of working with the 3M™ PPS™ Series 2.0 System
- Great for a variety of materials from liquid to highly viscous (thick).



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100191753	26124	3M™ PPS™ Series 2.0 Type H/O Pressure Cup, Large 550 ml/Standard 550 ml, 26124	2	Kit	1	2
7100202755	26121	3M™ PPS™ Series 2.0 Type H/O Pressure Cup, Mid 400 ml/Mid 200 ml, 26121	3	Carton	1	3

3M™ PPS™ Spray Gun Holder

Keep your spray guns safe when not in use with 3M™ PPS™ Spray Gun Holder. Our tidy holder keeps them safe and conveniently to hand. They are a worthwhile accessory designed to hold one, two or four spray guns.

- Put spray gun in safe place
- Get within easy reach
- Reduce upkeep costs with less damage and maintenance



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032309	18025	3M™ PPS™ Spray Gun Holder, 18025	12	Each	1	12

Paint Application Systems

3M™ PPS™ Dispenser

Organize your workspace and keep it neat with 3M™ PPS™ Dispenser. The 3M™ PPS™ Paint Preparation System Dispenser is a well mounted storage unit, which allows easy access to well stored new liners / lids. It is suitable for all sizes of lids and liners of 3M™ PPS™ and 3M™ PPS™ Series 2.0 products.



- Dispenses supplies for the 3M™ PPS™ Paint Preparation System
- Top-loading access for reloading supplies
- Keeps supplies clean, neat, organized and free from contamination

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100042072	18200	3M™ PPS™ Dispenser, for Large, Standard, Mini Lids, 18200	1	Each	1	1
7100041790	18210	3M™ PPS™ Dispenser, for Large, Standard, Mini Liners, 18210	1	Each	1	1
7100042777	18205	3M™ PPS™ Dispenser, for Mini Lids & Liners, 18205	1	Each	1	1

3M™ PPS™ Lid & Liner Kits

3M™ PPS™ Lid & Liner Kits (first version - not compatible with 3M™ PPS™ Series 2.0 items) each contain disposable lids with welded-in filters to strain paint material while spraying, along with liners and sealing plugs for use with the 3M™ PPS™ Paint Preparation System. Kits are available in four sizes for a range of jobs from large to small. 3M™ PPS™ Paint Preparation System is a complete painting system that allows the painter to measure, mix, filter and spray paint materials.



- Designed and only for use with 3M™ PPS™ items. Not compatible with 3M™ PPS™ Series 2.0 items
- Kits contain disposable lids with micron filters, liners and sealing plugs
- Available for 3M™ PPS™ Cups & Collars in four sizes from 180 ml up to 850 ml for jobs ranging from spot repairs to large repairs

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100081488	18740	3M™ PPS™ Lid & Liner Kits, Large, 850 ml, 125 µm, 18740	1	Kit	1	1
7100081528	18824	3M™ PPS™ Lid & Liner Kits, Large, 850 ml, 200 µm, 18824	1	Kit	1	1
7100081580	18810	3M™ PPS™ Lid & Liner Kits, Mid, 400 ml, 125 µm, 18810	1	Kit	1	1
7100085968	18712	3M™ PPS™ Lid & Liner Kits, Mid, 400 ml, 200 µm, 18712	1	Kit	1	1
7100087513	18782	3M™ PPS™ Lid & Liner Kits, Mini, 170 ml, 125 µm, 18782	1	Kit	1	1
7100087512	18714	3M™ PPS™ Lid & Liner Kits, Mini, 170 ml, 200 µm, 18714	1	Kit	1	1
7100087580	18826	3M™ PPS™ Lid & Liner Kits, Standard, 360 ml, 125 µm, 18826	1	Kit	1	1
7100088384	18800	3M™ PPS™ Lid & Liner Kits, Standard, 360 ml, 200 µm, 18800	1	Kit	1	1

Paint Application Systems

3M™ PPS™ Cup & Collar

Use our hard 3M™ PPS™ Cup & Collar range to support and hold 3M™ PPS™ flexible liners in the Paint Preparation System (PPS™). It's available in four sizes and allows the painter to measure, mix filter and spray paint materials easily.



- Hard cups and collars support liners for the 3M™ Paint Preparation System, PPS™
- 3M™ PPS™ is an all-in-one disposable solution for measuring, mixing, filtering, and spraying of paint materials
- System enables the painter the ability to consistently spray at 90° to the part, no matter the part orientation (even upside down)

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000842	16023	3M™ PPS™ Cup & Collar, Large, 850 ml, 16023	4	Kit	1	4
7100074890	16023	3M™ PPS™ Cup & Collar, Large, 850 ml, 16023	4	Kit	1	4
7100074813	16122	3M™ PPS™ Cup & Collar, Midi, 400 ml, 16122	4	Kit	1	4
7100074725	16115	3M™ PPS™ Cup & Collar, Mini, 170 ml, 16115	4	Kit	1	4
7100003255	16001	3M™ PPS™ Cup & Collar, Standard, 650 ml, 16001	4	Kit	1	4
7100074831	16001	3M™ PPS™ Cup & Collar, Standard, 650 ml, 16001	4	Kit	1	4

Paint Application Systems

3M™ PPS™ Adapter

3M™ PPS™ Adapter converts paint spray guns for use with the 3M™ Paint Preparation System (PPS™). Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun model. To use this adapter, remove the existing spray gun cup. Then simply thread the correct PPS™ adapter into the Spray Gun.



- Adapter converts typical spray guns into ones that work with the 3M Paint Preparation System (PPS™)
- Specifically designed adapters, allows Painters to use the PPS™ with virtually any spray gun
- Stainless Steel adapter offers exceptional durability

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000004249	18032	3M™ PPS™ Adapter, Type 2, 18032	10	Each	1	10
7000004250	18033	3M™ PPS™ Adapter, Type 3, 18033	10	Each	1	10
7000003820	18034	3M™ PPS™ Adapter, Type 4, 18034	10	Each	1	10
7000003821	18035	3M™ PPS™ Adapter, Type 5, 18035	10	Each	1	10
7000004281	18036	3M™ PPS™ Adapter, Type 6, 18036	10	Each	1	10
7000003822	18037	3M™ PPS™ Adapter, Type 7, 18037	10	Each	1	10
7000003823	18038	3M™ PPS™ Adapter, Type 8, 18038	10	Each	1	10
7000004282	18039	3M™ PPS™ Adapter, Type 9, 18039	10	Each	1	10
7100003283	18017	3M™ PPS™ Adapter, Type 10, 18017	4	Each	1	4
7000004254	18042	3M™ PPS™ Adapter, Type 12, 18042	10	Each	1	10
7000003825	18043	3M™ PPS™ Adapter, Type 13, 18043	10	Each	1	10
7000004255	18044	3M™ PPS™ Adapter, Type 14, 18044	10	Each	1	10
7000045756	18053	3M™ PPS™ Adapter, Type 14, 18053	4	Each	1	4
7000045750	18046	3M™ PPS™ Adapter, Type 15, 18046	4	Each	1	4
7000043152	18742	3M™ PPS™ Adapter, Type 16, 18742	10	Each	1	10
7000045751	18105	3M™ PPS™ Adapter, Type 21, 18105	4	Each	1	4
7000118473	18119	3M™ PPS™ Adapter, Type 27, 18119	4	Each	1	4
7000004247	50480	3M™ PPS™ Adapter, Type 31, 50480	10	Each	1	10
7000002191	50435	3M™ PPS™ Adapter, Type 32, 50435	10	Each	1	10
7000034457	5073A	3M™ PPS™ Adapter, Type 40A, 5073A	10	Each	1	10
7000034357	50673	3M™ PPS™ Adapter, Type 41, 50673	10	Each	1	10
7000004573	50677	3M™ PPS™ Adapter, Type 43, 50677	10	Each	1	10
7000003912	18757	3M™ PPS™ Adapter, Type 47, 18757	10	Each	1	10
7000003735	18754	3M™ PPS™ Adapter, Type 48, 18754	10	Each	1	10

Paint Application Systems

3M™ PPS™ Refillable Kit

Use 3M™ PPS™ Refillable Kit as a refillable version of 3M™ PPS™ Standard Kit to quickly and easily refill paint without removing cup and liner from gun.

- Efficiently refill paint without removing cup and liner from gun
- Comes with a 200 µ filter
- For 125 µ process needs, please use the additional drop-in filter (extra)



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100025580	18743	3M™ PPS™ Refillable Kit, 650 ml, 200 µm, 18743	1	Kit	1	1

3M™ PPS™ UV Kit

3M™ PPS™ UV Kit is a black, non transparent version of 3M™ PPS™ Standard Kit, designed for UV light curing materials.

- Block UV light from sensitive materials
- Measure, mix, filter and spray with ease
- Get black lids, liners and sealing plugs



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100087511	50730	3M™ PPS™ UV Kit, Standard, 650 ml, 125 µm, 50730	1	Kit	1	1

3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun

3M™ PPS™ Type H/O (High Output) Pressure Cup is a pressurized hard cup and collar that supports and holds the disposable 3M™ PPS™ Lids & Liners.

- Use to support PPS lids & liners for the PPS Pressure Cup System
- Achieve various coating textures easily
- Get also for protective coatings the benefits of working with the PPS System



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000119688	18124	3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun, Large, 18124	2	Each	1	2
7000119727	18121	3M™ PPS™ Type H/O Pressure Cup for 3M™ Accuspray Gun, Mini, 177 ml, 18121	4	Kit	1	4



Finishing Products

Each time a vehicle rolls out of the shop, it's a chance to showcase your passion for automotive refinishing. You've worked to ensure the vehicle has been prepped, painted, and polished back to the way it was when it came in. But to your customer, it's now somehow even better, more exciting — like it was when it was brand new. This is among most powerful endorsements you can deliver for your collision repair operation, and it represents the full potential of your paint shop.

3M™ Perfect-It™ Random Orbital Polishing System



Refinishing.
Redefined.

USE

Introducing the 3M™ Perfect-It™ Random Orbital Polishing System

- A professional grade set of tools, pads and polishes
- Re-engineered for the collision repair industry
- An easy-to-use polishing tool
- Specially formulated liquids and pads
- No more fear of **swirls**, **burn through**, or other pitfalls common with traditional rotary systems

Its paint finishing, redefined.



3M™ Random Orbital Polisher

- User-friendly, comfortable tool design
- Well balanced and easy to operate



3M™ Random Orbital Pads

- Single-sided 3M™ Floot™ pad attachment for easy change-outs
- Compounding and polishing pads available in 5 inch / 130 mm and 8 inch / 150 mm sizes



3M™ Random Orbital Compound and Polish

- Bottle cap colour matches the liquid inside and the pad it should be used with
- Effective on a variety of paint and clear coat finishes

BENEFITS

Consistent Swirl-Free Finish



3M™ Perfect-It™ Random Orbital Polisher **prevents swirl marks**, with our specially designed pads, compound and polish.

Avoid Burn Through and Rework



Experience **no fear of burn through** on your freshly painted panels. No trips back to the booth, no disruptions in cycle time and no loss of confidence on the job.

Designed For All Skill Levels



Whether you're a painter, detailer, novice or seasoned expert, the 3M™ Perfect-It™ Random Orbital Polishing System was designed to help deliver sleek, consistent results.

Random Orbital Paint Finishing Solutions

Random Orbital Process
 Ideal for:
 • Fresh and old paint
 • All experienced users
 • Full-size vehicles and all small areas

Random Orbital 7-Step
 Ideal for:
 • Fresh and old paint
 • All experienced users
 • Small to medium repair

Spot Repair

Ideal for:
 • Fresh paint
 • All experienced users
 • On any smaller sized repair



PERSONAL SAFETY

Wear eye protection.



Wear gloves.



Wear a dust mask.



Use proper technique.



Use proper disposal.



Sanding Spot Defects



- Grind with 3M™ Flapless 8™ Tripart™ Sand Disc, 30mm grade 5000 on dent hole.



3M Flapless 8 Tripart Sand Disc



3M Flapless 8 Tripart Sand Disc



- Refine scratches with 3M™ Flapless 9™ Fine Finishing Disc, 4425A, grade 3000, 75mm on initial sand.



3M Flapless 9 Fine Finishing Disc



3M Flapless 9 Fine Finishing Disc

Sanding Area Defects



- Start the area with 3M™ Flapless 9™ Fine Finishing Disc, 4425A, grade 3000, 75mm on initial sand.



3M Flapless 9 Fine Finishing Disc



3M Flapless 9 Fine Finishing Disc



- Refine scratches with 3M™ Flapless 9™ Fine Finishing Disc, 4425A, grade 3000, 75mm on initial sand.
- Refine scratches with 3M™ Flapless 9™ Fine Finishing Disc, 4425A, grade 3000, 75mm on initial sand.



3M Flapless 9 Fine Finishing Disc



3M Flapless 9 Fine Finishing Disc

Polishing



- Add a small amount of 3M™ Perfect-It™ 1-Step Polish Material to a purple foam pad on the rotary polisher.
 - Polish in an overlapping pattern with rotary speed 800 - 1400 rpm.
 - When polishing always try to keep the pad flat on the surface to avoid jumping. Reduce pressure towards the end of the compensating stroke to make easy clean up.
- Note:** The entire the coating, be lower the temperature over than the 60°C needs to be.



3M Perfect-It 1-Step Polish Material



3M Perfect-It 1-Step Polish Material



3M Perfect-It 1-Step Polish Material



3M Perfect-It 1-Step Polish Material

Control



- Should sanding scratches from the first polishing step still be visible after controlling the surface, please repeat polishing step.
- Note:** It's important to ensure that you remove all sanding scratches at this stage, in order to avoid their reappearance at the end of the polishing process.



3M Perfect-It 1-Step Polish Material



3M Perfect-It 1-Step Polish Material

Fine Polishing



- To finish the area to ensure a high gloss finish is achieved, with an additional compound coat the foam needed.
- Polish area and surrounding in an overlapping pattern with rotary speed 600 - 1400 rpm.
- Keep the polishing pad flat on the surface to ensure an even appearance and glossy finish, reducing pressure towards the end of the polishing step.
- Wipe off any excess polish and inspect area - most colours are fine now.
- For critical colours (very dark or black) - remove the holograms with 3M™ Perfect-It™ Hologram 30 Compound and then polishing pads.



3M Perfect-It 1-Step Polish Material



3M Perfect-It 1-Step Polish Material



3M Perfect-It 1-Step Polish Material



3M Perfect-It 1-Step Polish Material

PERSONAL SAFETY

• Correct Product Use

• Correct Polishing

• Correct Storage

• Personal Care

• First Aid

Sanding Spot Defects



- Drill with 3M™ Flapless-It™ Flapless™ Flap disc, 32mm grade 3000 on drill bit.



3M Flapless-It Flapless Flap disc



3M Flapless-It Flapless Flap disc



- Finish with 3M™ Trisolv™ Fine Finishing Disc 4433A, grade 6000, 25mm on orbital sander.



3M Trisolv Fine Finishing Disc



3M Trisolv Fine Finishing Disc

Sanding Area Defects



- Sand the area with 3M™ Flapless-It™ Flapless™ Flap disc, 32mm grade 3000, 25mm on orbital sander.



3M Flapless-It Flapless Flap disc



3M Flapless-It Flapless Flap disc



- Sand the area with 3M™ Trisolv™ Fine Finishing Disc 4433A, grade 6000, 25mm on orbital sander.



3M Trisolv Fine Finishing Disc



3M Trisolv Fine Finishing Disc

Polishing Stage



- Add a small amount of 3M™ Perfect-It™ Fast Cut Flap before use the green flap and use the rotary polisher.
- Polish in an overlapping pattern with rotary speed 600-1000 rpm.
- When polishing always try to keep the pad flat on the surface to avoid generating surface pressure marks. Use end of the compounding stage to enable easy cleanup.

Note: The softer the coating, the lower the temperature and the the RPM needs to be.



3M Perfect-It Fast Cut Flap



3M Perfect-It Fast Cut Flap



- Should sanding scratches from the fine polishing step and be visible when inspecting the surface, please repeat polishing step.

Note: It is important to ensure that you remove all sanding scratches at the stage, in order to avoid their reappearance at the end of the polishing process.



3M Perfect-It Fast Cut Flap



3M Perfect-It Fast Cut Flap

Control



- Change from a yellow foam and add small amount of 3M™ Perfect-It™ Extra Flap onto the pad.
- Polish area and surrounding in an overlapping pattern with rotary speed 600-1000 rpm.
- Finishing, keep polishing from left to the surface but glossy finish, rotate position towards end of the polishing area.
- Wipe off any excess polish and inspect area - most colours are finished.



3M Perfect-It Extra Flap



3M Perfect-It Extra Flap

Fine Polishing Step



- Add 3M™ Perfect-It™ Ultimate SE onto the blue foam pad, use the rotary polisher.
- Finishing - finish with reduced speed - rotary in an overlapping pattern covering generously the whole area.
- Wipe off polish residues with the area - use 3M™ Perfect-It™ High Performance Wax-Cut Ultimate polishing cloth to avoid generating new micro scratches on the surface.

Tip: Always keep the polishing head and rotary polish, as this allows a more even coat of polish on the surface and will prevent the generation of fine surface scratches from a dry pad.



3M Perfect-It Ultimate SE



3M Perfect-It Ultimate SE

Hologram Removal (Optional)

Finishing Products

Polishing Compounds

Focus

3M™ Perfect-It™ Random Orbital Compound

3M™ Perfect-It™ Random Orbital Compound is the fast-cutting professional-grade compound formula designed for our 3M™ Random Orbital Polishing System. Use with our 3M™ Perfect-It™ Random Orbital Compounding Pads to quickly remove 3000 grade and finer sanding marks. It works on paints and clear coats whether they are fresh or cured.



- **FAST-CUTTING:** 3M™ Perfect-It™ Random Orbital Compound quickly removes 3000 grade and finer sanding marks without adding swirl marks -- making your polishing step easier
- **VERSATILE:** Works great on fresh and cured paints to help you achieve a high-quality finish
- **LESS MESS:** Its easy clean up formula allows you to get to the next job faster

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100265272	58130E	3M™ Perfect-It™ Random Orbital Compound, 675 ml, 58130E	12	Bottle	1	12
7100264004	58131E	3M™ Perfect-It™ Random Orbital Compound, 945 ml, 58131E	12	Bottle	1	12

Focus

3M™ Perfect-It™ Fast Cut Plus Extreme

3M™ Perfect-It™ Fast Cut Plus Extreme is a fast cutting abrasive liquid compound designed to quickly remove sanding scratches after fitting or denibbing process with 3M 260L P1500 then Trisect 3000. Use with green pad of the 3M's colour coded compound range.



- Exceptional fast cut-rate performance
- 20% to 25% less product required than standard Fast Cut+ / XL to polish the same area.
- Get a superior high gloss finish

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100195343	51515	3M™ Perfect-It™ Fast Cut Plus Extreme, 1 kg, 51515	12	Bottle	1	12

3M™ Perfect-It™ Fast Cut Compound

Use 3M™ Perfect-It™ Fast Cut Compound to remove sanding scratches after fitting or denibbing processes (with 3M 260L P1200 / P1500 or 3M Microfine 1500 / 2000 wet sanding paper).



- Use a fast, easy apply and clean up compound
- Get fast, effective action
- Achieve a fine, high gloss finish in combination with a finer follow-up compound

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100222055	09374	3M™ Perfect-It™ Fast Cut Compound, 1 kg, 09374	12	Bottle	1	12

Finishing Products

3M™ Perfect-It™ Gelcoat Heavy Cutting Compound

3M™ Perfect-It™ Gelcoat Heavy Cutting Compound restores the lustrous beauty of boats by eliminating oxidation, scratches, scuff marks and other surface blemishes from gelcoat. Our fastest-cutting product for gelcoat, this compound removes P600 and finer scratches and leaves a high gloss finish ideal for cutting polish and wax.

- 3M's fastest-cutting gelcoat formula for removing heavy oxidation and P600 scratches
- Formula provides longer wet time for extended product life and easier cleanup
- Suitable for all gelcoat surfaces including marine, RV and industrial



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100055856	36102E	3M™ Perfect-It™ Gelcoat Heavy Cutting Compound, 848 ml, 36102E	12	Bottle	1	12

3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax

3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax combines medium cutting power with durable wax for professional-grade one-step gelcoat compounding. It removes major defects and scratches P1000 or finer, and leaves a glossy wax finish that helps protect against weathering and may not require polishing.

- 3M's fast-cutting gelcoat formula for removing oxidation and scratches of P1000 or finer
- Can be used to cut, polish and wax in one step, reducing time and expense
- Formula provides longer wet time for extended product life and easier cleanup



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100094857	36108E	3M™ Perfect-It™ Gelcoat Medium Cutting Compound + Wax, 848 ml, 36108E	8	Bottle	1	8

Finishing Products

Fine Polishing Compounds

Focus

3M™ Perfect-It™ Random Orbital Polish

Achieve the best possible finish on all paints and clear coats with 3M™ Perfect-It™ Random Orbital Polish. Its advanced abrasives and gloss enhancers create a consistent high-quality finish. Designed to be used with our 3M™ Perfect-It™ Random Orbital Polisher and matching pad for paint finishing and detailing professionals of all skill levels who want a perfect finish without haze and swirl.



- **REFINISHING, REDEFINED:** Stop fighting swirls and haze – spend your polishing time perfecting the shine with 3M™ Perfect-It™ Random Orbital Polish, part of the 3M™ Perfect-It™ Random Orbital Polishing System.
- **CONSISTENT RESULTS:** Delivers high-quality, predictable results thanks to a proprietary combination of advanced abrasives and gloss enhancers.
- **EASY-TO-USE:** 3M™ Perfect-It™ Random Orbital Polish delivers a high-gloss finish for technicians of any skill level in collision and professional detailing shops when used as part of the 3M™ Perfect-It™ Random Orbital Polishing System.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSL	SL
1700265300	327335	3M™ Perfect-It™ Random Orbital Polish, 473 ml, 327335	12	Bottle	9	12
1700265302	327348	3M™ Perfect-It™ Random Orbital Polish, 946 ml, 327348	12	Bottle	9	12

3M™ Perfect-It™ 1-Step Finishing Material

3M™ Perfect-It™ 1-Step Finishing Material is a high-performance, fast-cutting finishing material designed to remove 3M™ Tricoat™ 8000 and finer scratches providing a 1-Step finish on most colours. It provides the cut of a compound and the swirl-free finish of a polish.



- Easily remove 3M™ Tricoat™ 8000 scratches and leave a brilliant finish.
- After 3M™ Tricoat™ 8000, it provides a 1-Step finish on most colours.
- Water formulation allows for longer work time without drying.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSL	SL
1700165788	335009	3M™ Perfect-It™ 1-Step Finishing Material, 1kg, 335009	12	Bottle	9	12

Focus

3M™ Perfect-It™ Extra Fine Plus Compound

3M™ Perfect-It™ Extra Fine Plus Compound is a fine finishing compound designed specifically for modern scratch-resistant clear coat paint systems.



- Remove fine sanding and coarse compound scratches.
- Specifically for modern scratch-resistant clear coat paint systems.
- Core product within the 3M Colour-Coded Polishing Process.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSL	SL
1700224882	303549	3M™ Perfect-It™ Extra Fine Plus Compound, 1 L, 303549	12	Bottle	9	12

Finishing Products

Focus

3M™ Perfect-It™ Ultrafina SE Polish

Use 3M™ Perfect-It™ Ultrafina SE Polish with our machine polishers, for an exceptional high gloss finish to vehicles – no swirl marks or holograms. Designed for use as the final stage of our colour code process, to help you achieve the ultimate final finish, and fast clean up afterwards.

- Get an exceptional high gloss blemish-free finish
- Quick and Easy Clean up
- Use a minimal sling, good handling product



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100224668	00888	3M™ Perfect-It™ Ultrafina SE Polish, 1L, 00888	12	Bottle	1	12

3M™ Perfect-It™ Fine Compound

3M™ Perfect-It™ Fine Compound is a fast acting, less aggressive compound sharing the same 3M formulation chemistry as 3M™ Perfect-It™ Fast Cut Compound and is a great second step product after the more aggressive Fast Cut Compound.

- Use an easy to use, versatile product chosen by professionals
- Gives a high gloss finish
- Easy to clean off surfaces



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100096161	00375	3M™ Perfect-It™ Fine Compound, 1L, 00375	1	Bottle	1	12

3M™ Perfect-It™ Machine Polish

Use 3M™ Perfect-It™ Machine Polish with 3M™ Perfect-It™ Foam Polishing Pads, to quickly remove compound swirl marks and achieve a high gloss finish. Our high performance polish is easy to use and ensures cleaning up is quick and efficient.

- High performance polish
- Designed to remove compound swirl marks and other minor surface defects
- Good handling, easy cleanup



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100096162	00378	3M™ Perfect-It™ Machine Polish, 1L, 00378	12	Bottle	1	12

Finishing Products

3M™ Polish Rosa

Apply 3M™ Polish Rosa by hand or machine, for an exceptional blemish-free, deep gloss shine and lasting wax protection and finish. Our polish won't discolour any black rubber parts. You'll get perfect clean-up, in small or large areas. A must-have for any vehicle cleaning or restoration kit.

- Silicone Polymer wax for high gloss and lasting protection
- Exceptional clean off whether working on large or small areas
- Work efficiently with easy clean-up in small or large areas



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000003900	00345	3M™ Polish Rosa, 1L, 00345	12	Bottle	1	12

3M™ Perfect-It™ Finishing Glaze

Use 3M™ Perfect-It™ Finishing Glaze for a high gloss and lasting protective shine on refinish or original paint surfaces finished by 3M™ Perfect-It™ Paint Finishing System. Apply our glaze by hand with a soft wipe, or for more efficiency, by machine with a dual action sander.

- Get durable shining protection of fresh and original paint surfaces
- Easy to use manually or by machine
- High lustre



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100095100	00377	3M™ Perfect-It™ Finishing Glaze, 1 L, 00377	12	Bottle	1	12

3M™ Prep and Blend Liquid

Efficiently prepare new and refinished paint surfaces, with 3M™ Prep and Blend Liquid. Our unique blend of scuffing and cleaning liquid removes many different contaminants all in one go – grease, wax, resins and silicones. It leaves a uniform, matte finish.

- Use a fast application cleaning agent
- Efficiently remove grease, waxes, resins and silicones
- Get a uniform, matte finish



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100095100	00308	3M™ Prep and Blend Liquid, 0.5 kg, 00308	12	Bottle	1	12

3M™ Scuff-It™ Matt Gel

3M™ Scuff-It™ Matt Gel is an advanced scuffing and cleaning gel used in the final stage of preparation prior to paint spraying.

- Degreases, cleans and scuffs in a single process
- Water-based formula
- Complete solution for optimum paint adhesion



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000440	00010	3M™ Scuff-It™ Matt Gel, 700 g, 00010	12	Bottle	1	12

Finishing Products

3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax

3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax is formulated to quickly remove light to medium oxidation, light scratches, swirl marks and other minor defects from gelcoat. This compound removes scratches of P1500 or finer, and leaves a polished wax finish without swirls even in difficult dark-colored gelcoats.

- 3M's fastest-cutting gelcoat formula for removing light to medium oxidation and scratches, part of a complete range of 3M™ Perfect-It™ products for gelcoat finishing
- Removes swirl marks even on difficult dark-colored gelcoats
- Can be used to cut, polish and wax in one step, reducing time and expense



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100094333	38110E	3M™ Perfect-It™ Gelcoat Light Cutting Polish + Wax, 848 ml, 38110E	8	Bottle	1	8

3M™ Perfect-It™ Gelcoat Compound + Polish

3M™ Perfect-It™ Gelcoat Compound + Polish is a professional-grade formula compounding and polishing product, specifically created for gelcoat applications.

- Removes P1000 and finer scratches on gelcoat
- Leaves a high gloss and fine finish (even on darker colored gelcoat)
- Formula provides longer wet time for extended product life and easier cleanup



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100237607	30366E	3M™ Perfect-It™ Gelcoat Compound + Polish, 946 ml, 30366E	8	Bottle	1	8

3M™ Perfect-It™ Boat Wax

3M™ Perfect-It™ Boat Wax is the final, brilliant step in achieving a truly professional marine finish. Its blend of pure Brazilian carnauba wax, silicones, polymers and resins brings out an extraordinary gloss and provides durability against the elements. The liquid wax formula is easy to apply and performs even on warm surfaces, and is safe for gelcoat, paint, fiberglass and metal.

- An excellent final step for any process where wax finish is recommended
- Contains carnauba wax for a brilliant, pure wax finish
- Protects gelcoat, paint, fiberglass and metals from the elements



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100094882	38110E	3M™ Perfect-It™ Boat Wax, 848 ml, 38110E	8	Bottle	1	8

Finishing Products

Bonnets & Buffing Pads

Force

3M™ Perfect-It™ Random Orbital Wool Compounding Pad

Achieve the best possible finish on a variety of paints and clear coats with the help of 3M™ Perfect-It™ Random Orbital Wool Compounding Pads. Engineered to work with the 3M™ Perfect-It™ Random Orbital Polishing System, it delivers the cut you want without creating haze, swirl marks, or holograms.

- **REFINISHING, REDEFINED:** Experience no more swirls, holograms, or burn through with the 3M™ Perfect-It™ Random Orbital Wool Compounding Pad and the matching 3M™ Perfect-It™ Random Orbital Compound.
- **CONSISTENT RESULTS:** Experience a virtually defect-free finish with no fear of burn through on your freshly painted panels. Designed for no trips back to the booth, no disruptions in cycle time and no loss of confidence on the job.
- **TWO SIZES AND GRADES:** Available in both 5" / 130 mm and 6" / 150 mm diameters in coarse and medium to fit the 3M™ Perfect-It™ Random Orbital Polisher.



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100288982	34120	3M™ Perfect-It™ Random Orbital Wool Compounding Pad, Coarse, White, 130 mm (5 in), 34120	5	Bag	1	5
7100288991	34124	3M™ Perfect-It™ Random Orbital Wool Compounding Pad, Coarse, White, 150 mm (6 in), 34124	5	Bag	1	5
7100288990	34121	3M™ Perfect-It™ Random Orbital Wool Compounding Pad, Medium, White, 130 mm (5 in), 34121	5	Bag	1	5
7100288947	34125	3M™ Perfect-It™ Random Orbital Wool Compounding Pad, Medium, White, 150 mm (6 in), 34125	5	Bag	1	5

Force

3M™ Perfect-It™ Random Orbital Foam Compounding Pad

Achieve the best possible finish on a variety of paints and clear coats with the help of the 3M™ Perfect-It™ Random Orbital Foam Compounding Pad. Engineered to work with the 3M™ Perfect-It™ Random Orbital Polishing System, it delivers the cut you want without creating haze, swirl marks, or holograms.

- **REFINISHING, REDEFINED:** Experience no more swirls, holograms, or burn through with the 3M™ Perfect-It™ Random Orbital Foam Compounding Pad and matching 3M™ Perfect-It™ Random Orbital Compound.
- **CONSISTENT RESULTS:** Experience a virtually defect-free finish with no fear of burn through on your freshly painted panels. Designed for no trips back to the booth, no disruptions in cycle time and no loss of confidence on the job.
- **FAST CUTTING:** 3M™ Perfect-It™ Random Orbital Foam Compounding Pad quickly removes 8000 grade and finer sanding marks without adding swirl marks -- making your polishing step easier.



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100288948	34122	3M™ Perfect-It™ Random Orbital Foam Compounding Pad, White, 130 mm (5 in), 34122	5	Bag	1	5
7100288949	34126	3M™ Perfect-It™ Random Orbital Foam Compounding Pad, White, 150 mm (6 in), 34126	5	Bag	1	5

Finishing Products

Focus

3M™ Perfect-It™ Random Orbital Foam Polishing Pad

Achieve the best possible finish on a variety of paints and clear coats with the 3M™ Perfect-It™ Random Orbital Finishing Foam Polishing Pad, part of the 3M™ Perfect-It™ Random Orbital Finishing System. It's engineered to be used by paint finishing and detailing professionals of all skill levels who want a high-quality finish without haze and swirl.



- **CONSISTENT RESULTS:** Experience a virtually defect-free finish with no fear of burn through on your freshly painted panels. Designed for no trips back to the booth, no disruptions in cycle time and no loss of confidence on the job.
- **EASY-TO-USE:** The 3M™ Perfect-It™ Random Orbital Foam Polishing Pad delivers a high-gloss finish for technicians of any skill level in collision and professional detailing shops when used as part of the 3M™ Perfect-It™ Random Orbital Polishing System.
- **TOUGH:** This firm foam pad is built to withstand the circular and oscillating motion of the 3M™ Perfect-It™ Random Orbital Polisher while still being flexible enough to follow a vehicle's contours.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100288884	34123	3M™ Perfect-It™ Random Orbital Foam Polishing Pad, Purple, 130 mm (5 in), 34123	8	Bag	1	8
7100288883	34127	3M™ Perfect-It™ Random Orbital Foam Polishing Pad, Purple, 150 mm (6 in), 34127	8	Bag	1	8

3M™ Perfect-It™ 1-Step Foam Finishing Pad

3M™ Perfect-It™ 1-Step Foam Finishing Pads are our highest performing, purple foam finishing pads, ideal for refining 3M™ Tifcoat™ Abrasive 8000 sanding scratches in a single step. Use in combination with 3M™ Perfect-It™ Famous Finish or 3M™ Perfect-It™ 1-Step Finish to achieve best results.



- Ideal for use with 3M™ Perfect-It™ Famous Finish or 3M™ Perfect-It™ 1-Step Finish.
- For optimal performance use a rotation speed between 800 to 1400 rpm.
- Convoluted surface reduces heat generation.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100203804	33033	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Purple, 80 mm, 33033	20	Each	4	20
7100205187	33062	3M™ Perfect-It™ 1-Step Foam Finishing Pad, Purple, 150 mm, 33062	10	Each	2	10

Finishing Products

Focus

3M™ Perfect-It™ Foam Compounding Pad

3M™ Perfect-It™ Foam Compounding Pads are 3M's highest-performing foam compounding pads for refining sand scratches, slow-speed polishing, dabrbbing and more. Foam face pattern provides more surface contact, holds compound better and reduces slinging. Doubled-sided pads work with 3M™ Quick Connect Adaptors on rotary polishers; single-side pads work with the HookIt™ system for easy change-outs.



- Our highest-performing foam compounding pads
- Works with 3M™ HookIt™ and Quick Connect attachment systems for easy change-outs
- Foam construction holds polish, prevents slinging for faster, cleaner results

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032139	50499	3M™ Perfect-It™ Foam Compounding Pad, Green, Convoluted, 75 mm, 50499	20	Each	4	20
7000032137	50457	3M™ Perfect-It™ Foam Compounding Pad, Green, Flat, 150 mm, 50457	10	Each	2	10
7000032555	09550	3M™ Perfect-It™ Foam Compounding Pad, Orange, Flat, 150 mm, 09550	10	Each	2	10
7100094891	50852	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Convoluted, 150 mm, 50852	5	Each	1	5
7100094455	50874	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Convoluted, 215 mm, 50874	5	Each	1	5
7100094455	50875	3M™ Perfect-It™ Foam Compounding Pad, Quick Connect System, Green, Flat, 150 mm, 50875	5	Each	1	5

Focus

3M™ Perfect-It™ Foam Polishing Pad

3M™ Perfect-It™ Foam Polishing Pad is a soft foam polishing pad used to polish out fine scratches created from compounding steps. The waffle face gives you greater surface contact area than flat surface pads over contoured surfaces, minimizes heat buildup during buffing and helps eliminate swirl marks. It also helps the pad hold the polish and reduce slinging.



- Provides soft surface for applying 3M polishes
- Waffle face provides smooth contact surface, for even handling over curves without excess heat build up
- Quickly removes compounding swirls when used with 3M™ Perfect-It™ Colour Coded System.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100094467	50879	3M™ Perfect-It™ Foam Polishing Pad, Quick Connect System, Yellow, Convoluted, 150 mm, 50879	5	Each	1	5

Finishing Products

Focus

3M™ Perfect-It™ Ultrafine Polishing Pad

Our 3M™ Perfect-It™ Ultrafine Polishing Pad helps to eliminate swirl marks on painted surfaces, even on difficult dark colored cars. Featuring a unique waffle face design that holds liquid polish, this pad applies polish evenly without releasing excess polish that may cause ripples in the finish.



- Get a high gloss shine on dark coloured paint finishes
- Used to help eliminate swirl marks and apply high gloss finishes
- Waffle face provides sufficient contact surface while holding polish well

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000060159	50457	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 75 mm, 50457	20	Each	4	20
7000032123	50355	3M™ Perfect-It™ Ultrafine Polishing Pad, Blue, Convoluted, 150 mm, 50355	10	Each	2	10
7100094459	50350	3M™ Perfect-It™ Ultrafine Polishing Pad, Quick Connect System, Blue, Convoluted, 150 mm, 50350	5	Each	1	5

Focus

3M™ Perfect-It™ Polishing Pad

Use 3M™ Perfect-It™ Polishing Pad for finer and softer polishing and a more efficient way to achieve an exceptional high gloss finish in repair work. It helps to quickly and efficiently achieve a perfect finish.



- Achieve a hologram free finish
- Get excellent value for money due to durable, long lasting waffle foam
- Get maximum polishing efficiency

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000061478	50535	3M™ Perfect-It™ Polishing Pad, Yellow, Convoluted, 75 mm, 50535	20	Each	4	20
7000032138	50488	3M™ Perfect-It™ Polishing Pad, Yellow, Convoluted, 150 mm, 50488	10	Each	2	10

3M™ Perfect-It™ High Gloss Polishing Pad

Use 3M™ Perfect-It™ High Gloss Polishing Pad to remove swirl marks and achieve maximum gloss in repairing paintwork.



- Remove swirl marks and scratches
- Repair defects with more ease and efficiency
- Get maximum polishing efficiency

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032135	09378	3M™ Perfect-It™ High Gloss Polishing Pad, Black, Convoluted, 150 mm, 09378	1	Each	2	10

Finishing Products

3M™ Wool Polishing Pad

Use the 3M™ Wool Polishing Pad for fast scratch and swirl removal during collision repairs, and an exceptional finish on all surfaces, including composites. Our single-sided pad with 3M™ Hookit™ system provides fast changeouts. Our double-sided pad boasts firm, easy venturing and consistent surface contact.



- Remove fine paint defects including compound swirl marks
- Get a fast cut for efficient and effective results
- Double-sided soft edge pads protect body and style lines

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100018449	05705	3M™ Wool Polishing Pad, 229 mm, Double-sided, 05705	0	Each	1	0

3M™ Wool Compounding Pad

Use 3M™ Wool Compounding Pad with 3M compounds and attachment systems, for compounding on paints, clear and composite surfaces. Choose from 100% wool or finer 60/10 wool blend, for a variety of jobs. Use with our Hookit™ attachment system, for fast changeouts. Get a flawless finish.



- Remove finishing abrasive sand scratches and other paint surface defects
- Fast Cutting Compound Pad
- Untwisted wool yarn construction improves handling across large surface areas

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100018406	05704	3M™ Wool Compounding Pad, Double sided, 229 mm, 05704	0	Each	1	0

3M™ Perfect-It™ Low Linting Wool Compounding Pad

Use the high performing 3M™ Perfect-It™ Low Linting Wool Compounding Pad, for a finer result when refining scratches on vehicle finishes, and on linting mats. Our fast-cutting double-sided pad is 100% low linting wool with a quick connect design. Use with 3M compounds and quick release adaptor, 05752/03271.



- Removes finishing abrasive sand scratches and other paint surface defects
- Fast, easy way to attach Buffing Pads to Polishers
- Get maximum polishing efficiency

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100035545	03271	3M™ Perfect-It™ Low Linting Wool Compounding Pad, Quick Connect System, 229 mm, 03271	0	Each	1	0

Focus

3M™ Perfect-It™ Quick Connect Adaptor

3M™ Perfect-It™ Quick Connect Adaptor makes it easy to connect or disconnect double-sided buffing pads on rotary polishers. Our heavy-duty adaptor saves both time and effort in an automotive body shop by making pad changes so quick and simple. 5/8" or M14 thread.



- Allow quick changes of buffing pads
- Makes it easy to change between compound and polishing pads
- Provides a reliable connection between pad and polisher

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100035542	03271	3M™ Perfect-It™ Quick Connect Adaptor, M14, 03271	10	Each	1	10

Finishing Products

3M™ Perfect-It™ Back-up Pad

3M™ Perfect-It™ Back-up Pad allows for easy attachment, quick removal and accurate centering of compounding or polishing pads. We used our 3M™ Hook-It™ attachment system for these pads to enhance convenience and boost productivity with quick change of abrasive discs.



- Backup pad supports single-sided compounding or polishing pads
- Firmly attach and easily remove compounding or polishing pads
- Centre compounding or polishing pads accurately

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000003383	09552	3M™ Perfect-It™ Back-up Pad, 15.8 mm (5/8 in), 09552	5	Each	1	5
7000003384	09552	3M™ Perfect-It™ Back-up Pad, Polishing, M16, 09552	5	Each	1	5

3M™ Perfect-It™ Buffer Back-up Pad

3M™ Perfect-It™ Buffer Back-up Pad is designed for use as a back-up pad for 75 mm 3M Polishing Systems.



- Works with the colour code range of 3M foam pads
- Used with the 3M™ Perfect-It™ Denlo Polisher
- High quality back-up pad

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000223	07852	3M™ Perfect-It™ Buffer Back-up Pad, 75 mm, 07852	5	Each	1	5

Focus

3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad

Get peak performance with the 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad for your 3M™ Perfect-It™ Random Orbital Polisher. These pads help 3M™ Perfect-It™ Random Orbital Compounding and Polishing Pads stay firmly attached to the polisher, helping maximize your productivity. Easy one screw attachment.



- **PEAK PERFORMANCE:** The 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad helps compounding and polishing pads perform their best when used with the 3M™ Perfect-It™ Random Orbital Polisher.
- **EASY ON, HOLDS TIGHT:** The 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad uses 3M™ Hook-It™ attachment for fast attachment of compounding and polishing pads – holding them firmly in place.
- **FAST INSTALL:** The 3M™ Perfect-It™ Random Orbital Polisher Back-Up Pad attaches to the polisher with a single screw and Allen key.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
T100266265	34129	3M™ Perfect-It™ Random Orbital Polisher Back-up Pad, 100 mm (5 in), 34129	5	Each	1	5
T100266269	34129	3M™ Perfect-It™ Random Orbital Polisher Back-up Pad, 150 mm (5 in), 34129	5	Each	1	5

Finishing Products

3M™ Adaptors for Polishers

Adaptor for 5/8" shaft polishers, for use with 3M™ Screw On Double Sided Buffing pads.

- For use with 5/8" shaft rotary polishers
- Eliminates the concern of exposed threads when using
- Eliminates the potential scratching of vehicles while using 3M screw on double side pads



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100017371	06710	3M™ Adaptors for Polishers, Buff Pad Adaptor, 06710	10	Each	1	270

Dry Guide Coat and Inspection Sprays

3M™ Dry Guide Coat

Discover surface imperfections with 3M™ Dry Guide Coat. Our Dry Guide Coat requires no masking before use and has no dry time after application. It highlights defects such as pinholes in body filler and deep scratches in primer.

- Use to detect surface imperfections such as pinholes in body filler and deep scratches in primer
- Requires no masking
- Use for wet and dry sanding



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000034831	09651	3M™ Dry Guide Coat, Applicator, 09651	5	Each	1	5
7000008677	09590	3M™ Dry Guide Coat, Black, 50 g, 09590	10	Each	1	10
7000034533	50416	3M™ Dry Guide Coat, Orange, 50 g, 50416	10	Each	1	10
7100010304	51362	3M™ Dry Guide Coat, 52 plus Applicator Kit, 51362	5	Kit	1	5

3M™ Perfect-It™ Finish Control Spray

3M™ Perfect-It™ Finish Control Spray is a paint surface cleaner used to check on the progress of the polishing process.

- Aerosol spray
- To check progress in between compounding steps
- Remove remainders of compound



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
710013882	66636	3M™ Perfect-It™ Finish Control Spray, 600 ml, 66636	12	Canister	1	12



Masking Films and accessories

Masking films and accessories are part of our full masking systems for great finishes, which can help control dust and overspray, helping keep the paint booth and your work clean.

Preparation work on smooth surface:
Masking and Priming of Bodywork

1. Surface Preparation



2. Surface Masking



3. Primer Coating



1 Cleaning
of the surface



- Express the surface using paint company or other recommended product. Always follow the manufacturer's instructions.



3M® Cleaner and Taper Primer

2 Partly masking
of the car



- Cover the vehicle as soon as possible, this reduces the possibility of contamination from the surrounding environment.



3M® Aqua Premium Plus Clear Masking Film
30cm, 30cm, 30cm, 30cm, 30cm, 30cm



3M® Aqua Premium Primer

3 Preparing
the surface



- Prepare the area for paint application, ensuring sufficient space to allow for smooth transitions and avoid hard edges.
- Cut the masking film to the appropriate size and attach to the plastic masking using 3M masking tape.



3M® Self-Adhesive Masking Tape



3M® Fine Masking Tape

4 Roughly
covering for
primer application



- For best results, apply 3M Smooth Transition Tape on top of the Self-Adhesive Masking Tape to allow a smooth transition of primer edges.
- Note: Avoid generating hard edges when primer masking. The glass surface reflects due to the concentration of elements on the tape edges.



3M® Smooth Transition Tape

5 Fine covering,
preparation for
paint application



- Before applying the base and clear coats, further cut the masking film and attach it to provide contour and aperture masking.
- Primer sanding.



3M® High Performance Masking Tape 30cm



3M® High Performance Masking Tape 30cm

6 Final masking detail,
before painting,
attaching parts



- Express the surface and adjacent panels as necessary.
- Mask other areas such as rubbers, trim, etc.



3M® Fine Line Masking Tape 30cm



3M® High Performance Masking Tape 30cm

7 De-masking



- Removal of masking tapes and film is best done when the car has just left the paint and is still warm.
- Always remove Masking tape by pulling at an angle to the surface. A faster or slower angle take higher risk of leaving adhesive residue on the surface.
- Tape using Premium Masking Tapes will peel off faster than a lower performance tape without residue on the surface.



Masking Films and accessories

Masking Films

3M™ Clear Masking Film

Protect parts of vehicle you don't want to spray with 3M™ Clear Masking Film. Our masking film is a high density, clear polyethylene sheeting designed to statically cling to the surface of the vehicle and protect it from paint overspray.

- No paint or primer flaking
- Static clinging ensures complete masking
- Simple one-person application



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000033027	07535	3M™ Clear Masking Film, 4 m x 150 m, 07535	1	Roll	1	1
7000033082	80110	3M™ Clear Masking Film, 5 m x 120 m, 80110	1	Roll	1	1
7000084984	81061	3M™ Clear Masking Film, 6 m x 100 m, 81061	1	Roll	1	1

Focus

3M™ Purple Premium Plus Masking Film

Resist moisture imprinting or ghosting on painted vehicle surfaces with 3M™ Purple Premium Plus Masking Film. Our masking film is a premium high density plastic sheeting with superior clinging properties for vehicles.

- Use to resist imprinting and ghosting on painted vehicle surfaces
- High-density, tear-resistant, clear durable film formulated to provide excellent paint overspray adhesion
- Achieve better handling and increased clinging to vehicles



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000033098	80988	3M™ Purple Premium Plus Masking Film, 4 m x 150 m, 80988	1	Roll	1	1
7000071806	80859	3M™ Purple Premium Plus Masking Film, 5 m x 120 m, 80859	1	Roll	1	1

3M™ Taped Masking Film

Use 3M™ Taped Masking Film for localized masking and smart repairs. Our masking film is easy to use and cuts cleanly, it protects against paint spray and prevents paint runs off the plastic film.

- Protect against paint spray
- Prevent paint runs
- Use for smart repairs



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100138345	05987	3M™ Taped Masking Film, 400 mm x 25 m, 05987	30	Roll	1	30
7100138982	06988	3M™ Taped Masking Film, 500 mm x 25 m, 06988	24	Roll	1	24
7100138983	05989	3M™ Taped Masking Film, 600 mm x 25 m, 05989	24	Roll	1	24
7100138344	05970	3M™ Taped Masking Film, 1100 mm x 25 m, 05970	24	Roll	1	24
7100138793	05971	3M™ Taped Masking Film, 1500 mm x 25 m, 05971	22	Roll	1	22

Masking Films and accessories

Film Installation Tools

3M™ Clear Masking Film Cutter

Cut masking film quickly and easily with 3M™ Clear Masking Film Cutter. Our cutter is a high quality safety blade developed to cut 3M™ Clear Masking Film without fraying.

- Use to cut 3M™ Clear Masking Film
- Speeds up masking process
- Versatile small cutting tool



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000033075	50283	3M™ Clear Masking Film Cutter, Premium, White, 50283	25	Each	1	25
7000033025	07513	3M™ Clear Masking Film Cutter, Standard, Blue, 07513	25	Each	1	25

3M™ Masking Film Dispenser

Use our portable 3M™ Masking Film Dispenser to store and dispense your 3M Masking Film. Sheeting not included.

- Get an easy to use portable film dispenser
- Dispense protective sheeting and masking film products with ease
- Use to store protective sheeting and masking film products



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100003432	06780	3M™ Masking Film Dispenser, 06780	1	Each	1	1

Masking Films and accessories

Surface Protection Materials

Focus

3M™ Dirt Trap Protection Material

Trap dust and overspray with 3M™ Dirt Trap Protection Material. Our white non-woven covering material is specially created to protect paint booth walls and floors, and brighten the work area. It gives better visibility for technicians and a more pleasant shop look for collision repair customers.



- Specially engineered surface protection material protects collision repair shop walls and floors
- Reduces labor and costs related to dust and paint removal
- Non-woven construction traps airborne contaminants, helping to control dust and overspray

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000628	38552	3M™ Dirt Trap Protection Material, White, 711.2 mm x 91.44 m, 38552	1	Roll	1	1

3M™ Dirt Trap Clear Film Dispenser

3M™ Dirt Trap™ Clear Film Dispenser is designed for use with 3M Dirt Trap Clear Film. Our dispenser is made with high strength magnets that secure it to a vertical metal surface.



- Conveniently dispenses 3M™ Dirt Trap Clear Film to protect lights and windows from overspray buildup
- High strength magnets secure the dispenser to a vertical metal surface
- Durable metal construction for use in automotive paint shops

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100173158	38553	3M™ Dirt Trap Clear Film Dispenser, 38553	1	Each	1	1

3M™ Dirt Trap Clear Film Protection Material

3M™ Dirt Trap Clear Film Protection Material is an adhesive-backed clear film that protects lights and windows from overspray buildup. No more scraping and cleaning is needed and application and removal is easy and fast.



- Specially engineered surface protection material protects collision repair shop lights and windows
- Adhesive backing keeps material in place and removes cleanly, suitable for a variety of substrates
- Applies quickly and removes easily

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000028295	38555	3M™ Dirt Trap Clear Film Protection Material, 457 mm x 30.5 m, 38555	1	Roll	1	1

Masking Films and accessories

3M™ Overspray Masking Liquid Dry

Guard against overspray of vehicles, with 3M™ Overspray Masking Liquid Dry. Our lightly-bonding film spray on water-based solution replaces time-intensive masking and is easy to clean – it simply dissolves in water and washes off.

- Protect all vehicle surfaces against auto paint and primer overspray
- Cover hard-to-mask surfaces
- Apply with conventional spray equipment – no additional costs for liquid masking



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045767	08847	3M™ Overspray Masking Liquid Dry, 3.75 L, 08847	4	Bottle	1	4
7000045769	08856	3M™ Overspray Masking Liquid Dry, 56.7 L, 08856	1	Drum	1	1

3M™ Interior Protection Automotive Seat Cover

Protect your car seats during maintenance and repairs with 3M™ Interior Protection Automotive Seat Cover. Our disposable plastic seat cover has nonslip technology to keep it in place. It's available in a single pocket or dual pocket design.

- Use for all vehicles – one size fits all
- Get resistance to water, oil and grease
- Reduce valeting costs



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000088700	80888	3M™ Interior Protection Automotive Seat Cover, 80888	250	Each	1	250

Masking Films and accessories

3M™ Self-Stick Liquid Protection Fabric

3M™ Self-Stick Liquid Protection Fabric is ideal for a wide range of temporary surface protection in industrial settings. Its liquid-proof layer protects work surfaces from water, oils, solvents and more. Its nonwoven surface traps dirt, dust and debris and prevents them from spreading through the facility. Its adhesive backing keeps it securely in place and removes without residue.



- 3M™ Self-Stick Liquid Protection Fabric must not be used in any areas where explosive concentrations of ignitable materials could be present, as static discharge may occur. These include areas identified as ATEX Zones 0, 1, 2 and 20, 21, 22
- Specially engineered surface protection material for industrial, marine and automotive applications
- Temporarily protects surfaces from the damaging effects of liquids, oils and solvents while also trapping dirt

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100169346	36876	3M™ Self-Stick Liquid Protection Fabric, Blue, 10.16 cm x 91.5 m, 36876	1	Pack	6	6
7100169347	36877	3M™ Self-Stick Liquid Protection Fabric, Blue, 16.24 cm x 91.5 m, 36877	1	Pack	4	4
7100169305	36878	3M™ Self-Stick Liquid Protection Fabric, Blue, 36.58 cm x 91.5 m, 36878	1	Roll	1	1
7100169498	36879	3M™ Self-Stick Liquid Protection Fabric, Blue, 71.12 cm x 91.5 m, 36879	1	Roll	1	1
7100169352	36880	3M™ Self-Stick Liquid Protection Fabric, Blue, 91.44 cm x 91.5 m, 36880	1	Roll	1	1
7100169351	36881	3M™ Self-Stick Liquid Protection Fabric, Blue, 121.92 cm x 91.5 m, 36881	1	Roll	1	1
7100169350	36882	3M™ Self-Stick Liquid Protection Fabric, Blue, 182.24 cm x 91.5 m, 36882	1	Roll	1	1



Tapes

Achieve sharp lines and smooth transitions in every paint job. Choose tapes for trim masking, jamb masking, multi-color striping and much more.

Masking Tapes, Specialty Tapes and Masking Paper

Feature

Scotch® High Performance Masking Tape 3434

Scotch® High Performance Masking Tape 3434 can be used for a wide variety of automotive refinishing applications, including those in hot and humid environments. Our high-performance blue crepe paper masking tape has good solvent- and water-resistant properties and can be used in environments up to 110°C. It conforms well, has excellent holding power and tear resistance.



- Solvent and water resistant, can be used in environments up to 110°C.
- Removes cleanly, resisting adhesive transfer and blistering.
- Conforms well to difficult or irregular surfaces without tearing.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100037748	07595	Scotch® High Performance Masking Tape 3434, Blue, 12 mm x 50 m, 07595	45	Roll	12	45
7100037759	07597	Scotch® High Performance Masking Tape 3434, Blue, 24 mm x 50 m, 07597	50	Roll	9	50
7000034957	07593	Scotch® High Performance Masking Tape 3434, Blue, 30 mm x 50 m, 07593	52	Roll	5	52
7100037750	07595	Scotch® High Performance Masking Tape 3434, Blue, 36 mm x 50 m, 07595	24	Roll	5	24
7100037744	07599	Scotch® High Performance Masking Tape 3434, Blue, 45 mm x 50 m, 07599	20	Roll	5	20

Feature

Scotch® Performance Masking Tape 233+

Scotch® Performance Masking Tape 233+ is a premium paper masking tape, designed to perform with collision repair, marine and other paint repair applications.

It holds strong on smooth surfaces, yet removes cleanly, without adhesive transfer or residue.

This tape can be used on all typical car surfaces and with water or solvent based paint systems.



- TOP PERFORMER: This premium automotive masking tape is designed for performance, versatility, and reliability.
- HIGH ADHESIVE PROPERTIES: Sticks easily and stays in place on a variety of surfaces, such as plastic, glass, metal and rubber.
- RESISTANT: Offers dependable resistance to UV, temperature, moisture, chemicals, and waterborne and solvent-based paints.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100006150	28334	Scotch® Performance Masking Tape 233+, Green, 12 mm x 50 m, 28334	45	Roll	12	45
7000046904	28336	Scotch® Performance Masking Tape 233+, Green, 24 mm x 50 m, 28336	24	Roll	1	24
7100007214	28335	Scotch® Performance Masking Tape 233+, Green, 30 mm x 50 m, 28335	16	Roll	4	16
7000046905	28340	Scotch® Performance Masking Tape 233+, Green, 45 mm x 50 m, 28340	12	Roll	3	12

Tapes

Focus

Scotch® Masking Tape 2328

Use Scotch® Masking Tape 2328 for a wide variety of applications in auto refinishing. Our masking tape adheres well. It offers a secure grip, clean removal and excellent edge definition. It also conforms well and has high edge tear resistance. Available in a range of popular widths.



- Use in a variety of applications as a medium tier performance tape
- Get a conformable tape with excellent tear edge
- Remove cleanly and give excellent adhesion

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100137090	06304	Scotch® Masking Tape 2328, Beige, 18 mm x 50 m, 06304	10	Roll	10	40
7100136825	06309	Scotch® Masking Tape 2328, Beige, 24 mm x 50 m, 06309	50	Roll	2	30
7100137088	06311	Scotch® Masking Tape 2328, Beige, 38 mm x 50 m, 06311	24	Roll	5	24
7100137089	06313	Scotch® Masking Tape 2328, Beige, 43 mm x 50 m, 06313	24	Roll	5	24
7100035733	51257	Scotch® Masking Tape 2328, Beige, 72 mm x 50 m, 51257	18	Roll	4	18

Scotch® Premium Auto Refinish Masking Tape 3030

Get clean paint lines and less build up with Scotch® Premium Auto Refinish Masking Tape 3030. Our green-coloured, smooth creped masking tape is a specially formulated cross-linked rubber/resin adhesive and suits a wide variety of bodyshop applications.



- Use with water based paint systems
- Stick easily without lifting or curling
- Remove easily and cleanly without leaving adhesive residue

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100035515	50977	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 18 mm x 50 m, 50977	40	Roll	10	40
7100039717	50978	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 24 mm x 50 m, 50978	50	Roll	2	30
7000088319	50979	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 30 mm x 50 m, 50979	50	Roll	1	50
7100041822	50980	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 38 mm x 50 m, 50980	24	Roll	5	24
7100037753	50981	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 43 mm x 50 m, 50981	24	Roll	5	24
7100037748	50982	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 72 mm x 50 m, 50982	18	Roll	4	18
7000088823	50983	Scotch® Premium Auto Refinish Masking Tape 3030, Green, 100 mm x 50 m, 50983	12	Roll	1	12

Tapes

Scotch® Profi Tape 3430

Scotch® Profi Tape 3430 is a premium, high temperature resistant crepe paper masking tape.

- High temperature resistant (up to 100° C for up to 1 hour)
- Water and solvent resistant
- Conformable - Ideal for corner masking



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100037732	08750	Scotch® Profi Tape 3430, Brown, 12 mm x 50 m, 08750	12	Roll	12	48
7100037743	08751	Scotch® Profi Tape 3430, Brown, 24 mm x 50 m, 08751	36	Roll	9	36
7000085457	08752	Scotch® Profi Tape 3430, Brown, 30 mm x 50 m, 08752	32	Roll	8	32
7100037751	08753	Scotch® Profi Tape 3430, Brown, 38 mm x 50 m, 08753	24	Roll	8	24
7100044200	08754	Scotch® Profi Tape 3430, Brown, 48 mm x 50 m, 08754	20	Roll	5	20

Scotch® Performance Masking Tape 244

Scotch® Performance Masking Tape 244 is provided with a yellow smooth paper backing and a 0.086 mm thick synthetic adhesive. This tape is particularly resistant to UV, and is waterproof. It has a good temperature resistance (100 ° C).



- Designed with a flat paper backing with synthetic adhesive, this tape offers a good solvent and water resistance and a good paint anchorage
- Adhesive transfer resistance and sunlight stability as well as a good temperature resistance (100 ° C for 30 min)
- It offers a good paint line, good handling, good paint flaking resistance and clean removal

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100049034	24418	Scotch® Performance Masking Tape 244, Gold, 18 mm x 50 m	48	Roll	12	48
7100049038	24424	Scotch® Performance Masking Tape 244, Gold, 24 mm x 50 m	36	Roll	9	36
710046753	24430	Scotch® Performance Masking Tape 244, Gold, 30 mm x 50 m	32	Roll	8	32
7100049067	2443850	Scotch® Performance Masking Tape 244, Gold, 38 mm x 50 m	24	Roll	8	24
7100049038	24448	Scotch® Performance Masking Tape 244, Gold, 48 mm x 50 m	24	Roll	5	24

Scotch® Masking Tape 233

Scotch® Masking Tape 233 is a premium masking tape, made of very thin beige crepe paper. This high performance masking tape has excellent solvent and water resistance properties and is particularly suited to high temperature exposure.



- High temperature resistance - up to 120°C for up to 1 hour
- Excellent solvent resistance, Conformable, huge curves and contours
- Easy to apply and fast and clean to remove

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100089080	08364	Scotch® Masking Tape 233, Beige, 18 mm x 50 m, 08364	48	Roll	12	48
7100037748	08368	Scotch® Masking Tape 233, Beige, 24 mm x 50 m, 08368	36	Roll	9	36
7000085888	08340	Scotch® Masking Tape 233, Beige, 48 mm x 50 m, 08340	24	Roll	5	24

Tapes

3M™ Precision Masking Tape

3M™ Precision Masking Tape is excellent for critical edge paint performance, helping auto body painters produce sharp paint lines using solvent and waterborne paint systems. Its ultra thin paper backing helps produce very low paint edges, yet it's strong enough to pull through layers of color and clear coat. The tape is ideal for two-tone separation, bumper block out areas and back masking.



- Prevent paint running
- Ideal for critical edge masking applications such as two-tone separation, bumper block out areas and back masking with solvent and waterborne paints
- Semitransparent for better visibility

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045526	06525	3M™ Precision Masking Tape, Green, 6.35 mm x 55 m, 06525	12	Roll	1	144
7000045527	06526	3M™ Precision Masking Tape, Green, 12.05 mm x 55 m, 06526	18	Roll	2	18
7000120065	06525	3M™ Precision Masking Tape, Green, 6.35 mm x 55 m, 06525	5	Roll	5	5

Focus

3M™ Soft Edge Foam Masking Tape PLUS

Eliminate rework of unwanted paint lines and save time with 3M™ Soft Edge Foam Masking Tape PLUS. Our tape is ideal for masking door apertures, bonnet or boot lid openings that need to be sealed during an automotive painting job. The off-set adhesive keeps adhesive away from the paint edge.



- Avoid hard paint lines in apertures and other vehicle areas
- Reduce painting time with less rework needed for unwanted paint lines
- Offset adhesive and tubular design to conform and seal opening

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000004714	06421	3M™ Soft Edge Foam Masking Tape PLUS, Blue, 21 mm x 7 m, 06421	1	Roll	1	1
7000000621	06266	3M™ Soft Edge Foam Masking Tape PLUS, Blue, 21 mm x 40 m, 06266	1	Roll	1	1

Focus

3M™ Soft Edge Foam Masking Tape

Mask door apertures, bonnet or boot lid openings and other vehicle parts with 3M™ Soft Edge Foam Masking Tape. Our tape is perfect for the sealing part of a painting operation and saves you time on reworking due to unwanted tape lines.



- Avoid hard paint lines in aperture areas and seal them with confidence
- Eliminate rework due to unwanted tape lines, saving time and money
- Get a specially designed polyurethane foam structure

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000016	06257	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 06257	1	Roll	1	1
7000004980	06678	3M™ Soft Edge Foam Masking Tape, White, 13 mm x 50 m, 06678	1	Roll	1	1
7000000010	06245	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 50 m, 06245	1	Roll	1	1
7000004984	06673	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 50 m, 06673	1	Roll	1	1
7000000713	06675	3M™ Soft Edge Foam Masking Tape, White, 19 mm x 50 m, 06675	1	Roll	1	1

Tapes

Focus

3M™ Smooth Transition Tape

Our 3M™ Smooth Transition Tape is a fast, simple way to virtually eliminate rework caused by hard paint lines. It is designed specifically to create smooth transitions to existing finishes: a raised center ridge contains adhesive, while the paint feathers in naturally beneath the edges for virtually invisible paint lines.

- Eliminate hard paint lines
- Apply and remove easily with speed and ease
- Leaves a smooth paint transition - no hard edge line for collision repair painters



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000466	08300	3M™ Smooth Transition Tape, White, 8.25 mm x 9 m, 08300	50	Roll	5	50

3M™ Perforated Trim Masking Tape

3M™ Perforated Trim Masking Tape features a rigid band along one edge that slips gently behind moldings, lifting them slightly from the body. This tape allows paint to flow beneath the moldings while masking their exterior for a professional, finished paint job without removing or replacing the moldings or rework for paint lines. Perforations allow you to tear the tape by hand, saving time.

- Perforations allow for hand tearing without tools
- Hard band at the tape edge slightly lifts moldings from the body for concealed paint edges
- Speeds paint time - no need to remove or clean auto body moldings



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100145500	08346	3M™ Perforated Trim Masking Tape, 5 mm Hard Band, 50.8 mm x 10 m, 08346	5	Roll	1	5
7100145503	08347	3M™ Perforated Trim Masking Tape, 7 mm Hard Band, 50.8 mm x 10 m, 08347	5	Roll	1	5
7100145501	08348	3M™ Perforated Trim Masking Tape, 10 mm Hard Band, 50.8 mm x 10 m, 08348	5	Roll	1	5
7100145502	08345	3M™ Perforated Trim Masking Tape, 15 mm Hard Band, 50.8 mm x 10 m, 08345	5	Roll	1	5

Scotch® Fine Line Stripping Tape

Save time and create precise fine lines when auto body paint stripping, using Scotch® Fine Line Stripping Tape. Our 1 in wide tape is pre-slit and easy to use. Simply apply our specially engineered tape, and pull out up to eight 1/6 in wide strips to expose paintable areas.

- Create fine lines quickly and easily, without bleed
- Use for excellent multicolour stripping, thanks to solvent and waterborne coating resistance
- Even adhesion allows taping over fresh basecoats sooner with less chance of imprinting



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000029139	08314	Scotch® Fine Line Stripping Tape, 8 Pull Outs, 25.4 mm x 13.9 m, 08314	12	Roll	1	48

Tapes

Scotch® Fine Line Tape 218

Create long straight lines and sweeping curves where a crisp, sharp paint line is desired, with Scotch® Fine Line Tape 218. Our tape is often used as a layout tape for high value multi-colour and custom painted graphics, and its thinness provides excellent colour line separation.



- Create long straight lines and sweeping curves where a crisp, sharp paint line is desired
- Use as a layout tape for high value multi-colour and custom painted graphics
- Get excellent colour line separation due to its thinness

Product ID	Part Number	Product Name	MOQ	Order Unit	MSL	SL
7000048458	08501	Scotch® Fine Line Tape 218, Green, 8 mm x 55 m, 0.127 mm, F16301	12	Roll	1	144
7000048457	2183/8	Scotch® Fine Line Tape 218, Green, 8 mm x 55 m, 0.127 mm, F16302	12	Roll	1	96
7000048456	2181285	Scotch® Fine Line Tape 218, Green, 12 mm x 55 m, 0.127 mm, F16303	12	Roll	1	72

Scotch® High Temperature Fine Line Tape 4737TL

Scotch® High Temperature Fine Line Tape 4737TL is a conformable tape used to achieve sharp paint lines and color separation for curves and straight lines. It has proven successful in high-temperature painting applications requiring a conformable tape.



- Delivers clean paint line and excellent color separation in high-temperature paint processes
- Provides optimal conformability for sweeping shapes and recessed objects
- Uses a natural rubber, pressure-sensitive adhesive that holds reliably to surface contours

Product ID	Part Number	Product Name	MOQ	Order Unit	MSL	SL
7000048834	480924	Scotch® High Temperature Fine Line Tape 4737T, Translucent Blue, 8 mm x 55 m, 0.127 mm	144	Roll	1	144
7000048828	4737/2	Scotch® High Temperature Fine Line Tape 4737T, Translucent Blue, 12.7 mm x 55 m, 0.127 mm	72	Roll	1	72
7000048838	4737/168	Scotch® High Temperature Fine Line Tape 4737T, Translucent Blue, 19 mm x 55 m, 0.127 mm	48	Roll	1	48

3M™ Welding and Spark Deflection Paper

3M™ Welding and Spark Deflection Paper helps protect vertical surfaces from damage caused by welding spatter and grinding sparks. Our flame-retardant paper comes with adhesive backing for easy application to vertical surfaces. The adhesive backing allows for easy repositioning of the spark deflection paper as needs change at a work site.



- Deflection paper helps protect vertical surfaces from sparks and spatter
- Recommended whenever welding or grinding tasks are performed
- Adhesive backing allows for simple installation

Product ID	Part Number	Product Name	MOQ	Order Unit	MSL	SL
7000045994	05918	3M™ Welding and Spark Deflection Paper, 61 cm x 25.7 m, 05918	2	Roll	1	2

Tapes

Vinyl Tapes

3M™ Vinyl Tape 471+

3M™ Vinyl Tape 471+ is for accurate masking alignment with simple or complex patterns. Our tape provides clean removal without adhesive residue, even after a 30 minute bake cycle at 121 °C. It resists lifting from compound surfaces, contours, depressions and angles for precision paint results.

- Provides clean removal without adhesive residue after a 30 minute bake cycle at 121 °C. Even no ghosting effect
- Flexible and conformable tape creates fine paint lines for striping, colour separation and complex designs
- Semi-translucent backing allows for accurate alignment with simple and complex patterns



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100055258	894115	3M™ Vinyl Tape 471+, Indigo, 3 mm x 32 m, 0.14 mm, PWB404	12	Roll	1	12
7100055835	3M08405	3M™ Vinyl Tape 471+, Indigo, 8 mm x 32 m, 0.14 mm, PWB405	12	Roll	1	12

Bonding, Mounting & Transfer Tapes

3M™ Press-In-Place Emblem Adhesive

3M™ Press-In-Place Emblem Adhesive is a transfer adhesive allowing emblems with existing foam tape to be re-attached.

- Pressure sensitive adhesive attaches automotive emblems and trim
- Simply press emblem onto adhesive and place emblem on vehicle
- No-mess convenience eliminates messy drips and runs common to conventional glue



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000045704	08068	3M™ Press-In-Place Emblem Adhesive, 50.8 mm x 305 mm, 08068	60	Each	10	60



Respiratory Protection

Providing PPE to help protect the health of your technicians helps protect the whole business. 3M's personal protective products can help you protect workers: A paint shop's most valuable resource!

Workers Safety

Reliable Processes and safe working starts before taking the first step.



	Particle mask	Half-mask	Full face respirators with fresh air supply	Powered Air Respirator Systems	Safety Glasses / Goggles
Process Step					
Preparation					
Filler Application					
Dry sanding					
Paint Mixing					
Painting					
Finish / Polishing					

* Please always consult national regulations for suitable Personal Protective Equipment (PPE) for use against hazards, including isocyanates. PPE shown may not be adequate or suitable for your specific application or substances used.

Hearing protection	Protective Paintshop Coveralls	Standard Coveralls	Gloves	Skin cleaning	Skin protection cream
					
					
					
					
					
					
					

Respiratory Protection

Disposable Respirators

3M™ Aura™ Particulate Respirators 9300+ Series

3M™ Aura™ Particulate Respirators 9300+ Series has an ergonomic, flat-fold, 3-panel design featuring a low breathing resistance filter media. Available in FFP1, FFP2 and FFP3 protection levels, and with valved and unvalved models, our respirators feature an innovative chin tab for easy adjustments and an embossed, sculpted upper panel to help reduce eyewear fogging.



- Product contains recycled content: 3M™ Aura™ Particulate Respirators 9312+, 9322+ and 9332+ contain at least 25 % recycled content*
- Packaging contains recycled content: At least 30% recycled content in individual product wrap, 100% recycled content in primary carton and 76% recycled content in shipper case*
- *Claims apply to products produced since 01/04/2024. Product: 3M™ Aura™ Particulate Respirators 9312+, 9322+ and 9332+ contain at least 25 % pre-consumer recycled content. Percentage recycled content varies by model. Figure stated is the lowest percentage of recycled content for the three protection levels. Percentage recycled content calculated in accordance with EN ISO 14001:2015+A1:2021. Packaging: At least 30% recycled content in individual product wrap – Aura™ 9310+, 9312+, 9320+, 9322+, 9330+, 9332+, 1872V+ and 1873V+ only. 100% recycled content in primary carton, 76% recycled content in shipper case.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100221525	9330+ BULK	3M™ Aura™ Particulate Respirator, FFP3, Unvalved, 9330+ Gen2 EU	440	Each	1	440

Full Face Respirators

3M™ Reusable Full Face Mask 6000 Series

3M™ Reusable Full Face Masks 6000 Series have a large polycarbonate lens and soft, elastomeric facepiece. The 3M™ Bayonet Connection System enables you to connect to a broad range of 3M twin lightweight filters. The 6000 Series is lightweight and features a 3M™ Cool Flow™ Valve and four-strap suspension.



- Soft, elastomeric facepiece for wearer comfort
- Four-strap suspension means the mask is easy to put on and take off
- Large polycarbonate lens offers good visibility and that complies to relevant performance requirements of EN166-B

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100015060	6600	3M™ Reusable Full Face Mask, Large, 6600	4	Each	1	4
7100015972	6700	3M™ Reusable Full Face Mask, Small, 6700	4	Each	1	4

Respiratory Protection

Half Mask Respirators

3M™ Reusable Respirator Starter Kits

Get convenient, ready to go respiratory protection for a wide variety of applications with the 3M™ Reusable Respirator Starter Kits. Ready to use kits contain a 3M™ Reusable Half Mask with a set of filters to protect against a wide range of gases, vapours and particulates. A wide variety of options are available to ensure the correct protection for your application.



- Reusable Respirator kit with filters
- Options available for a wide variety of applications
- Low profile half mask for a balanced secure fit.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100049925	6753	3M™ Reusable Respirator Starter Kit, A2P2 R Filter, Large Half Mask, 06753	1	Kit	1	4

3M™ Respirator Starter Kit 06782

With Ready-to-Use Respiratory kit you have a safe solution for Painting. Ready to use kit contains a medium size reusable half mask with a set of A2P2 R filters to protect against organic vapours and particulates. Soft silicone face piece for comfort and durability with Cool Flow valve for reduced heat and moisture build up. Low profile, twin filter design half mask for a balanced secure fit.



- Ready-to-use respiratory kit contains a half mask and set of filters
- Soft silicone facepiece offers comfort and durability
- Lightweight, low-maintenance, economical and easy to handle

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100049925	6782	3M™ Respirator Starter Kit, A2P2 R Filter, Medium Half Mask, 06782	1	Kit	1	4

3M™ Reusable Half Mask Respirator 7500 Series

3M™ Reusable Half Face Mask 7500 Series have a bayonet-style twin-filter design that fits a broad range of 3M lightweight filters. Our 7500 Series reusable masks have a 3M™ Cool Flow™ Valve, a soft sealing surface for comfort, and a unique head harness with an optional drop-down strap.



- Soft sealing surface and low breathing resistance makes them comfortable to wear for long durations
- Cool Flow™ Valve helps reduce heat build-up by allowing warm, exhaled air to escape
- Twin-filter design for even distribution of weight and minimal obstruction to field of vision

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000704175	7500	3M™ Reusable Half Face Mask, Large, 7500	10	Each	1	10
7000704177	7502	3M™ Reusable Half Face Mask, Medium, 7502	10	Each	1	10
7000704178	7501	3M™ Reusable Half Face Mask, Small, 7501	10	Each	1	10

Respiratory Protection

3M™ Secure Click™ Reusable Half Mask Respirator HF-800 Series

Designed with smart and intuitive features 3M™ Secure Click™ Reusable Half Mask Respirator HF-800 Series is simple, comfortable and reliable. Available in three sizes: small, medium, and large, our respirators all come with an optional speaking diaphragm.



- Greater breathability and comfort provided by the world's first quad flow cartridge system
- Push button seal check helps bolster confidence that the respirator is properly sealed to the face
- Speaking diaphragm is designed to help provide easier communication while you work

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100172005	HF-8035D	3M™ Secure Click™ Reusable Half Mask Respirator, Speaking Diaphragm, Large, HF-8035D	10	Each	1	10
7100171950	HF-8025D	3M™ Secure Click™ Reusable Half Mask Respirator, Speaking Diaphragm, Medium, HF-8025D	10	Each	1	10
7100172008	HF-8015D	3M™ Secure Click™ Reusable Half Mask Respirator, Speaking Diaphragm, Small, HF-8015D	10	Each	1	10

Cartridges & Filters

3M™ Gas, Vapour and Particulate Filters

3M™ Gas, Vapour and Particulate Filters have a bayonet-style connection that fits a wide range of compatible half and full-face 3M™ Reusable Masks. The swept back profile is designed to optimise your field of vision. Our range of lightweight filters offer well-balanced breathing protection for hazardous environments.



- Protects against a range of vapours, gases and particulates
- Combines protection with comfort and balance
- Low profile design to optimise your field of vision

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000034747	8059	3M™ Gas and Vapour Filter, ABEK1, 8059	84	Each	2	84
7000038108	8811	3M™ Organic Gas and Vapour Filter, A1, 8811	84	Each	2	84
7000039105	8815	3M™ Organic Vapour Filter, A2, 8815	16	Each	2	16

Respiratory Protection

3M™ Secure Click™ Gas, Vapour and Particulate Filters D8000 Series

3M™ Secure Click™ Gas, Vapour and Particulate Filters D8000 Series can offer protection against a range of respiratory hazards depending upon the model selected. Use with 3M™ Secure Click™ Reusable Respirators. New dual flow cartridges and filters allow for easier breathing.



- New dual flow cartridges and filters allow for easier breathing
- Protects against a range of respiratory hazards depending upon the model selected
- Quick, simple cartridge connection. Simply align the connections and push until you hear a click.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100153226	D8081	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A1, with Dual Flow, D8081	32	Pack	1	32
7100153228	D8088	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A1B1E1K1, with Dual Flow, D8088	32	Pack	1	32
7100153238	D8084	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A1B1E1K1P2 R, with Dual Flow, D8084	32	Pack	1	32
7100153231	D8085	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A2, with Dual Flow, D8085	32	Pack	1	32
7100153235	D8095	3M™ Secure Click™ Gas, Vapour and Particulate Filter, A2P2 R, with Dual Flow, D8095	32	Pack	1	32

3M™ Secure Click™ Particulate Filters

3M™ Secure Click™ Series Particulate Filters are CE approved for environments containing certain particles for use with 3M™ Secure Click™ Respirators.



- New dual flow cartridges and filters allow for easier breathing
- Protects against particulates with optional nuisance level organic vapour/acid gas relief
- Quick, simple connection. Simply align the connections and push until you hear a click.

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100208882	D8038	3M™ Secure Click™ Particulate Filter with Hydrogen Fluoride and Nuisance Level Organic Vapour and Acid Gas Relief, Hard Case, P3 R, D8038	40	Pack	1	40
7100197270	D8135	3M™ Secure Click™ Particulate Filter with Nuisance Level Organic Vapour and Acid Gas Relief, and Ozone up to 10 x DEL, P3 R, D8135	40	Pack	1	40
7100197253	D7915	3M™ Secure Click™ Particulate Filter, P1 R, D7915	320	Each	4	320
7100197451	D8126	3M™ Secure Click™ Particulate Filter, P2 R, D8126	40	Pack	1	40
7100197288	D7925	3M™ Secure Click™ Particulate Filter, P2 R, D7925	320	Each	4	320
7100197256	D8135	3M™ Secure Click™ Particulate Filter, P3 R, D8135	40	Pack	1	40
7100197255	D7935	3M™ Secure Click™ Particulate Filter, P3 R, D7935	320	Each	4	320

Respiratory Protection

Reusable Respirator Parts & Accessories

3M™ Secure Click™ Reusable Respirator Filter Retainers

3M™ Secure Click™ Reusable Respirator Filter Retainers enable users to add particulate protection to existing 3M™ Secure Click™ Gas & Vapour Filters for use in a wider range of applications. For use with 3M™ Secure Click™ Particulate Filters 7000 Series, 3M™ Reusable Respirator Filter Retainers enable users to easily combine their protection for use with a wide range of gas, vapour and particulate hazards, or a combination of these.



- Easily combine 3M™ Secure Click™ Gas & Vapour Filters with 3M™ Secure Click™ Particulate Filters 7000 Series
- Connects the 3M™ Secure Click™ Particulate Filters 7000 Series to the 3M™ Secure Click™ Gas & Vapour Filters
- Specially designed for 3M™ Secure Click™ Reusable Respirators

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100154488	0701	3M™ Secure Click™ Reusable Respirator Filter Retainer, 0701	1	Each	10	100

3M™ Maintenance Free Reusable Respirators 0694X+

3M™ Maintenance Free Reusable Respirators 0694X+ Series are a range of simple and ready-to-use respirators with integrated cartridge and filters. A newly enhanced valve assembly helps to reduce exhalation breathing resistance, and the close-fitting, non-silicone, textured face seal is soft and non-irritating. Includes a reusable bag for hygienic storage and transportation.



- A newly enhanced valve assembly helps to reduce exhalation breathing resistance for improved breathing comfort
- Lightweight, well-balanced design
- Integrated filters mean it's ready to use and maintenance free

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
710015096	06941+	3M™ Maintenance Free Half Mask Reusable Respirator, PPA/P2/100 Filters, 06941+	10	Each	1	10
710015090	06942+	3M™ Maintenance Free Half Mask Reusable Respirator, PPA/P2/100 Filters, 06942+	10	Each	1	10

3M™ Reusable Respirator Filter Retainers

3M™ Reusable Respirator Filter Retainers enable users to add particulate protection to existing 3M™ Gas & Vapour Filters for use in a wider range of applications. For use with 3M™ Particulate Filters 5000 Series, 3M™ Reusable Respirator Filter Retainers enable users to easily combine their protection for use with a wide range of gas, vapour and particulate hazards, or a combination of these.



- Easily combine 3M™ Gas & Vapour Filters with 3M™ Particulate Filters 5000 Series
- Connects the 3M™ Particulate Filters 5000 Series to the 3M™ Gas & Vapour Filters
- Specially designed for 3M™ Reusable Respirators

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100050103	161001	3M™ Reusable Respirator Filter Retainer, 001	20	Each	2	20

Respiratory Protection

3M™ Reusable Respirator Face Shield & Lens Covers

3M™ Reusable Respirator Face Shield & Lens Covers is our range of covers designed to extend the service life of 3M™ Reusable Respirator lenses.



- Designed for use with 3M™ Reusable Respirators
- Helps to extend the service life of the mask when in use and when in storage
- Spare or replacement part

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100188168	6885	3M™ Reusable Respirator Full Facepiece Faceshield Cover for 3M™ Reusable Full Face Mask 6000 Series, 6800	100	Each	25	100

Respiratory Protection

Hoods & Headgear

3M™ Versaflo™ S-Series Headcovers & Hoods

3M™ Versaflo™ S-Series Headcovers and Hoods offer a variety of options for face seals, collars, shrouds, and suspensions, allowing you to choose the respiratory protection that provides the most value and comfort for your team.

- S-Series respiratory headcovers and hoods are specifically designed to work together with your Versaflo™ Powered Air Respirator and 3M™ Supplied Air Respirator Systems
- Provides head, face, neck and shoulder coverage from dust and paint spray
- Provides a good field of view



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100078870	S-855	3M™ Versaflo™ Premium Replacement Hood with Inner Collar, S-855	1	Each	1	1

3M™ Versaflo™ S-100 Series Headcovers

3M™ S-100 Series Headcovers are available with different size options.

- For use with certain 3M™ Powered Air Respirators and Supplied Air Respirator Systems
- Provides limited head and face coverage
- Provides limited face and eye protection from liquid splash, low energy flying particles and dust



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000000132	S-133L	3M™ Versaflo™ Integrated Suspension Head Cover, Large, S-133L	1	Each	1	1
7000044300	S-133S	3M™ Versaflo™ Integrated Suspension Head Cover, Small, S-133S	1	Each	1	1

3M™ Versaflo™ M-Series Facehields and Helmets

3M™ Versaflo™ M-Series Facehields and Helmets can help protect your workers from a variety of respiratory and impact hazards while maintaining comfort. They are lightweight, compact and easy to maintain.

- M-Series are specifically designed to work together with your 3M™ Versaflo™ Powered Air Respirator and 3M™ Supplied Air Respirator Systems
- Deflector allows users to direct the airflow inside the headtop to increase comfort
- Fully-adjustable suspension for customized fit and weight distribution



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100257937	M-308	3M™ Versaflo™ Helmet with Comfort Face Seal, M-308	1	Each	1	1
7000104087	M-408	3M™ Versaflo™ Helmet with Highly Durable Shroud, M-408	1	Each	1	1

Respiratory Protection

Powered Air Respirator Systems

3M™ Versaflo™ Powered Air Respirator Starter Kits TR-600 Series

3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619E is our ready-to-use kit for respiratory protection against particles, gases and vapours. It comes with everything you need to get started including powered air turbo TR-602E, A2P filter, filter cover, prefilters, spark arrestors, easy clean belt, high capacity battery, single station battery charger kit, BT-30 length adjusting breathing tube and an airflow indicator. Simply add your 3M™ Versaflo™ Headtop for complete respiratory protection.



- Simple starter kit with all the component parts to get you up and running. Simply add the headtop required
- Easy to use, versatile respiratory protection against dusts, mists, fumes and organic vapours
- Kit includes Turbo Unit TR-602E, A2P filter, filter cover, pre-filters, spark arrestors, easy clean belt, high capacity battery, single station battery charger kit, BT-30 length adjusting breathing tube and airflow indicator

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100052532	TR-619E	3M™ Versaflo™ Powered Air Respirator Starter Kit, TR-619E	1	Each	1	1

3M™ Versaflo™ Intrinsically Safe Powered Air Respirator Starter Kits TR-800 Series

3M™ Versaflo™ Intrinsically Safe Powered Air Turbo Starter Kit TR-819E is our handy kit that's approved to Zone 0 requirements and so may be suitable for areas where potentially explosive atmospheres are expected and permanent within normal operations. It's ready-to-use and has everything you need to get started. The TR-819E kit is approved for use with a wide range of Versaflo™ Soft Headtops S Series and Rigid Headtops M Series, and is ATEX certified and CE approved.



- Convenient ready-to-use kit
- Approved for use with a wide range of Versaflo™ Soft Headtops S Series and Rigid Headtops M Series
- Includes a rechargeable standard capacity lithium ion battery

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100160160	TR-819E	3M™ Versaflo™ Intrinsically Safe Powered Air Turbo Starter Kit, TR-819E	1	Each	1	1

Respiratory Protection

Powered Air Cartridges & Filters

3M™ Versaflo™ TR-600 & TR-800 Series Powered Air Respirator Filters

3M™ Versaflo™ Powered Air Respirator Filters, TR-600 & TR-800 Series is our range of filters for use with 3M™ Versaflo™ Powered Air Respirators TR-600 & TR-800 Series and a 3M™ approved headtop or facepiece. Filters are available in a range of options covering particulate only hazards, or for hazards containing a combination of gas, vapour and particulates.



- Compatible with the 3M™ Versaflo™ TR-600 and TR-800 Powered Air Respirator systems
- Respiratory protection against dusts, mists, fumes and other particulate hazards, and a variety of gas and vapour hazards, including organic vapour, acid gas, inorganic gases, ammonia and mercury vapour
- Simple to install

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100020995	TR-6110E	3M™ Versaflo™ Powered Air Respirator A2P Filter, TR-6110E	5	Each	1	5
7100020997	TR-6130E	3M™ Versaflo™ Powered Air Respirator ABE1P Filter, TR-6130E	5	Each	1	5
7100020999	TR-6580E	3M™ Versaflo™ Powered Air Respirator ABE2K1HgP Filter, TR-6580E	5	Each	1	5
7100020971	TR-6710E	3M™ Versaflo™ Powered Air Respirator Particulate Filter, TR-6710E	5	Each	1	5

3M™ Powered Air Respirator Prefilters

3M™ Prefilters for Powered Air Respirators can extend the service life of 3M™ Filters, by trapping large particles that may otherwise clog the filter.



- Can help to extend the life of 3M™ Filters by capturing large particles before they reach the filter
- Frequent replacement can help to maintain overall system performance
- Discard when clogged or damaged

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100236553	555501	3M™ Powered Air Respirator Prefilter and Prefilter Holder for PF-600E/DF-600E Powered Air Turbo, 55-5501	5	Each	1	5
7100236554	555500	3M™ Powered Air Respirator Prefilter for PF-600E/DF-600E Powered Air Turbo, 55-5500	100	Each	20	100
7100237554	555502	3M™ Powered Air Respirator Prefilter for PF-600E/DF-600E Powered Air Turbo, 55-5502	10	Each	2	10
7100021255	TR-6500	3M™ Versaflo™ Prefilter, TR-6500	50	Each	10	50

Respiratory Protection

Supplied Air Respirator Systems

3M™ Supplied Air Respirator Systems S200+ Series

3M™ Versaflo™ S-200+ Supplied Air System is our supplied air system which provides respiratory protection against particles, gases and vapours, and combination hazards when used with an approved 3M face mask.

- For use with 3M™ Full Facepiece Respirator 6000 Series and 3M™ Half Face Mask 7500 Series
- Provides protection against particles like fine dusts, aerosols, paint spray or metal fume; gases and vapours; and combined hazards
- System provides constant flow of air across the face for maximum user comfort



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000144600	09972	3M™ Supplied Air Respirator System, 09972	1	Each	1	1
7000183495	S200+	3M™ Supplied Air Respirator System, S-200+	1	Each	1	1

Powered & Supplied Air Parts & Accessories

3M™ Powered Air Respirator Protective Covers

3M™ Powered Air Respirator Protective Covers are replacement covers designed to protect 3M™ Powered Air Respirators. 3M™ Powered Air Respirator Covers protect the Powered Air Respirator turbo unit and optional covers can also protect the turbo unit breathing tube from debris, splash and spray contaminants.

- Replacement covers designed to protect against splash and spray contaminants
- For use with certain 3M™ Powered Air Respirators
- Spare or Replacement part



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100260715	TR-651	3M™ Versaflo™ PAPR Cover for TR-600/600 PAPR, TR-651	10	Each	1	10



Eye Protection

Eye Protection

Safety Glasses

3M™ SecureFit™ Safety Glasses 200 Series

3M™ SecureFit™ 200 Series are lightweight safety glasses with 3M™ Pressure Diffusion Temple Technology. Our glasses feature a wraparound design that's secure and comfortable. They are available in various lens tints.



- Economical lightweight (18 gram) 3M™ SecureFit™ Safety Glasses range
- 3M's innovative SecureFit™ Pressure Diffusion Temple technology design features slotted ribs that provide comfortable pressure equalization. The temples flex and self-adjust to the size of wearer's head
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties (available on selected models)

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100112010	SF202AF	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch / Anti-Fog, Grey Lens, SF202AS/AF-EU	20	Each	1	20
7100112150	SF201AS	3M™ SecureFit™ 200 Safety Glasses, Anti-Scratch, Clear Lens, SF201AS-EU	20	Each	1	20
7100185279	SF201SGAF-BLU	3M™ SecureFit™ 200 Safety Glasses, Blue Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, SF201SGAF-BLU-EU	20	Each	1	20

Eye Protection

3M™ SecureFit™ Safety Glasses 400 Series

3M™ SecureFit™ Safety Glasses 400 Series features a lightweight design with a rimless polycarbonate lens, 3M™ Pressure Diffusion Temple Technology, wide flexible temple arms, and soft, adjustable nose pads.



- Comfortable 3M™ SecureFit™ Safety Glasses range with soft adjustable nose and soft temple ends to improve comfort and fit.
- 3M's innovative SecureFit™ Pressure Diffusion Temple technology design features slotted ribs that provide comfortable pressure equalization. The temples flex and self-adjust to the size of wearer's head.
- 3M™ Scotchgard™ Anti-Fog Coating provides superior anti-fog and anti-scratch properties (available on selected models).

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100148068	SP4088GAP-BLA	3M™ SecureFit™ 400 Safety Glasses, Black/Brown Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Brown Lens, SP4088GAP-BLA-EU	20	Each	†	20
7100148076	SP4088GAP-BLA	3M™ SecureFit™ 400 Safety Glasses, Black/Brown Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Orange Lens, SP4088GAP-BLA-EU	20	Each	†	20
7100078958	SP408AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Amber Lens, SP408AF-EU	20	Each	†	20
7100078959	SP401AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Clear Lens, SP401AF-EU	20	Each	†	20
7100078987	SP402AF	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch / Anti-Fog, Grey Lens, SP402AF-EU	20	Each	†	20
7100078990	SP408AS	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch, Blue Mirror Lens, SP408AS-EU	20	Each	†	20
7100078988	SP408AS	3M™ SecureFit™ 400 Safety Glasses, Black/Green frame, Anti-Scratch, Indoor/Outdoor Mirror Lens, SP408AS-EU	20	Each	†	20
7100148078	SP4018GAP-BLU-F	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey Frame, Foam, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, SP4018GAP-BLU-F-EU	20	Each	†	20
7100148074	SP4018GAP-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, SP4018GAP-BLU-EU	20	Each	†	20
7100148080	SP4028GAP-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Grey Lens, SP4028GAP-BLU-EU	20	Each	†	20
7100148073	SP4078GAP-BLU	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Indoor/Outdoor Grey Lens, SP4078GAP-BLU-EU	20	Each	†	20
7100148088	SP4018GAP-RED	3M™ SecureFit™ 400 Safety Glasses, Red/Grey Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Clear Lens, SP4018GAP-RED-EU	20	Each	†	20
7100148081	SP4088GAP-YEL	3M™ SecureFit™ 400 Safety Glasses, Yellow/Black Frame, Scotchgard™ Anti-Fog/Anti-Scratch Coating (K&N), Amber Lens, SP4088GAP-YEL-EU	20	Each	†	20

Eye Protection

Safety Goggles

3M™ GoggleGear™ Safety Goggles 2890 Series

3M™ GoggleGear™ Safety Goggles 2890 Series are high-wrap safety goggles available with a superior anti-scratch and anti-fog coatings for increased durability and vision. Our goggles feature a modern, slim design and a wide, elastic strap for easy adjustability.



- Large profile 3M™ GoggleGear™ Safety Goggles range, with enough space to fit over most prescription glasses
- Polycarbonate lens options available for impact resistance and acetate lens options available for improved chemical resistance
- Indirect ventilation versions available to protect against liquid droplets and large dust particles and sealed ventilation versions available to protect against small dust particles and gas protection

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000032481	2890A	3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Fog, Clear Acetate Lens, 2890A	10	Each	1	10
7000032480	2890	3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Scratch / Anti-Fog, Clear Polycarbonate Lens, 2890	10	Each	1	10
7100148282	2891-SGAF	3M™ Safety Goggles 2890 Series, Indirect Vented, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, 2891-SGAF	10	Each	1	10
7000032483	2890SAE	3M™ Safety Goggles 2890 Series, Sealed, Anti-Fog, Clear Acetate Lens, 2890SA	10	Each	1	10
7000061924	2890S	3M™ Safety Goggles 2890 Series, Sealed, Anti-Scratch / Anti-Fog, Clear Polycarbonate Lens, 2890S	10	Each	1	10
7100010431	2895S	3M™ Safety Goggles 2890 Series, Sealed, Anti-Scratch / Anti-Fog, Welding Shade 5.0, 2895S	10	Each	1	10
7100148281	2891S-SGAF	3M™ Safety Goggles 2890 Series, Sealed, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, 2891S-SGAF	10	Each	1	10



Hearing Protection

Hearing Protection

Earplugs

3M™ Earplugs 1100 Series

The 3M™ 1100 Earplugs are disposable foam earplugs designed for insertion into the ear canal to help reduce exposure to hazardous levels of noise up to 35 dB, tested to EN 352-2:2020.

- Reduces noise levels up to 35 dB, tested to EN 352-2:2020
- Tapered design provides a good fit on a wide range of ear canal sizes
- Soft hypoallergenic foam softens with body temperature once inserted for comfortable extended wear



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100100263	1100R	3M™ Earplugs 1100 Top Up Bag, 1100R	2000	Pair	1	2000
7100100636	1110	3M™ Earplugs, Corded, 1100	500	Pair	100	500
7000103721	1100B	3M™ Earplugs, Refill Bottle, Uncorded, 1100B	500	Pair	1	500
7100100637	1100	3M™ Earplugs, Uncorded, 1100	1000	Pair	1	1000

3M™ 1310 Banded Earplugs

3M™ E-A-R™ 1310 Banded Earplugs are designed with a patented headband with flexing capability that adjusts to the movements of your jaw and head, for a comfortable and secure fit with constant low pressure in the ear. Our blue robust acetal plastic band is made to fit behind the head or under the chin, making it ideal for wearers exposed to intermittent noise.

- Reduces noise levels up to 26 dB
- Flexible band design helps maintain a constant pressure, at a comfortable level, irrespective of head size
- Innovative flexible band for optimum fit and superior comfort



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100039592	1310	3M™ Banded Earplugs, 1310	50	Each	1	50

Hearing Protection

Earmuffs

3M™ PELTOR™ X4 Earmuffs

3M™ PELTOR™ X4 Earmuffs are our lightweight and slim hearing protectors with innovative foam earcup inserts and speakers to help boost attenuation and protect against low frequencies. Available as headband, helmet attachment and neckband models.

The headband model features an electrically insulated, twin headband that decreases heat build-up on top of the head. Depending on wearer preference or application need, the helmet attached versions are available as either dielectric electrically insulated or with robust metal arms.



- Reducing noise levels from 32-33 dB, model dependent, tested to EN 352:2020
- Available as electrically insulated and resistant or dielectric in A band and PS helmet attached models
- Colourcoding makes it easy to identify the level of protection being worn

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000103993	X4A	3M™ PELTOR™ Earmuffs, HI-VIs, Headband, X4A	10	Each	1	10
7000103994	X4PS	3M™ PELTOR™ Earmuffs, HI-VIs, Helmet Mounted, X4PS	10	Each	1	10
7100095351	X4PS	3M™ PELTOR™ Earmuffs, HI-VIs, Helmet Mounted, X4PS	10	Each	1	10
7100123182	X4S-BU	3M™ PELTOR™ Earmuffs, HI-VIs, Neckband, X4S	10	Each	1	10

3M™ PELTOR™ Optime™ I Earmuffs

3M™ PELTOR™ Optime™ I Earmuffs are our innovative, lightweight hearing protectors that reduce noise levels up to 27 dB tested in accordance with EN 352:2020. They feature a low-profile design that makes them easy to combine with other safety equipment and have soft, wide comfortable cushions that reduce pressure around the ears.



- Reducing noise levels from 26-27 dB, model dependent, tested to EN 352:2020
- Low-profile design combines easily with other safety equipment
- Compatible with the 3M™ E-A-RRI™ Dual-Ear Validation System

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000103737	HS10AGB	3M™ PELTOR™ Optime™ I Earmuffs, HI-VIs, Headband, HS10A-670-GB	10	Each	1	10
7000085206	HS10PEGB	3M™ PELTOR™ Optime™ I Earmuffs, HI-VIs, Helmet Mounted, HS10P35-489-GB	10	Each	1	10
7000085208	HS10PGU	3M™ PELTOR™ Optime™ I Earmuffs, Yellow, Foldable, HS10P-404-GU	10	Each	1	10
7000039517	HS10PEGU	3M™ PELTOR™ Optime™ I Earmuffs, Yellow, Helmet Mounted, HS10P35-405-GU	20	Each	1	20
7001027147	HS10EAGU	3M™ PELTOR™ Optime™ I Earmuffs, Yellow, Helmet Mounted, HS10P35A-205-GU	20	Each	1	20
7001027751	HS10PHGU	3M™ PELTOR™ Optime™ I Earmuffs, Yellow, Helmet Mounted, HS10P35H-405-GU	20	Each	1	20
7000039913	HS10BGU	3M™ PELTOR™ Optime™ I Earmuffs, Yellow, Neckband, HS10B-409-GU	20	Each	1	10

Hearing Protection

Hearing Protection Accessories

3M™ E-A-R™ Replacement Pods

Replacement pods for improved hygiene and economy, fits the 3M™ E-A-RCaps™, 3M™ E-A-R™ Caboflex™ and 1310 banded earplugs.

- Replacement foam ear pods for the 3M™ E-A-RCaps™, 3M™ E-A-R™ Caboflex™ and 1310 banded earplugs
- Easy to remove and replace the pods on your banded earplugs
- Replacement pods are an easy way to improve hygiene and comfort on your washable banded hearing protector



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100100282	1311	3M™ E-A-R™ Replacement Pods, 1311	100	Pair	1	100



Head & Face Protection

Head & Face Protection

Hard Hats

3M™ Headgear Combinations G500 Series

The 3M™ Headgear G500 is a versatile and comfortable solution for use as a standalone face protection system or for combined face and hearing protection.



- Ventilation for increased comfort
- Design incorporates a cable holder for PELTOR™ Communication products
- A wide range of visors and face shields available for many industrial applications

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7000103790	G500V5CH	3M™ Headgear Combination, Forestry, Orange, G500V5CH510-OR	12	Each	1	12
7000103820	G50VJOR	3M™ Headgear Combination, Forestry, Orange, G500V5JH510-OR	12	Each	1	12
7000038218	G500-GU	3M™ Headgear Combination, Industry, Yellow, G500-GU	10	Each	1	10
7100029148	G500V5FH	3M™ Headgear Combination, Industry, Yellow, G500V5P11H51-GU	12	Each	1	12



Welding Safety

Welding Safety

Welding Helmets

3M™ Speedglas™ Welding Helmets 9100 Series

3M™ Speedglas™ 9100 Series Welding Helmets protect workers from radiation, heat and sparks, while providing a precise view of your work.

- Available Auto-Darkening Lenses with seven variable dark shades (5, 8 and 9-13) for most types of arc welding
- Available in multiple models with various viewing area sizes
- Available with or without side windows



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100166722	501528	3M™ Speedglas™ Welding Helmets 9100 Series, with Side Windows, with Welding Filter 9100100, 501528	1	Each	1	1

3M™ Speedglas™ 100 Series Welding Helmets

3M™ Speedglas™ 100 Series Welding Helmet helps protect welders from flying sparks and airborne debris, and the Auto-Darkening Lens helps keep the eyes safe from the intense light of MIG, TIG, and stick welding while offering an accurate view of the workspace, before during and after the weld. With an optional hard-hat adapter, this helmet is a great choice for welders starting off their careers, tradesmen, and DIYers.

- Welding helmet with optional safety helmet adapter
- Great choice for welders starting off their careers, tradesmen, and DIYers
- Auto-Darkening Lens with five adjustable dark shades 8-12 (not applicable to 3M Speedglas 100 Passive Welding Helmet)



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100166705	751120	3M™ Speedglas™ Welding Helmets 100 Series, Black, with Welding Filter 100v, 751120	1	Each	1	1
7100166708	752620	3M™ Speedglas™ Welding Helmets 100 Series, Ice Hot, with Welding Filter 100v, 752620	1	Each	1	1
7100166609	752420	3M™ Speedglas™ Welding Helmets 100 Series, Razor Dragon, with Welding Filter 100v, 752420	1	Each	1	1
7100166702	751820	3M™ Speedglas™ Welding Helmets 100 Series, Trojan Warrior, with Welding Filter 100v, 751820	1	Each	1	1
7100166688	752220	3M™ Speedglas™ Welding Helmets 100 Series, Terminator, with Welding Filter 100v, 752220	1	Each	1	1

Welding Safety

Auto Darkening & Passive Welding Lenses

3M™ Speedglas™ Auto-Darkening Welding Filters 100 Series

3M™ Speedglas™ Auto-Darkening Welding Filters 100-Series are replacement auto-darkening welding filters designed for use with 3M™ Speedglas™ Welding Helmet 100 Series.

- Replacement auto-darkening welding filters designed for use with 3M™ Speedglas™ Welding Helmet 100 Series
- 100V - Variable dark shades 8-12, 100B variable dark shades 10-12
- Light shade of 3



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100290002	750014	3M™ Speedglas™ Auto-Darkening Welding Filters 100 Series, 100B, Shades 3, 10-12, 750014	10	Each	1	10

3M™ Speedglas™ Auto-Darkening Welding Filters 9100 Series

3M™ Speedglas™ 9100 Series Auto-Darkening Welding Filters are designed for the professional welder using 3M™ Speedglas™ Welding Helmet 9100 Series. Incorporating dark shade ranges 5, 8-13, grinding, and cutting modes, these filters are ideal for use with most arc welding processes.

- Auto-darkening welding filter designed for use with 3M™ Speedglas™ Welding Helmet 9100 Series, suitable for most types of arc welding
- Delivers minimal distortion across the entire filter viewing area
- The sensitivity of arc detection can be adjusted for unsurpassed switching reliability. Switching time (light-dark) of 0.1ms.



Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100032387	500028	3M™ Speedglas™ Auto-Darkening Welding Filters 9100 Series, 9100XG, 500028	1	Each	1	10



Apparel & Workwear

Apparel & Workwear

Coveralls

3M™ Protective Coverall 4540+

3M™ Protective Coverall 4540+ is made from a laminated premium biocomponent non-woven and features a breathable SMMMS triangular back panel for improved comfort. This soft and lightweight coverall provides an excellent barrier to hazardous particles and limited liquid splashes.



- Excellent barrier against dry particles and certain liquid chemical splash (CE Type 5/6)
- Soft and light, ultra low-linting laminated microporous material that drapes and hangs well over the body facilitating ease of movement
- 3 panel hood, 2-way zip and storm flap with sealable tape with elasticated back and ankles to reduce the risk of skin exposure

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100040529	4540W2XL	3M™ Protective Coverall 4540+, 2XL	20	Each	1	20
7100040537	4540W3XL	3M™ Protective Coverall 4540+, 3XL	20	Each	1	20
7100040548	4540WL	3M™ Protective Coverall 4540+, L	20	Each	1	20
7100040057	4540WM	3M™ Protective Coverall 4540+, M	20	Each	1	20
7100040415	4540WS	3M™ Protective Coverall 4540+, S	20	Each	1	20
7100040055	4540WXL	3M™ Protective Coverall 4540+, XL	20	Each	1	20

3M™ Reusable Paintshop Coverall 51551

3M™ Reusable Coverall 51551 is CE Certified Category III to Type 6 standards and EN 1149 to reduce the build up of static charge. Made from Polyester material with carbon fibre threads running vertically down the fabric, it can be washed up to 30 times at 40°C. It also offers knee pads and a vented back panel to offer the optimum balance between protection and comfort.



- Reusable for 30 washes at 40°C
- Meets EN149-5:2015 for anti-static protective properties
- EVA foam knee pads

Product ID	Part Number	Product Name	MOQ	Order Unit	MSU	SU
7100147722	515512XL	3M™ Reusable Coverall 51551, 2XL	10	Each	1	10
7100147721	51551L	3M™ Reusable Coverall 51551, L	10	Each	1	10
7100147720	51551M	3M™ Reusable Coverall 51551, M	10	Each	1	10
7100147724	51551XL	3M™ Reusable Coverall 51551, XL	10	Each	1	10

3M Standard Operating Procedures (SOPs)

Process for Success

For truly spectacular results coming out of your body and paint shop, discover the best practices, processes and procedures to bring into it. From metal and plastic repair, to sanding, paint finishing and car clean-up, 3M has the products and repair processes for you.

In our SOPs you will find step-by-step procedures from start to finish, including body, plastic and panel repair and restoration, how to mask a vehicle, sand primer, feather prime block, preparing bumpers and e-coat panels and mixing and spraying using disposable paint cups. These SOPs are recommended for helping ensure you create the highest quality repairs for paint application, and finishing a great job to your customers satisfaction.



Visit www.3mbodyshop.co.uk to download
a guide specific to your needs.



Product Index

Part Number	Page
00001	32
00002	34
00003	34
00004	34
00005	34
00006	34
00007	34
00008	34
00009	34
00010	34
00011	34
00012	34
00013	34
00014	34
00015	34
00016	34
00017	34
00018	34
00019	34
00020	34
00021	34
00022	34
00023	34
00024	34
00025	34
00026	34
00027	34
00028	34
00029	34
00030	34
00031	34
00032	34
00033	34
00034	34
00035	34
00036	34
00037	34
00038	34
00039	34
00040	34
00041	34
00042	34
00043	34
00044	34
00045	34
00046	34
00047	34
00048	34
00049	34
00050	34
00051	34
00052	34
00053	34
00054	34
00055	34
00056	34
00057	34
00058	34
00059	34
00060	34
00061	34
00062	34
00063	34
00064	34
00065	34
00066	34
00067	34
00068	34
00069	34
00070	34
00071	34
00072	34
00073	34
00074	34
00075	34
00076	34
00077	34
00078	34
00079	34
00080	34
00081	34
00082	34
00083	34
00084	34
00085	34
00086	34
00087	34
00088	34
00089	34
00090	34
00091	34
00092	34
00093	34
00094	34
00095	34
00096	34
00097	34
00098	34
00099	34
00100	34

Part Number	Page
00101	34
00102	34
00103	34
00104	34
00105	34
00106	34
00107	34
00108	34
00109	34
00110	34
00111	34
00112	34
00113	34
00114	34
00115	34
00116	34
00117	34
00118	34
00119	34
00120	34
00121	34
00122	34
00123	34
00124	34
00125	34
00126	34
00127	34
00128	34
00129	34
00130	34
00131	34
00132	34
00133	34
00134	34
00135	34
00136	34
00137	34
00138	34
00139	34
00140	34
00141	34
00142	34
00143	34
00144	34
00145	34
00146	34
00147	34
00148	34
00149	34
00150	34
00151	34
00152	34
00153	34
00154	34
00155	34
00156	34
00157	34
00158	34
00159	34
00160	34
00161	34
00162	34
00163	34
00164	34
00165	34
00166	34
00167	34
00168	34
00169	34
00170	34
00171	34
00172	34
00173	34
00174	34
00175	34
00176	34
00177	34
00178	34
00179	34
00180	34
00181	34
00182	34
00183	34
00184	34
00185	34
00186	34
00187	34
00188	34
00189	34
00190	34

Part Number	Page
00191	34
00192	34
00193	34
00194	34
00195	34
00196	34
00197	34
00198	34
00199	34
00200	34
00201	34
00202	34
00203	34
00204	34
00205	34
00206	34
00207	34
00208	34
00209	34
00210	34
00211	34
00212	34
00213	34
00214	34
00215	34
00216	34
00217	34
00218	34
00219	34
00220	34
00221	34
00222	34
00223	34
00224	34
00225	34
00226	34
00227	34
00228	34
00229	34
00230	34
00231	34
00232	34
00233	34
00234	34
00235	34
00236	34
00237	34
00238	34
00239	34
00240	34
00241	34
00242	34
00243	34
00244	34
00245	34
00246	34
00247	34
00248	34
00249	34
00250	34
00251	34
00252	34
00253	34
00254	34
00255	34
00256	34
00257	34
00258	34
00259	34
00260	34
00261	34
00262	34
00263	34
00264	34
00265	34
00266	34
00267	34
00268	34
00269	34
00270	34
00271	34
00272	34
00273	34
00274	34
00275	34
00276	34
00277	34
00278	34
00279	34
00280	34
00281	34
00282	34
00283	34
00284	34
00285	34
00286	34
00287	34
00288	34
00289	34
00290	34

Part Number	Page
00291	34
00292	34
00293	34
00294	34
00295	34
00296	34
00297	34
00298	34
00299	34
00300	34
00301	34
00302	34
00303	34
00304	34
00305	34
00306	34
00307	34
00308	34
00309	34
00310	34
00311	34
00312	34
00313	34
00314	34
00315	34
00316	34
00317	34
00318	34
00319	34
00320	34
00321	34
00322	34
00323	34
00324	34
00325	34
00326	34
00327	34
00328	34
00329	34
00330	34
00331	34
00332	34
00333	34
00334	34
00335	34
00336	34
00337	34
00338	34
00339	34
00340	34
00341	34
00342	34
00343	34
00344	34
00345	34
00346	34
00347	34
00348	34
00349	34
00350	34
00351	34
00352	34
00353	34
00354	34
00355	34
00356	34
00357	34
00358	34
00359	34
00360	34
00361	34
00362	34
00363	34
00364	34
00365	34
00366	34
00367	34
00368	34
00369	34
00370	34
00371	34
00372	34
00373	34
00374	34
00375	34
00376	34
00377	34
00378	34
00379	34
00380	34
00381	34
00382	34
00383	34
00384	34
00385	34
00386	34
00387	34
00388	34
00389	34
00390	34

■ Product Index

Port Number	Range
1874	18
1875	12
1876	11
1877	11
1878	38
1879	47
1880	10
1881	11
1882	10
1883	10
1884	11
1885	19
1886	10
1887	11
1888	10
1889	11
1890	11
1891	10
1892	11
1893	11
1894	11
1895	11
1896	11
1897	11
1898	11
1899	11
1900	11
1901	11
1902	11
1903	11
1904	11
1905	11
1906	11
1907	11
1908	11
1909	11
1910	11
1911	11
1912	11
1913	11
1914	11
1915	11
1916	11
1917	11
1918	11
1919	11
1920	11
1921	11
1922	11
1923	11
1924	11
1925	11
1926	11
1927	11
1928	11
1929	11
1930	11
1931	11
1932	11
1933	11
1934	11
1935	11
1936	11
1937	11
1938	11
1939	11
1940	11
1941	11
1942	11
1943	11
1944	11
1945	11
1946	11
1947	11
1948	11
1949	11
1950	11
1951	11
1952	11
1953	11
1954	11
1955	11
1956	11
1957	11
1958	11
1959	11
1960	11
1961	11
1962	11
1963	11
1964	11
1965	11
1966	11
1967	11
1968	11
1969	11
1970	11
1971	11
1972	11
1973	11
1974	11
1975	11
1976	11
1977	11
1978	11
1979	11
1980	11
1981	11
1982	11
1983	11
1984	11
1985	11
1986	11
1987	11
1988	11
1989	11
1990	11
1991	11
1992	11
1993	11
1994	11
1995	11
1996	11
1997	11
1998	11
1999	11
2000	11
2001	11
2002	11
2003	11
2004	11
2005	11
2006	11
2007	11
2008	11
2009	11
2010	11
2011	11
2012	11
2013	11
2014	11
2015	11
2016	11
2017	11
2018	11
2019	11
2020	11
2021	11
2022	11
2023	11
2024	11
2025	11
2026	11
2027	11
2028	11
2029	11
2030	11
2031	11
2032	11
2033	11
2034	11
2035	11
2036	11
2037	11
2038	11
2039	11
2040	11
2041	11
2042	11
2043	11
2044	11
2045	11
2046	11
2047	11
2048	11
2049	11
2050	11
2051	11
2052	11
2053	11
2054	11
2055	11
2056	11
2057	11
2058	11
2059	11
2060	11
2061	11
2062	11
2063	11
2064	11
2065	11
2066	11
2067	11

Part Number	Price
26718	100
26719	100
26720	100
26721	100
26722	100
26723	100
26724	100
26725	100
26726	100
26727	100
26728	100
26729	100
26730	100
26731	100
26732	100
26733	100
26734	100
26735	100
26736	100
26737	100
26738	100
26739	100
26740	100
26741	100
26742	100
26743	100
26744	100
26745	100
26746	100
26747	100
26748	100
26749	100
26750	100
26751	100
26752	100
26753	100
26754	100
26755	100
26756	100
26757	100
26758	100
26759	100
26760	100
26761	100
26762	100
26763	100
26764	100
26765	100
26766	100
26767	100
26768	100
26769	100
26770	100
26771	100
26772	100
26773	100
26774	100
26775	100
26776	100
26777	100
26778	100
26779	100
26780	100
26781	100
26782	100
26783	100
26784	100
26785	100
26786	100
26787	100
26788	100
26789	100
26790	100
26791	100
26792	100
26793	100
26794	100
26795	100
26796	100
26797	100
26798	100
26799	100
26800	100

Start Date/Year	Page
2000	17
2001	18
2002	12
2003	12
2004	14
2005	15
2006	15
2007	15
2008	15
2009	15
2010	15
2011	15
2012	15
2013	15
2014	15
2015	15
2016	15
2017	15
2018	15
2019	15
2020	15
2021	15
2022	15
2023	15
2024	15
2025	15
2026	15
2027	15
2028	15
2029	15
2030	15
2031	15
2032	15
2033	15
2034	15
2035	15
2036	15
2037	15
2038	15
2039	15
2040	15
2041	15
2042	15
2043	15
2044	15
2045	15
2046	15
2047	15
2048	15
2049	15
2050	15
2051	15
2052	15
2053	15
2054	15
2055	15
2056	15
2057	15
2058	15
2059	15
2060	15
2061	15
2062	15
2063	15
2064	15
2065	15
2066	15
2067	15
2068	15
2069	15
2070	15
2071	15
2072	15
2073	15
2074	15
2075	15
2076	15
2077	15
2078	15
2079	15
2080	15
2081	15
2082	15
2083	15
2084	15
2085	15
2086	15
2087	15
2088	15
2089	15
2090	15
2091	15
2092	15
2093	15
2094	15
2095	15
2096	15
2097	15
2098	15
2099	15
2100	15

Post Number	Days
11554	24
11573	54
11575	54
11577	55
11579	55
11583	56
11585	56
11590	56
11595	56
11597	56
11602	56
11605	56
11611	56
11612	56
11613	56
11614	56
11615	56
11616	56
11617	56
11618	56
11619	56
11620	56
11621	56
11622	56
11623	56
11624	56
11625	56
11626	56
11627	56
11628	56
11629	56
11630	56
11631	56
11632	56
11633	56
11634	56
11635	56
11636	56
11637	56
11638	56
11639	56
11640	56
11641	56
11642	56
11643	56
11644	56
11645	56
11646	56
11647	56
11648	56
11649	56
11650	56
11651	56
11652	56
11653	56
11654	56
11655	56
11656	56
11657	56
11658	56
11659	56
11660	56
11661	56
11662	56
11663	56
11664	56
11665	56
11666	56
11667	56
11668	56
11669	56
11670	56
11671	56
11672	56
11673	56
11674	56
11675	56
11676	56
11677	56
11678	56
11679	56
11680	56
11681	56
11682	56
11683	56
11684	56
11685	56
11686	56
11687	56
11688	56
11689	56
11690	56
11691	56
11692	56
11693	56
11694	56
11695	56
11696	56
11697	56
11698	56
11699	56
11700	56

Product Index

Pest Number	Dose
14678	21
14679	21
14670	21
14671	21
14672	21
14673	21
14674	21
14675	21
14676	21
14677	21
14678	21
14679	21
14680	25
14681	25
14682	25
14683	25
14684	25
14685	25
14686	25
14687	25
14688	25
14689	25
14690	25
14691	25
14692	25
14693	25
14694	25
14695	25
14696	25
14697	25
14698	25
14699	25
14700	25
14701	25
14702	25
14703	25
14704	25
14705	25
14706	25
14707	25
14708	25
14709	25
14710	25
14711	25
14712	25
14713	25
14714	25
14715	25
14716	25
14717	25
14718	25
14719	25
14720	25
14721	25
14722	25
14723	25
14724	25
14725	25
14726	25
14727	25
14728	25
14729	25
14730	25
14731	25
14732	25
14733	25
14734	25
14735	25
14736	25
14737	25
14738	25
14739	25
14740	25
14741	25
14742	25
14743	25
14744	25
14745	25
14746	25
14747	25
14748	25
14749	25
14750	25
14751	25
14752	25
14753	25
14754	25
14755	25
14756	25
14757	25
14758	25
14759	25
14760	25
14761	25
14762	25
14763	25
14764	25
14765	25
14766	25
14767	25
14768	25
14769	25
14770	25
14771	25
14772	25
14773	25
14774	25
14775	25
14776	25
14777	25
14778	25
14779	25
14780	25
14781	25
14782	25
14783	25
14784	25
14785	25
14786	25
14787	25
14788	25
14789	25
14790	25
14791	25
14792	25
14793	25
14794	25
14795	25
14796	25
14797	25
14798	25
14799	25
14800	25
14801	25
14802	25
14803	25
14804	25
14805	25
14806	25
14807	25
14808	25
14809	25
14810	25
14811	25
14812	25
14813	25
14814	25
14815	25
14816	25
14817	25
14818	25
14819	25
14820	25
14821	25
14822	25
14823	25
14824	25
14825	25
14826	25
14827	25
14828	25
14829	25
14830	25
14831	25
14832	25
14833	25
14834	25
14835	25
14836	25
14837	25
14838	25
14839	25
14840	25
14841	25
14842	25
14843	25
14844	25
14845	25
14846	25
14847	25
14848	25
14849	25
14850	25
14851	25
14852	25

[illegible]

Host Number	Page
00484	18
00485	18
00487	121
00500	194
00502	194
00529	197
00587	100
00588	101
00593	99
00600	100
00554	104
00610	19
00610	101
00618	107
00641	47
00642	47
00643	47
00644	45
00645	43
00647	12
00676	194
00688	141
00690	67
00691	67
00692	56
00693	50
00694	67
00697	194
00726	43
00729	43
00738	194
00751	194
00740	42
00742	48
00774	42
00785	69
00800	64
00801	64
00802	64
00803	64
00814	64
00874	100
00875	100
00879	100
00900	101
00902	101
00903	101
00904	101
00905	101
00906	101
00907	101
00908	101
00909	101
00910	101
00911	101
00912	101
00913	101
00914	101
00915	101
00916	101
00917	101
00918	101
00919	101
00920	101
00921	101
00922	101
00923	101
00924	101
00925	101
00926	101
00927	101
00928	101
00929	101
00930	101
00931	101
00932	101
00933	101
00934	101
00935	101
00936	101
00937	101
00938	101
00939	101
00940	101
00941	101
00942	101
00943	101
00944	101
00945	101
00946	101
00947	101
00948	101
00949	101
00950	101
00951	101
00952	101
00953	101
00954	101
00955	101
00956	101
00957	101
00958	101
00959	101
00960	101
00961	101
00962	101
00963	101
00964	101
00965	101
00966	101
00967	101
00968	101
00969	101
00970	101
00971	101
00972	101
00973	101
00974	101
00975	101
00976	101
00977	101
00978	101
00979	101
00980	101
00981	101
00982	101
00983	101
00984	101
00985	101
00986	101
00987	101
00988	101
00989	101
00990	101
00991	101
00992	101
00993	101
00994	101
00995	101
00996	101
00997	101
00998	101
00999	101

Plot Number	Depth
8-003	79
8-004	79
8-008	75
8-022	69
8-034	63
8-044	57
8-087	52
8-091	127
8-173	57
8-074	59
8-079	57
8-070	57
8-037	55
8-178	57
8-030	57
8-031	58
8-005	55
8-022	47
8-029	47
8-024	47
8-025	47
8-020	55
8-027	48
8-035	54
8-031	54
8-054	21
8-025	21
8-020	21
8-027	21
8-025	21
8-054	55
8-059	21
8-064	21
8-068	21
8-060	21
8-007	21
8-027	155
8-054	55
8-062	124
8-069	19
8-073	19
8-071	19
8-070	19
8-074	19
8-075	19
8-079	19
8-080	19
8-085	19
8-041	18
8-022	15
8-020	15
8-020	18
8-025	18
8-030	18

3M Local Contact Addresses



3M Deutschland GmbH
Autoreparatur-Systeme
Carl-Schurz-Straße 1
41453 Neuss
Deutschland
Tel.: +49 2131 88 19 265
3m.autoreparatur.de@mmm.com
www.3m.de/autoreparatur



3M Österreich GmbH
Autoreparatur-Systeme
Krenschberggasse 4
1120 Wien
Österreich
Tel.: +43 147 00 52
autoreparatur.at@mmm.com
www.3maustria.at/autoreparatur



3M (Schweiz) GmbH / 3M (Suisse) S.à r.l.
Autoreparatur-Systeme
Eggstrasse 91
8803 Rüschlikon
Schweiz / Suisse
Tel.: +41 4350 895 59
3M.FAS.ch@mmm.com
www.3mschweiz.ch/autoreparatur
www.3msuisse.ch/autocarosserie



3M Belgium bvba / sprl
Automotive Aftermarket
Harmatlaan, 7
1831 Diegem
Belgique
Tel.: (+32) 2608 17 91
3M.CDC.bel@mmm.com
www.3m.be/fr/autocarosserie
www.3m.be/autoreparatie



3M Nederland B.V.
Automotive Aftermarket
Molengraaffsingel 29, 2629 JD Delft
Nederland
Tel.: (+31) 1580 80 217
3M.CDC.bel@mmm.com
www.3m.nl/autoreparatie



3M Sanayi ve Ticaret A.Ş.
Barbaros Mah., Mor Sumbul Sok.
No:7/3F, 27-61
Nispetiye Abiyeçifti Güney
34746 Ateşhissar
İstanbul
Turkey
www.3m.com/tr/cilauygulama



3M España, S.L.
Calle Juan Ignacio Luca de Tena, 19-25
28027 Madrid
www.3m.com/es/3M/es_ES/
empresa-es/contactar



3M France
1 Parvis de l'Innovation
CS 20203
95006 Cergy-Pontoise
France
Tel.: +33 (0)1 30 31 61 61
3M.contact.fr@mmm.com
www.3M.com/fr/repauto



3M Italia srl
Divisione Prodotti Autocarrozzeria
Via Norberto Bobbio 21
20096 Pioltello MI
Italia
Tel. 02 703631
3mitaly6@mnm.com
www.3mautocarrozzeria.it



3M United Kingdom plc
Automotive Aftermarket
3M Centre, Oak Road,
Bracknell, RG12 8HT
England
Phone: +44 (0)181 237 6391
adulenkquiries@mnm.com
www.3Mbodyshop.co.uk



3M Ireland Limited
Automotive Aftermarket
The Inagh Building
Orrickmines Park
Orrickmines, Dublin 18
Ireland
Tel.: +353 1260301
adulenkquiries@mnm.com
www.3Mbodyshop.co.uk



3M Gulf Limited
Dubai Internet City
Building No. 11, 3rd Floor
U.A.E.



3M Svenska AB
Bil eftermarknad
Härjansväg 4
170 67 Solna
Sverige
Tel: 08-922100
adulenkquiries@mnm.com
www.3M.se/bil eftermarknad



3M Norge AS, Auto
Ternuddata 18
2004 Lillestrøm
Norge
adulenkquiries@mnm.com
www.3m.no/auto



Denmark, 3M s/r,
Automotive Aftermarket
Hønnemanns Allé 59
2300 København S
Denmark
adulenkquiries@mnm.com
www.3MAuto.dk



Finland, Suomen 3M Oy
Autotuoteet
Kelloniementie 1
02151 Espoo
Tel: 09 52521
adulenkquiries@mnm.com
www.3M.fi/autotuoteet



3M Poland
Al. Katowicka 117
Kajetany
05-630 Naderzyn
Polska
Telefon: +48 22 730 60 00
www.3m.pl/kontakt



3M Česko, spol. s r.o.
V Parku 2343/24
148 00 Praha 4



3M Slovenija s.r.o.
Polus Tower 2, Vojnarska 100/B
631 04 Bratislava



3M Hungary Kft
Neumann János u. 1/E
1157 Budapest

For more AAD Contact details go to:
www.3m.com/collisionrepair

3M TERMS OF SALE

1. Application

1.1 These conditions apply to all contracts between 3M and the Buyer referred to in the order and override all conditions stipulated by the Buyer (even if submitted in a later document); any other agreements between the parties relating to the subject matter of this order are terminated (except an agreement into which these conditions are incorporated).

1.2 No variation of these conditions is permitted unless agreed in writing by an authorised officer of 3M. Lead time for delivery shall be as set out in 3M's quotation or proposal or if none is specified 3M's standard lead times shall apply.

2. Description

2.1 The description of the goods or services to be supplied by 3M shall be as set out in 3M's quotation, as modified by any written specification supplied by 3M, or otherwise agreed in writing by an authorised officer of 3M.

2.2 3M may amend any specification, if required by any applicable statute or regulation, or by notification to the Buyer following which the applicable specification shall be that as so amended.

2.3 All samples, drawings, images, descriptive matter and advertising materials produced by 3M and any descriptions or illustrations contained in 3M's literature, digital media or email are produced solely to describe the goods or services approximately and do not form part of the agreement into which these conditions are incorporated.

3. Price

3.1 Save where expressly stated otherwise by 3M the price to be paid for the goods or the services will be 3M's price at the date when the goods are dispatched or the services are provided.

3.2 The price of goods includes the cost of 3M's standard packaging and standard delivery within the UK and Ireland by 3M's normal transportation; the price does not include VAT. Where the price is based on a price and/or packaging being returned to 3M, then failure to do so by the Buyer will result in a surcharge at 3M's standard rate.

4. Payment

4.1 Unless or otherwise specified on 3M's invoice, payment for the goods or services must be received in cleared funds no later than thirty days of the date of invoice.

4.2 3M reserves the right to charge interest on overdue sums at the rate of 4% per annum above the Base Rate for the time being of Lloyds Bank plc calculated on a daily basis from the due date of payment in Clause 4.1 until the date upon which payment is made.

4.3 3M may at any time require the Buyer to make payment in advance of delivery or require security for payment.

4.4 If the Buyer fails to make payment by the due date or when required, 3M may (without prejudice to any other remedy which it may have) cancel this contract and/or any other contract between the Buyer and 3M and/or suspend delivery under this or any other contract until payment is made.

4.5 The Buyer will have no statutory or other right of set off.

5. Delivery

5.1 Delivery dates are approximate only and 3M shall not be responsible for any loss or damage arising from any delay in delivering all or part of any goods ordered or delay in the provision of any services.

5.2 Without prejudice to Clause 5.1, 3M will not be liable for any delay in delivery or non delivery of goods or services or any other breach of these conditions caused by any circumstances beyond 3M's reasonable control including without limitation, any Act of God, explosion, fire, flood, war, hostilities, accident, delay in delivery or non delivery by 3M's suppliers, breakdowns or accidents to machinery, labour strike or dispute, order or decree of any court or action of any governmental authority, or any other causes or any circumstances beyond 3M's control; on the occurrence of any of the above events 3M reserves the right to cancel or suspend the whole or part of any delivery or service provision.

5.3 In the case of any order for goods of a type or description not normally held in stock by 3M, and therefore specially made or made-to-order by 3M to meet such order, the Buyer will accept goods 10% more or 10% less than ordered, the total price of the order being correspondingly adjusted.

5.4 Where 3M releases the International rules for the interpretation of trade terms prepared by the International Chamber of Commerce (Incoterms) in the relevant contract or proposal, such terms shall apply to delivery made that where they conflict with these conditions, these conditions shall prevail. For deliveries outside of the UK mainland the term of sale shall be FOB 3M UK warehouse unless otherwise mutually agreed in writing by 3M and Buyer.

5.5 Goods supplied may be subject to export controls. The Buyer should refer to 3M's packing list accompanying the goods for any export control status.

6. Risk

6.1 In all goods supplied to the Buyer will pass to the Buyer on delivery. Unloading shall be at the Buyer's risk.

7. Inspection

7.1 If the goods or any of them are damaged or lost while in the custody of a carrier, 3M will (at its option) either replace such goods or refund to the Buyer the price paid for them, but 3M's liability in connection with any such goods will not exceed the cost of replacement or the price paid for them.

7.2 3M will not be under any liability under 7.1 above unless the following conditions are strictly complied with:

7.2.1 In the event of non-delivery of a whole consignment of goods the Buyer must inform 3M in writing within ten days of the date of the invoice.

7.2.2 In the case of damage to goods or loss of part of a consignment, the consignment must be inspected in the presence of the carrier. If any goods are damaged or lost the consignment note must be endorsed accordingly and the Buyer must notify 3M within forty-eight hours of delivery, such notification to be confirmed in writing within the following five days. 3M shall have no further liability for such damage or loss.

8. Liabilities and Warranties

8.1 Nothing in this clause will be deemed to exclude or restrict 3M's liability for (i) death or personal injury resulting from its negligence; (ii) fraud or fraudulent misrepresentation; (iii) breach of any obligation as to title implied by section 12 of the Sale of Goods Act 1979; and/or (iv) any act, omission or matter, liability for which may not be legally excluded or limited.

8.2 If any goods supplied or any services rendered or provided by or on behalf of 3M prove on inspection to be defective in material or workmanship, 3M will (at its option) replace the same (or the defective part) or refund to the Buyer the price of the goods or services (or a pro-rated amount of the price if not all the goods are defective).

8.3 The Buyer will determine the suitability of the goods for its intended use and will not rely upon any representations made by or on behalf of 3M.

8.4 3M's liability under these conditions shall extend beyond the cost of replacement or the price paid by the Buyer for the goods or services.

8.5 3M will not be liable for any consequential or indirect loss or damage (whether for loss of profit, loss of business, rejection of goods or otherwise) costs, expenses or other claims for consequential compensation whatsoever suffered by the Buyer whether this loss or damage arises from a breach of duty, in contract or in tort or in any other way (including loss or damage arising from 3M's negligence).

8.6 The Buyer shall at all times comply with standards of business conduct that are consistent with 3M's Code of Conduct located at <https://www.3m.com/ethicsandcompliance> and of applicable laws, statutes, regulations and codes relating to anti-bribery including but not limited to the US Foreign Corrupt Practices Act and the UK Bribery Act 2010 ("Bribery Laws") and shall maintain in place its own policies and adequate procedures, to ensure full compliance with the Bribery Laws. The Buyer shall promptly report to 3M any request or demand for any undue financial or other advantage of any kind received by or offered to the Buyer in connection with 3M's goods or services.

8.7 Except as set out in these conditions, all other warranties and conditions, whether express or implied, statutory or otherwise are excluded to the fullest extent permissible at law.

9. Assignment

9.1 3M may assign, or deal in any other manner with, any contract between 3M and Buyer or any part of them, including sub-contracting any of its obligations under such contracts to any third party or agent.

9.2 The Buyer shall not be entitled to assign, or deal in any other manner with, any contracts between 3M and Buyer or any part of them, including sub-contracting any of its obligations under such contracts, without the prior written consent of 3M.

10. Termination

If there is appointed a Receiver, Administrator or Administrative Receiver of the Buyer's property or goods or any part of them, or a court order is made or a resolution is passed for the winding-up of the Buyer (except for the purpose of amalgamation or reconstruction) or if the Buyer surrenders any act of bankruptcy, or any bankruptcy petition is presented against the Buyer (or any analogous proceedings under the law of any country outside the United Kingdom are commenced), 3M may by notice in writing to the Buyer cancel all orders and contracts between 3M and the Buyer or any part of them remaining unfulfilled.

11. General

11.1 Any provision, or part of a provision, of these conditions is void if it is held by any court or administrative body of competent jurisdiction to be invalid, illegal or unenforceable (a "void provision") such invalidity, illegality or unenforceability shall not affect the other provisions of the conditions, which shall remain in full force and effect. If a void provision would be valid, legal and enforceable if some part of it were deleted, that void provision shall apply with such modification as may be necessary to make it valid, legal and enforceable and if it cannot be made valid, legal and enforceable it shall be deemed to be deleted.

11.2 No provision of the conditions shall be enforceable under the Contracts (Rights of Third Parties) Act, 1999 by any person who is not a party to the contract between 3M and Buyer.

11.3 A failure to exercise, or delay in exercising a right, power or remedy provided to 3M by these conditions or by law does not constitute a waiver of that, or any other, right, power or remedy and shall not (just as) that any single or partial exercise of any such right, power or remedy preclude the further exercise of that, or any other, right, power or remedy.

12. Jurisdiction

12.1 All contracts between 3M and the Buyer where the goods are shipped to or services are provided in the Republic of Ireland shall be governed by and construed in accordance with the Laws of the Republic of Ireland, and the Buyer agrees to submit to the jurisdiction of the Courts of law in the Republic of Ireland in respect of them.

12.2 Except as provided above, all contracts between 3M and the Buyer shall be governed by and construed in accordance with the Laws of England, and the Buyer agrees to submit to the jurisdiction of the Courts of law in England in respect of them.



3M United Kingdom PLC
3M Centre Cain Road,
Bracknell,
Berkshire, RG12 8HT
Tel : 0870 6080050
www.3M.co.uk

3M Ireland Limited
The Iveagh Building
The Park 18, Carrickmines,
D18 X015, Ireland
+353-1-2803555
www.3m.ie